

## SAFETY DATA SHEET

# MicroPRefs® Blank tablet

# SECTION 1: Identification

1.1. Product identifier

Trade name MicroPRefs® Blank tablet

Product no.

C15459.X-TAB

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Laboratory use

Restricted to professional users. Uses advised against

# None known.

1.3. Details of the supplier of the safety data sheet

# Company and address

**Chiron AS** Arkitekt Ebbells veg 22, Bygg-D N-7041 TRONDHEIM

#### Contact person Solveig Bye Hauge

E-mail

quality@chiron.no

# SDS date

4/9/2024

# SDS Version

1.0

#### 1.4. Emergency telephone number

Contact the poison control at 1-800-222-1222 (24/7) or use the webPOISONCONTROL® (triage.webpoisoncontrol.org) to get specific guidance for your case See also section 4 "First aid measures".

SECTION 2: Hazard(s) identification

# **OSHA/HCS** status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

# 2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

# 2.2. Label elements

Hazard pictogram(s)



Signal word Warning Hazard statement(s) Causes serious eye irritation. (H319) Precautionary statement(s) General



#### Prevention

Wear eye protection/protective gloves/protective clothing. (P280)

#### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

Disposal

-

Additional labelling Not applicable.

# 2.3. Other hazards

# Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### SECTION 3: Composition/Information on Ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Lactose	CAS No.: Confidential	30-70%		
Sodium bicarbonate	CAS No.: Confidential	30-70%		
Citric acid	CAS No.: Confidential	5-30%	Eye Irrit. 2, H319 STOT SE 3, H335	
Benzoic acid	CAS No.: Confidential	1-10%	Eye Irrit. 2, H319	

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

## Other information

SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

### **General** information

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

# Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion



If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure. 4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2) Some metal oxides

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures Contaminated areas may be slippery.

Contaminated areas may be supper

# 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Limit spillage, sweep up and shovel into appropriate containers for disposal. Store in suitable, closed containers for disposal.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Recommended storage material

Keep only in original packaging.

Storage temperature



Type/Category - Glove thicknes - Standards E EN166		Standards - Breakthrough time (min.) -	5 Standards EN374	
Glove thicknes		- Breakthrough time	Standards	
Glove thicknes		- Breakthrough time	Standards	
Glove thicknes		- Breakthrough time	Standards	
-		-		
Type/Category -	,	Standards -	3	
Type/Category -	,	Standards -	5	A state of the
Type/Category	,	Standards	5	
S/SL	P2	White	EN149	
Туре			Standards	_
quipment with	a recogni	zed certification mark, e	e.g. the UL mark.	
ures, such as pe	ersonal pr	otective equipment		
ents.				
ial attention to l	hands, fo			ay must be washed
e product and a	t the end	of the working day all e	whosed areas of the bo	dy must be washed
	ise of the	product. Avoid inhalatio	on of gas or dust.	
	ot been d	efined for the substanc	es in this product.	
re scenarios imp	plemente	a for this product.		
·				
	of food is	s not allowed in the wor	rk area.	
•	essary ex	posure		
l with a permiss	ible expo	sure limit (ref: 29 CFR 19	910.1000 TABLE Z-1)	
rols/personal p	rotection			
y be used for ap	plications	s quoted in section 1.2.		
5 to 25°C				
t.				
ntilated				
	re. t. 5 to 25°C y be used for ap rols/personal p d with a permiss prevent unnect ons nd consumption re scenarios imp autions during u e product and a cial attention to onmental exposents. ures, such as per equipment with Type	re. t. 5 to 25°C y be used for applications rols/personal protection d with a permissible expo prevent unnecessary exp nd consumption of food is re scenarios implemente re limits have not been d reasures autions during use of the e product and at the end ial attention to hands, fo onmental exposure ents. ures, such as personal pr equipment with a recogni Type Class	re. t. 5 to 25°C y be used for applications quoted in section 1.2. trols/personal protection d with a permissible exposure limit (ref: 29 CFR 19 pervent unnecessary exposure ons nd consumption of food is not allowed in the work re scenarios implemented for this product. tre limits have not been defined for the substance easures autions during use of the product. Avoid inhalation te product and at the end of the working day all end ial attention to hands, forearms and face. onmental exposure ents. ures, such as personal protective equipment equipment with a recognized certification mark, end <b>Type</b> Class Colour	re. t. 5 to 25°C y be used for applications quoted in section 1.2. rols/personal protection d with a permissible exposure limit (ref: 29 CFR 1910.1000 TABLE Z-1) prevent unnecessary exposure ons nd consumption of food is not allowed in the work area. re scenarios implemented for this product. re limits have not been defined for the substances in this product. easures autions during use of the product. Avoid inhalation of gas or dust. e product and at the end of the working day all exposed areas of the bodial attention to hands, forearms and face. onmental exposure ents. ures, such as personal protective equipment equipment with a recognized certification mark, e.g. the UL mark. Type Class Colour Standards





SECTION 9: Physical and chemical properties

```
9.1. Information on basic physical and chemical properties
  Physical state
      Tablets
  Colour
      White
  Odour
      No data available
  Odour threshold (ppm)
      No data available
  рΗ
      No data available
  Density (g/cm<sup>3</sup>)
      No data available
  Relative density
      No data available
  Kinematic viscosity
      No data available
  Particle characteristics
      No data available
Phase changes
  Melting point (°F)
      No data available
  Softening point/range (waxes and pastes) (°F)
      Does not apply to solids.
  Boiling point (°F)
      No data available
  Vapour pressure
      No data available
  Relative vapour density
      No data available
  Decomposition temperature (°F)
      No data available
Data on fire and explosion hazards
  Flash point (°F)
      No data available
  Flammability (°F)
      No data available
  Auto-ignition temperature (°F)
      No data available
  Explosion limits (% v/v)
      No data available
Solubility
  Solubility in water
      Soluble
  n-octanol/water coefficient (LogKow)
      No data available
  Solubility in fat (g/L)
      No data available
9.2. Other information
  Evaporation rate (n-butylacetate = 100)
      No data available
  Other physical and chemical parameters
      No data available.
  Oxidizing properties
```



No data available

SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

- 10.3. Possibility of hazardous reactions
- None known.
- 10.4. Conditions to avoid Moisture

Storage in the open is not recommended.

- 10.5. Incompatible materials
  - Plastic

#### 10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

#### Acute toxicity Product/substance Citric acid Species: Mouse Route of exposure: Oral LD50 Test: 5400 mg/kgbw Result: Product/substance Citric acid Species: Rat Route of exposure: Dermal Test: LD50 2000 mg/kgbw Result: Product/substance Benzoic acid Species: Rat Route of exposure: Oral Test: LD50 2000 mg/kgbw Result: Product/substance Benzoic acid Species: Rat Route of exposure: Inhalation Test: LC50 (4 hours) Result: 12.2 mg/L Product/substance Benzoic acid Species: Rabbit Route of exposure: Dermal Test: LD50 Result: 2000 mg/kgbw Skin corrosion/irritation Product/substance Citric acid Result: No adverse effect observed (Not irritating) Product/substance Benzoic acid Result: No adverse effect observed (Not irritating) Serious eye damage/irritation

Product/substance Citric acid



Result:	Adverse effect observed (Irritating)
Product/substance Result:	Benzoic acid Adverse effect observed (Irritating)
Causes serious eye irrita	tion.
Respiratory sensitisation	
	the classification criteria are not met.
Skin sensitisation Product/substance	Cituic said
Result:	Citric acid No adverse effect observed (not sensitising)
Product/substance Result:	Benzoic acid No adverse effect observed (not sensitising)
Germ cell mutagenicity	
Product/substance Conclusion:	Citric acid Adverse effect observed
Product/substance Conclusion:	Citric acid No adverse effect observed
Product/substance Conclusion:	Benzoic acid No adverse effect observed
Carcinogenicity	
Product/substance	Benzoic acid
Species: Route of exposure:	Rat Oral
Test:	NOAEL
Result:	1000 mg/kg bw/day No adverse effect observed
Conclusion:	No adverse effect observed
Reproductive toxicity	
Product/substance	Benzoic acid
Species:	Rat
Test: Result:	NOAEL 175 - 500 mg/kg bw/day
Conclusion:	No adverse effect observed
STOT-single exposure Based on available data,	the classification criteria are not met.
STOT-repeated exposure	
Product/substance	Benzoic acid
Species: Route of exposure:	Rat Oral
Test:	NOAEL
Result:	1000 mg/kg bw/day
Conclusion:	No adverse effect observed
Product/substance	Benzoic acid
Species:	Rat
Route of exposure:	Inhalation
Test: Result:	NOAEC 250 mg/m <sup>3</sup>
Conclusion:	Adverse effect observed
Product/substance	Benzoic acid
Species:	Rabbit
Route of exposure:	Dermal
Test: Result:	NOAEL 2500 mg/kg bw/day
Conclusion:	2500 mg/kg bw/day No adverse effect observed



#### Aspiration hazard

Based on available data, the classification criteria are not met.

### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure. Other information

# None known.

NUTE KITUWIT.

# SECTION 12: Ecological information

40.4	-			
12.1	.	OXI	CI	tv

12.1. Toxicity	
Product/substance	Citric acid
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	100 mg/L
Product/substance	Citric acid
Species:	Fish
Duration:	48 hours
Test:	LC50
Result:	440 - 760 mg/L
Product/substance	Citric acid
Species:	Fish
Duration:	48 hours
Test:	LCO
Result:	200 - 620 mg/L
Product/substance	Citric acid
Species:	Fish
Duration:	96 hours
Test:	LC100
Result:	1 g/L
Result.	i g/L
Product/substance	Citric acid
Species:	Fish
Duration:	48 hours
Test:	LC100
Result:	600 - 800 mg/L
Product/substance	Citric acid
Species:	Crustacean
Duration:	48 hours
Test:	EC50
Result:	50 mg/L
Product/substance	Citric acid
Species:	Crustacean
Duration:	24 hours
Test:	LC50
Result:	
Result.	1.535 g/L
- • · ·	
Product/substance	Citric acid
Species:	Crustacean
Duration:	24 hours
Test:	LCO
Result:	1.206 g/L
	-
Product/substance	Citric acid
Species:	Crustacean
Duration:	24 hours



Test:	LC100
Result:	2.083 g/L
Product/substance	Citric acid
Species:	Algae
Compartment:	Freshwater
Test:	EC10
Result:	425 mg/L
Product/substance	Benzoic acid
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	484 mg/L
Product/substance	Benzoic acid
Species:	Fish
Duration:	96 hours
Test:	NOEC
Result:	392.5 mg/L
Product/substance	Benzoic acid
Species:	Crustacean
Duration:	21 days
Test:	NOEC
Result:	5.81 mg/L
Product/substance	Benzoic acid
Species:	Crustacean
Duration:	21 days
Test:	LOEC
Result:	5.81 mg/L
Product/substance	Benzoic acid
Species:	Crustacean
Duration:	21 days
Test:	EC10
Result:	5.81 mg/L
Product/substance	Benzoic acid
Species:	Crustacean
Duration:	21 days
Test:	EC50
Result:	5.81 mg/L
Product/substance	Benzoic acid
Species:	Algae
Compartment:	Freshwater
Duration:	72 hours
Test:	EC50
Result:	30.5 mg/L
Product/substance	Benzoic acid
Species:	Algae
Compartment:	Freshwater
Duration:	72 hours
Test:	EC10
Result:	6.5 mg/L
Product/substance	Benzoic acid
Species:	Bacteria
Duration:	7 days
Test:	NOEC



Result:			100 mg/L						
12.2. Pers	istence	and degr	radability						
Product	:/substa	nce	Citric acid						
Compai	rtment:		Freshwater						
Result:			100 %						
Conclus	sion:		Readily biod	egradable					
Product	:/substa	nce	Benzoic acid						
Result:			100 %						
Conclus	sion:		Readily biod	egradable					
12.3. Bioa									
	/substa	nce	Benzoic acid		.1				
Conclus	sion:		No potentia	for bioaccumu	liation				
12.4. Mob									
No dat	a availa	ıble.							
12.5. Resi	ults of F	BT and v	PvB assessm	ent					
					ances known to fu	ulfil the criteria for	PBT and v	vPvB clas	ssification.
		rse effect							
None k		roc cricci	5						
SECTION	13: Dis	posal con	siderations						
		-							
RCRA Haz	ardous	waste ("P	" and "U" list	t) (40 CFR 261	)				
			ts are listed						
Specific la	bellina								
Contamin		acking							
containin	acca pe	lang							
SECTION	14: Tra	insport in	formation						
	14.1	14.2			14.3		14.4	14.5	Other
			er shipping na	ame	Hazard class(es	)	14.4 PG*	14.5 Env**	
	_	-			-	-	-	-	-
MDG	_	_			-		-	_	-
ATA	_	_			_		-	_	_
	-	-			-		-	-	-

- \* Packing group
- \*\* Environmental hazards
- Additional information
  - Not dangerous goods according to DOT, IATA and IMDG.
- 14.6. Special precautions for user
  - Not applicable.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. U.S. Federal regulations

TSCA (the non-confidential portion) Citric acid is listed Benzoic acid is listed Clean Air Act

None of the components are listed EPCRA Section 302



None of the components are listed **EPCRA Section 304** None of the components are listed **EPCRA** section 313 None of the components are listed **CFRCLA** None of the components are listed State regulations California / Prop. 65 None of the components are listed Massachusetts / Right To Know Act None of the components are listed New Jersey / Right To Know Act None of the components are listed New York / Right To Know Act None of the components are listed Pennsylvania / Right To Know Act None of the components are listed 15.4. Restrictions for application Restricted to professional users. 15.5. Demands for specific education No specific requirements. 15.6. Additional information Not applicable. 15.7. Chemical safety assessment No 15.8. Sources OSHA Hazard Communication Standard (29 CFR 1910.1200) SECTION 16: Other information Full text of H-phrases as mentioned in section 3 H319, Causes serious eye irritation. H335, May cause respiratory irritation. The full text of identified uses as mentioned in section 1 None known. Abbreviations and acronyms ACGIH = American Conference of Governmental Industrial Hygienists ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CERCLA = Comprehensive Environmental Response Compensation and Liability Act DOT = Department of Transportation EINECS = European Inventory of Existing Commercial chemical Substances EPCRA = Emergency Planning and Community Right-To-Know Act GHS = Globally Harmonized System of Classification and Labelling of Chemicals HCIS = Hazardous Chemical Information System HNOC = Hazards Not Otherwise Classified IARC = International Agency for Research on Cancer IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) NFPA = National Fire Protection Association NIOSH = National Institute for Occupational Safety and Health OECD = Organisation for Economic Co-operation and Development



OSHA = Occupational Safety and Health Administration

PBT = Persistent, Bioaccumulative and Toxic

RCRA = Resource Conservation and Recovery Act

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SARA = Superfund Amendments and Reauthorization Act

SCL = A specific concentration limit.

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TSCA = The Toxic Substances Control Act

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

### Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

#### The safety data sheet is validated by

Stine Rapp

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en