Page 1/10

1 Identification · Product identifier

- · Product Name: Analyte Mix D (High Level)
- · Part Number: 5242-DH
- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA
- · Information department: product safety department · Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1A H350 May cause cancer.

Repr. 1A H360 May damage fertility or the unborn child.

STOT SE 1 H370 Causes damage to organs.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: methanol 1,2-dibromo-3-chloropropane benzene · Hazard statements Highly flammable liquid and vapor. Toxic if inhaled. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up.

(Contd. on page 2)

Printing date 12/01/2015

Product Name: Analyte Mix D (High Level)

Reviewed on I	12/01/2015
---------------	------------

Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system: • NFPA ratings (scale 0 - 4)	(Contd. of page 1)
$\begin{array}{c} 1 \\ 1 \\ 0 \end{array}$ Health = 1 Fire = 3 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH*1FIRE3REACTIVITY 0	
• Other hazards	
· Results of PBT and vPvB assessment	
· PBT:	
87-68-3 hexachlorobuta-1,3-diene	
87-61-6 1,2,3-trichlorobenzene	
120-82-1 1,2,4-trichlorobenzene	
· vPvB:	
87-68-3 hexachlorobuta-1,3-diene	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerou	us components:	
67-56-1	methanol	96.6%
87-68-3	hexachlorobuta-1,3-diene	0.2%
87-61-6	1,2,3-trichlorobenzene	0.2%
108-67-8	mesitylene	0.2%
120-82-1	1,2,4-trichlorobenzene	0.2%
95-63-6	1,2,4-trimethylbenzene	0.2%
96-12-8	1,2-dibromo-3-chloropropane	0.2%
106-46-7	1,4-dichlorobenzene	0.2%
71-43-2	benzene	0.2%
91-20-3	naphthalene	0.2%
103-65-1	propylbenzene	0.2%
108-88-3	toluene	0.2%
· Chemical	l identification of the substance/preparation	
108-38-3	<i>m-xylene</i>	0.2%
594-20-7	2,2-dichloropropane	0.2%
95-47-6	o-xylene	0.2%
99-87-6	p-cymene	0.2%
135-98-8	sec-butylbenzene	0.2%
98-06-6	tert-butylbenzene	0.2%

4 First-aid measures

- \cdot Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

Printing date 12/01/2015

Product Name: Analyte Mix D (High Level)

• After swallowing: Do not induce vomiting; immediately call for medical help.

· Information for Doctor:

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
- Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

	1		
· Com	· Components with limit values that require monitoring at the workplace:		
67-5	67-56-1 methanol		
PEL	Long-term value: 260 mg/m ³ , 200 ppm		
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm		
	Skin		
	(Contd. on page 4)		

(Contd. of page 2)

Reviewed on 12/01/2015

Printing date 12/01/2015

Product Name: Analyte Mix D (High Level)

Reviewed on 12/01/2015

auci	Name: Analyte Mix D (High Level)
	(Contd. of page 3)
TLV	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI
87-6	8-3 hexachlorobuta-1,3-diene
REL	Long-term value: 0.24 mg/m ³ , 0.02 ppm Skin; See Pocket Guide App. A
TLV	Long-term value: 0.21 mg/m³, 0.02 ppm Skin
96-1	2-8 1,2-dibromo-3-chloropropane
PEL	Long-term value: 0.001 ppm see 29 CFR 1910.1044
REL	See Pocket Guide App. A
71-4	3-2 benzene
	Short-term value: 15* mg/m ³ , 5* ppm Long-term value: 3* mg/m ³ , 1* ppm *table Z-2 for exclusions in 29CFR1910.1028(d)
	Short-term value: 1 ppm Long-term value: 0.1 ppm See Pocket Guide App. A
	Short-term value: 8 mg/m³, 2.5 ppm Long-term value: 1.6 mg/m³, 0.5 ppm Skin; BEI
	edients with biological limit values:
	6-1 methanol
BEI	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
71-4	3-2 benzene
DEI	25 μg/g creatinine Medium: urine Time: end of shift Parameter Parameter: S-Phenylmercapturic acid (background 500 μg/g creatinine Medium: urine Time: end of shift
	Parameter: t,t-Muconic acid (background)
Addi	itional information: The lists that were valid during the creation were used as basis.
Pers Gena Keep Imm Wash Store Avoi Brea In ca indep	osure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. id contact with the eyes and skin. uthing equipment: ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that a pendent of circulating air. ection of hands:
PH	Protective gloves
Due Selec Mate	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation erial of gloves
The man there	selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer t ufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and ha efore to be checked prior to the application.

Penetration time of glove material
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Printing date 12/01/2015

Product Name: Analyte Mix D (High Level)

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties		
• Information on basic physical and chemical properties • General Information • Appearance:		
Form: Color: · Odor: · Odour Threshold:	Liquid According to product specification Characteristic Not applicable.	
· pH-value:	Not applicable.	
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 64 °C (147 °F)	
· Flash point:	11 °C (52 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	455 °C (851 °F)	
· Decomposition temperature:	Not applicable.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits: Lower: Upper:	5.5 Vol % 44.0 Vol %	
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
· Density at 20 °C (68 °F) · Relative density · Vapour density · Evaporation rate	0.80144 g/cm³ (6.688 lbs/gal) Not applicable. Not applicable. Not applicable.	
• Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	r): Not applicable.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
· Solvent content: Organic solvents: VOC content:	99.0 % 99.0 %	
Solids content: • Other information	0.4 % No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Reviewed on 12/01/2015

(Contd. of page 4)

Printing date 12/01/2015

Product Name: Analyte Mix D (High Level)

(Contd. of page 5)

Reviewed on 12/01/2015

Toxicolo			
(mail 1997)	ogicai inje	prmation	
Informati	ion on tox	icological effects	
Acute tox		o	
LD/LC50	values the	at are relevant for classification:	
67-56-1 n	nethanol		
Oral	LD50	5628 mg/kg (rat)	
Dermal	LD50	15800 mg/kg (rabbit)	
	, ,	llorobenzene	
Oral	LD50	756 mg/kg (rat)	
	-	o-3-chloropropane	
Oral	LD50	170 mg/kg (rat)	
Dermal	LD50	1420 mg/kg (rat)	
106-46-7		robenzene	
Oral	LD50	500 mg/kg (rat)	
71-43-2 b	-		
Oral	LD50	4894 mg/kg (rat)	
Dermal	LD50	48 mg/kg (mouse)	
		h 9980 mg/l (mouse)	
	aphthalen		
Oral	LD50	490 mg/kg (rat)	
Dermal	LD50	5000 mg/kg (rat)	
on the ski on the eye Sensitizat Additiona	e: No irrita tion: No se al toxicolog	tant effect. ating effect. ensitizing effects known. gical information:	
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinoge	in: No irrit e: No irrit tion: No se al toxicolog uct shows i enic.	tant effect. ating effect. ensitizing effects known.	
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinog The produ	in: No irrit e: No irrit tion: No se al toxicolog uct shows i enic.	tant effect. ating effect. ensitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage.	
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinog The produ Carcinog IARC (Inc.	in: No irrit e: No irrita tion: No se al toxicolog act shows i enic. act can cat enic categ ternationa	tant effect. ating effect. ensitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories al Agency for Research on Cancer)	
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinoge The produ Carcinoge IARC (In 87-68-3	in: No irrit e: No irrita tion: No se al toxicolog uct shows i enic. uct can cat enic categ ternationa hexachloo	tant effect. ating effect. ensitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories	3
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinoge The produ Carcinoge IARC (Im 87-68-3 108-38-3	in: No irrit e: No irrit tion: No se al toxicolog uct shows i enic. uct can cat enic categ ternationa hexachlon m-xylene	tant effect. ating effect. ensitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories al Agency for Research on Cancer) robuta-1,3-diene	
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinoge The produ Carcinoge IARC (In 87-68-3 108-38-3 96-12-8	in: No irrit e: No irrit tion: No se al toxicolog act shows i enic. act can can enic categ ternationa hexachlor m-xylene 1,2-dibro	tant effect. ating effect. ensitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories al Agency for Research on Cancer) robuta-1,3-diene mo-3-chloropropane	3 2
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinoge IARC (In 87-68-3 108-38-3 96-12-8 106-46-7	in: No irrit e: No irrit cion: No se al toxicolog act shows i enic. act can cat enic categ ternationa hexachlor m-xylene 1,2-dibro 1,4-dichlo	tant effect. ating effect. ensitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories al Agency for Research on Cancer) robuta-1,3-diene	3 2
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinog The produ Carcinog IARC (In 87-68-3 108-38-3 96-12-8 106-46-7 71-43-2	in: No irrit e: No irrit cion: No se al toxicolog act shows i enic. act can cat enic categ ternationa hexachlor m-xylene 1,2-dibro 1,4-dichla benzene	tant effect. ating effects. ansitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories al Agency for Research on Cancer) robuta-1,3-diene mo-3-chloropropane orobenzene	3 2 2 1
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinoge The produ Carcinoge IARC (Int 87-68-3 108-38-3 96-12-8 106-46-7 71-43-2 91-20-3	in: No irrita e: No irrita tion: No se al toxicolog act shows i enic. enic categ ternationa hexachlor m-xylene 1,2-dibro 1,4-dichla benzene naphthale	tant effect. ating effects. ansitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories al Agency for Research on Cancer) robuta-1,3-diene mo-3-chloropropane orobenzene	3 2 2 1 2 2 2
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinog The produ Carcinog IARC (In 87-68-3 108-38-3 96-12-8 106-46-7 71-43-2 91-20-3 95-47-6	in: No irrita e: No irrita tion: No se al toxicolog uct shows i enic. enic can can enic categ ternationa hexachlor m-xylene 1,2-dibro 1,4-dichla benzene naphthale o-xylene	tant effect. ating effects. ansitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories al Agency for Research on Cancer) robuta-1,3-diene mo-3-chloropropane orobenzene	3 2 2 1 2 2
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinoge IARC (In 87-68-3 108-38-3 96-12-8 106-46-7 71-43-2 91-20-3 95-47-6 108-88-3	in: No irrita e: No irrita tion: No se al toxicolog uct shows i enic. uct can cat enic categ ternationa hexachlor m-xylene 1,2-dibro 1,4-dichlo benzene naphthala o-xylene toluene	tant effect. ating effects. ensitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories Il Agency for Research on Cancer) robuta-1,3-diene mo-3-chloropropane orobenzene ene	3 2 2 1 2 3 3
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinoge IARC (In 87-68-3 108-38-3 96-12-8 106-46-7 71-43-2 91-20-3 95-47-6 108-88-3 NTP (Nat	in: No irrita e: No irrita ion: No se al toxicolog uct shows i enic. uct can cat enic categ ternationa hexachlor m-xylene 1,2-dibro 1,4-dichlo benzene naphthale o-xylene toluene tional Tox	tant effect. ating effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories Il Agency for Research on Cancer) robuta-1,3-diene mo-3-chloropropane orobenzene ene ene isology Program)	3 2 2 1 2 3 3
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinoge IARC (In 87-68-3 108-38-3 96-12-8 106-46-7 71-43-2 91-20-3 95-47-6 108-88-3 NTP (Nat 96-12-8	in: No irrita e: No irrita ion: No se al toxicolog uct shows i enic. uct can can enic categ ternationa hexachlor m-xylene 1,2-dibro 1,4-dichlo benzene naphthale o-xylene toluene tional Tox 1,2-dibro	tant effect. ating effects known. gical information: gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories Il Agency for Research on Cancer) robuta-1,3-diene mo-3-chloropropane ene ene icology Program) mo-3-chloropropane	3 2 2 1 1 2 3 3 3
on the ski on the eye Sensitizat Additiona The produ Carcinoge IARC (In 87-68-3 108-38-3 96-12-8 106-46-7 71-43-2 91-20-3 95-47-6 108-88-3 NTP (Nat 96-12-8 106-46-7	in: No irrit e: No irrit ion: No se il toxicolog uct shows i enic. uct can can enic categ ternationa hexachlor m-xylene 1,2-dibro 1,4-dichla benzene naphthala o-xylene toluene tioluene 1,2-dibro 1,4-dichla i,4-dichla	tant effect. ating effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories Il Agency for Research on Cancer) robuta-1,3-diene mo-3-chloropropane orobenzene ene ene isology Program)	3 2 2 1 2 3 3 3
on the ski on the eye Sensitizat Additiona The produ Carcinog The produ Carcinog 14RC (In 87-68-3 108-38-3 96-12-8 106-46-7 71-43-2 91-20-3 95-47-6 108-88-3 NTP (Nat 96-12-8 106-46-7 71-43-2	in: No irrit e: No irrit cion: No se al toxicolog act shows i enic. act can can enic categ ternationa hexachlor m-xylene 1,2-dibro 1,4-dichla benzene naphthale o-xylene toluene tional Tox 1,2-dibro 1,4-dichla benzene	tant effect. ating effects. minitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories Il Agency for Research on Cancer) robuta-1,3-diene mo-3-chloropropane ene ene icology Program) mo-3-chloropropane orobenzene	3 2 2 1 2 3 3 3
on the ski on the eye Sensitizat Additiona The produ Carcinog The produ Carcinog 14RC (In 87-68-3 108-38-3 96-12-8 106-46-7 71-43-2 91-20-3 95-47-6 108-88-3 NTP (Nat 96-12-8 106-46-7 71-43-2	in: No irrit e: No irrit ion: No se il toxicolog uct shows i enic. uct can can enic categ ternationa hexachlor m-xylene 1,2-dibro 1,4-dichla benzene naphthala o-xylene toluene tioluene 1,2-dibro 1,4-dichla i,4-dichla	tant effect. ating effects. minitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories Il Agency for Research on Cancer) robuta-1,3-diene mo-3-chloropropane ene ene icology Program) mo-3-chloropropane orobenzene	3 2 2 1 2 3 3 3 3
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinoge The produ Carcinoge IARC (In 87-68-3 108-38-3 96-12-8 106-46-7 71-43-2 91-20-3 NTP (Nat 96-12-8 106-46-7 71-43-2 91-20-3 OSHA-CC	in: No irrita e: No irrita ion: No se al toxicolog uct shows i enic. enic categ ternationa hexachlor m-xylene 1,2-dibro 1,4-dichla benzene toluene toluene toluene 1,2-dibro 1,4-dichla benzene naphthala benzene naphthala	tant effect. ating effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories use inheritable damage. ories ul Agency for Research on Cancer) robuta-1,3-diene mo-3-chloropropane orobenzene ene icology Program) mo-3-chloropropane orobenzene ene icology Program) mo-3-chloropropane orobenzene ene	3 2 2 1 2 2 3 3 3 3
on the ski on the eye Sensitizat Additiona The produ Toxic Carcinoge The produ Carcinoge IARC (In 87-68-3 108-38-3 96-12-8 106-46-7 71-43-2 91-20-3 NTP (Nat 96-12-8 106-46-7 71-43-2 91-20-3 OSHA-CC	in: No irrita e: No irrita ion: No se al toxicolog act shows i enic. enic can can enic categ ternationa hexachlor m-xylene 1,2-dibro 1,4-dichla benzene toluene toluene toluene 1,2-dibro 1,4-dichla benzene naphthala benzene a (Occupa 1,2-dibrom	tant effect. ating effect. misitizing effects known. gical information: the following dangers according to internally approved calculation methods for preparations: use inheritable damage. ories ul Agency for Research on Cancer) robuta-1,3-diene mo-3-chloropropane orobenzene ene icology Program) mo-3-chloropropane orobenzene	3 3 2 2 2 1 2 2 3 3 3 3 1 1 1 1 1 1 1 1

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 7)

Printing date 12/01/2015

Product Name: Analyte Mix D (High Level)

	(Contd. of page 6)
· Ecotoxical effects:	
• Remark: Harmful to fish	
· Additional ecological information:	
· General notes:	
Water hazard class 3 (Self-assessment): extremely hazardous for water	
Do not allow product to reach ground water, water course or sewage system, even in small quantities.	
Danger to drinking water if even extremely small quantities leak into the ground.	
Harmful to aquatic organisms	
· Results of PBT and vPvB assessment	
· PBT:	
87-68-3 hexachlorobuta-1,3-diene	
87-61-6 1,2,3-trichlorobenzene	
120-82-1 1,2,4-trichlorobenzene	
· vPvB:	
87-68-3 hexachlorobuta-1,3-diene	
· Other adverse effects No further relevant information available.	

13 Disposal considerations

· Waste treatment methods

• Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	UN1230	
· UN proper shipping name · DOT · ADR · IMDG, IATA	Methanol 1230 Methanol METHANOL	
· Transport hazard class(es)		
· DOT		
· Class · Label	3 Flammable liquids 3, 6.1	
· ADR		
· Class	3 Flammable liquids	
·Label	3+6.1	
· IMDG		
· Class	3 Flammable liquids	
		(Contd. on page 8)

Reviewed on 12/01/2015

Printing date 12/01/2015

Reviewed on 12/01/2015

Product Name: Analyte Mix D (High Level)

	(Contd. of page 7)
· Label	3/6.1
·IATA	
· Class	3 Flammable liquids
· Label	3 (6.1)
· Packing group · DOT, ADR, IMDG, IATA	11
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	336
· EMS Number:	F-E,S-D
· Transport in bulk according to Annex II of MARPOL	
Code	Not applicable.
· Transport/Additional information:	
· ADR	
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
·IMDG	
Limited quantities (LQ)	
\cdot Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging, 30 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Pergulation":	UN 1230 METHANOL, 3 (6.1), II, (D/E)
· UN "Model Regulation":	$UIV 1230 MEI \Pi AIVOL, 3 (0.1), II, (D/L)$

15 Regulatory information

	55 (extremely hazardous substances):
None of th	he ingredients is listed.
	13 (Specific toxic chemical listings):
67-56-1	methanol
87-68-3	hexachlorobuta-1,3-diene
108-38-3	m-xylene
120-82-1	1,2,4-trichlorobenzene
95-63-6	1,2,4-trimethylbenzene
96-12-8	1,2-dibromo-3-chloropropane
106-46-7	1,4-dichlorobenzene
71-43-2	benzene
	naphthalene
95-47-6	o-xylene
108-88-3	toluene
TSCA (Ta	oxic Substances Control Act):
All ingrea	lients are listed.
Propositio	on 65
	's known to cause cancer:
	hexachlorobuta-1,3-diene
96-12-8	1,2-dibromo-3-chloropropane
106-46-7	1,4-dichlorobenzene
	benzene
91-20-3	naphthalene

Printing date 12/01/2015

Product Name: Analyte Mix D (High Level)

Reviewed on 12/01/2015

	(Contd. of page 8
• Chemicals known to cause reproductive toxicity for females:	
108-88-3 toluene	
· Chemicals known to cause reproductive toxicity for males:	
96-12-8 1,2-dibromo-3-chloropropane	
71-43-2 benzene	
Chemicals known to cause developmental toxicity:	
67-56-1 methanol	
71-43-2 benzene	
108-88-3 toluene	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
87-68-3 hexachlorobuta-1,3-diene	С
108-38-3 m-xylene	
120-82-1 1,2,4-trichlorobenzene	D
71-43-2 benzene	A, K/L
91-20-3 naphthalene	C, CBD
95-47-6 o-xylene	I
108-88-3 toluene	II
• TLV (Threshold Limit Value established by ACGIH)	
87-68-3 hexachlorobuta-1,3-diene	A3
108-38-3 m-xylene	A4
106-46-7 1,4-dichlorobenzene	A3
71-43-2 benzene	A1
91-20-3 naphthalene	A4
95-47-6 o-xylene	A4
108-88-3 toluene	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
87-68-3 hexachlorobuta-1,3-diene	
96-12-8 1,2-dibromo-3-chloropropane	
106-46-7 1,4-dichlorobenzene	
71-43-2 benzene	

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

- \cdot Hazard-determining components of labeling:
- methanol 1,2-dibromo-3-chloropropane
- benzene • Hazard statements
- Highly flammable liquid and vapor.
- Toxic if inhaled.
- May cause genetic defects.
- May cause cancer.

May damage fertility or the unborn child. Causes damage to organs.

• Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 10)

Printing date 12/01/2015

Product Name: Analyte Mix D (High Level)

(Contd. of page 9)

US

Reviewed on 12/01/2015

· National regulations:

- · Information about limitation of use:
- Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:
- SPEX CertiPrep, LLC. 1-732-549-7144
- · Date of preparation / last revision 12/01/2015 / -
- · Abbreviations and acronyms:
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lethal concentration, 50 percent

- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3
- Muta. 1B: Germ cell mutagenicity, Hazard Category 1B Carc. 1A: Carcinogenicity, Hazard Category 1A
- Repr. 1A: Reproductive toxicity, Hazard Category 1A STOT SE 1: Specific target organ toxicity Single exposure, Hazard Category 1