Printing date 10/25/2022 Reviewed on 10/25/2022

1 Identification

- · Product identifier
- · Product Name: Acrolein/Acrylonitrile
- · Part Name: 603-M-10K
- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA 732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 2

H330 Fatal if inhaled.



GHS08 Health hazard

Carcinogenicity 1B

H350 May cause cancer.

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the visual organs.



GHS05 Corrosion

Skin Corrosion 1B

H314 Causes severe skin burns and eye damage.

Eye Damage 1

H318 Causes serious eye damage.



GHS07

Sensitization - Skin I

H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms











GHS02

GHS05

GHS06

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

methanol acrylaldehyde acrylonitrile

Printing date 10/25/2022 Reviewed on 10/25/2022

Product Name: Acrolein/Acrylonitrile

(Contd. of page 1)

· Hazard statements

H225 Highly flammable liquid and vapor.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

H370 Causes damage to the central nervous system and the visual organs.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P320 Specific treatment is urgent (see on this label). P363 Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3 Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3 Fire = 3Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- $\cdot \textbf{\textit{Description:}} \ \textit{Mixture of the substances listed below with nonhazardous additions.}$

· Dangerous components:	
67-56-1 methanol	98.0%
107-02-8 acrylaldehyde	1.0%
107-13-1 acrylonitrile	1.0%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)



Printing date 10/25/2022 Reviewed on 10/25/2022

Product Name: Acrolein/Acrylonitrile

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
67-56-1 methanol	530 ppm
107-02-8 acrylaldehyde	0.030 ppm
107-13-1 acrylonitrile	0.15 ppm
· PAC-2:	
67-56-1 methanol	2,100 ppm
107-02-8 acrylaldehyde	0.10 ppm
107-13-1 acrylonitrile	1.7 ppm
· PAC-3:	
67-56-1 methanol	7200* ppm
107-02-8 acrylaldehyde	1.4 ppm
107-13-1 acrylonitrile	28 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Only handle and refill product in closed systems.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- $\cdot \textit{Conditions for safe storage, including any incompatibilities}$
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

Printing date 10/25/2022 Reviewed on 10/25/2022

Product Name: Acrolein/Acrylonitrile

(Contd. of page 3)

· Control parameters

· Com	rot parameters
· Com	ponents with limit values that require monitoring at the workplace:
67-50	5-1 methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
107-0	02-8 acrylaldehyde
PEL	Long-term value: 0.25 mg/m³, 0.1 ppm
	Short-term value: 0.8 mg/m³, 0.3 ppm Long-term value: 0.25 mg/m³, 0.1 ppm See Pocket Guide App. C
TLV	Ceiling limit value: 0.1 ppm Skin, A4
107-	13-1 acrylonitrile
PEL	Long-term value: 2 ppm Ceiling limit value: 10* ppm *15 Min., Skin; see 29 CRF 1910.1045
REL	Long-term value: 1 ppm Ceiling limit value: 10* ppm

· Ingredients with biological limit values:

Long-term value: 2 ppm

*15-min; Skin; See Pocket Guide App. A

67-56-1 methanol

Skin, A3

BEI 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

 $Store\ protective\ clothing\ separately.$

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 10/25/2022 Reviewed on 10/25/2022

 ${\it Product\ Name:\ Acrolein/Acrylonitrile}$

(Contd. of page 4)

· Eye protection:



9 Physical and chemical properties

Information on basic physical and chemical properties General Information Appearance: Forn: Color: According to product specification Color: Odor: Physiolite Characteristic Odorithreshold: Not applicable. PH-value: Not applicable. Change in condition Melting point/Melting range: Boiling point/Boiling parties. Boiling point/Boiling p	71 hysical and themical properties		
Form: Liquid Color: According to product specification Characteristic Not applicable.	General Information		
Color: Odor: Characteristic Characteristic Characteristic Characteristic Characteristic Characteristic Not applicable. pH-value: Not applicable. Change in condition Melting point/Molling range: Boiling point/Molling range: Characteristic Charac		Liquid	
Odor Characteristic Odor Intreshold: Not applicable. • pH-value: Not applicable. • Change in condition Melting prange: Boiling point/Melting range: Boiling point/Melting range: Boiling point/Melting range: Genipoint/Boiling range: 46.4.7 °C (148.5 °F) • Flash point: < 23 °C (< 73.4 °F)			
. Odour Threshold: Not applicable. pH-value: Not applicable. Change in condition Melting point/Melting range: Boiling point/Melting range: Change in condition Melting point/Melting range: Boiling point/Melting range: Change in condition Melting point/Melting range: Change in con			
pH-value: Not applicable. Change in condition Melting point/Melling range: Boiling point/Melling range: 64.7 °C (148.5 °F) Flash point: <23 °C (<73.4 °F) Flammability (solid, gaseous): Highly flammable. Flamition temperature: 455 °C (851 °F) Decomposition temperature: Not applicable. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F) 0.7908 g/cm³ (6.59923 lbs/gal) Not applicable. Yaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Not applicable. Not applicable. Solubility in / Miscibility with Water: Not applicable. Not applicable. Solubility in / Miscibility with Water: Not applicable. Viscosity: Dynamic: Not applicable. Not applicable. Solubility in / Miscibility with Water: Not applicable.			
Change in condition Melting point/Melting range: Boiling point/Melting range: 64.7 °C (148.5 °F) Flash point: 23 °C (673.4 °F) Flammability (solid, gaseous): Highly flammable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not applicable. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): Vora policable. Not applicable. Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Not applicable. Not applicable. Not applicable. Solubility in / Miscibility with Water: Not applicable. Not applicable. Not applicable. Not applicable. Solubility in / Miscibility with Water: Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Solubility in / Miscibility with Water: Solubility in / Miscibility with Water: Not applicable. Solubility in / Miscibility with Solids content: Organic solvents: Orga		**	
Melting point/Melting range: 6.7 °C (148.5 °F) **Flash point: 23 °C (73.4 °F) **Flammability (solid, gaseous): Highly flammable. !**Ilanmability (solid, gaseous): Highly flammable. !**Decomposition temperature: Not applicable. **Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. **Explosion limits: Lower: **Lower: 5.5 Vol % **Upper: 44 Vol % **Possity at 20 °C (68 °F): 128 hPa (96 mm Hg) **Density at 20 °C (68 °F): 0.7908 g/cm³ (6.59923 lbs/gal) **Relative density Not applicable. **Vapor density Not applicable. **Paraprition rate Not applicable. **Partition coefficient (n-octanol/water): Not applicable. **Viscosity: **Dynamic: **Dynamic: Not applicable. **Copanic solvents: 99.0 % **O'C content: 99.00 % **Solivent content: 99.00 %	· pH-value:	Not applicable.	
Flammability (solid, gaseous): Highly flammable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not applicable. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.7908 g/cm³ (6.59923 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Solvent content: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.00 %	Melting point/Melting range:		
Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not applicable. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 5.5 Vol % 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.7908 g/cm² (6.59923 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	· Flash point:	< 23 °C (< 73.4 °F)	
Decomposition temperature: Not applicable. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F) Or 7908 g/cm³ (6.59923 lbs/gal) Not applicable. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Not applicable. Solvent content: Organic solvents: 99.0 % 99.00 % Solids content: 99.00 %	· Flammability (solid, gaseous):	Highly flammable.	
Auto igniting: Product is not selfigniting. Danger of explosion: Product is not selfigniting. Explosion limits: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F) 0.7908 g/cm³ (6.59923 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Solvent content: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	· Ignition temperature:	455 °C (851 °F)	
Danger of explosion: Explosion limits: Lower: Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): Vapor density Vapor density Vapor density Vapor density Not applicable. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	· Decomposition temperature:	Not applicable.	
Explosion limits: Lower: Upper: 15.5 Vol % 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F) 0.7908 g/cm³ (6.59923 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Solvent content: Organic solvents: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	· Auto igniting:	Product is not selfigniting.	
Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) • Density at 20 °C (68 °F) 0.7908 g/cm³ (6.59923 lbs/gal) • Relative density Not applicable. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Water: Fully miscible. • Partition coefficient (n-octanol/water): Not applicable. • Viscosity: Dynamic: Dynamic: Not applicable. Kinematic: Not applicable. • Solvent content: Organic solvents: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F) 0.7908 g/cm³ (6.59923 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	· Explosion limits:		
Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F) 0.7908 g/cm³ (6.59923 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	Lower:	5.5 Vol %	
• Density at 20 °C (68 °F) 0.7908 g/cm³ (6.59923 lbs/gal) • Relative density Not applicable. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Water: Fully miscible. • Partition coefficient (n-octanol/water): Not applicable. • Viscosity: Dynamic: Dynamic: Not applicable. Kinematic: Not applicable. • Solvent content: Organic solvents: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	Upper:	44 Vol %	
Relative density Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
Vapor density Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	· Density at 20 °C (68 °F)		
Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	Relative density	Not applicable.	
Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	· Vapor density	Not applicable.	
Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	· Evaporation rate	Not applicable.	
Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	· Solubility in / Miscibility with		
Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Organic solvents: VOC content: 99.0 % Solids content: 0.0 %	Water:	Fully miscible.	
Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	· Partition coefficient (n-octanol/water): Not applicable.		
Kinematic: Not applicable. Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %			
Solvent content: 99.0 % Organic solvents: 99.00 % VOC content: 99.00 % Solids content: 0.0 %	•		
Organic solvents: 99.0 % VOC content: 99.00 % Solids content: 0.0 %	Kinematic:	Not applicable.	
VOC content: 99.00 % Solids content: 0.0 %	· Solvent content:		
Solids content: 0.0 %	Organic solvents:	99.0 %	
2000	VOC content:	99.00 %	
Other information No further relevant information available	Solids content:	0.0 %	
No juriner resevant information available.	· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



Printing date 10/25/2022 Reviewed on 10/25/2022

Product Name: Acrolein/Acrylonitrile

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC.	· LD/LC50 values that are relevant for classification:		
67-56-1	67-56-1 methanol		
Oral	LD50	5,628 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

- Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Irritant

Very toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
107-02-8 acrylaldehyde	2A	
107-13-1 acrylonitrile	2 <i>B</i>	
· NTP (National Toxicology Program)		
107-13-1 acrylonitrile	R	
· OSHA-Ca (Occupational Safety & Health Administration)		
107-13-1 acrylonitrile		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

 ${\it Must not reach bodies of water or drainage ditch undiluted or unneutralized.}$

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADR, IMDG, IATA	UN1230
· UN proper shipping name	Mathemati
· DOT · ADR	Methanol 1230 METHANOL. ENVIRONMENTALLY HAZARDOUS

Printing date 10/25/2022 Reviewed on 10/25/2022

Product Name: Acrolein/Acrylonitrile

(Contd. of page 6)

	(Contd. of page 6)
· IMDG · IATA	METHANOL, MARINE POLLUTANT METHANOL
· Transport hazard class(es)	
· DOT	
RAMARE EURO	
· Class · Label	3 Flammable liquids 3, 6.1
·ADR	
· Class · Label	3 Flammable liquids 3+6.1
· IMDG	
· Class · Label	3 Flammable liquids 3/6.1
IATA	
· Class · Label	3 Flammable liquids 3 (6.1)
· Packing group · DOT, ADR, IMDG, IATA	II
· Environmental hazards: · Marine pollutant: · Special marking (ADR):	Product contains environmentally hazardous substances: acrylaldehyde Symbol (fish and tree) Symbol (fish and tree)
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code 	Warning: Flammable liquids 336 F-E,S-D B SW2 Clear of living quarters.
· Transport in bulk according to Annex II of MARPOL73/78 an	nd the IBC Code Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II, ENVIRONMENTALLY HAZARDOUS

Printing date 10/25/2022 Reviewed on 10/25/2022

Product Name: Acrolein/Acrylonitrile

(Contd. of page 7)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

 $\cdot \ Section \ 313 \ (Specific \ toxic \ chemical \ listings):$

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

107-13-1 acrylonitrile

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

· Chemicals known to cause developmental toxicity:

67-56-1 methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)	
107-02-8 acrylaldehyde	I
107-13-1 acrylonitrile	B1

· TLV (Threshold Limit Value)

 107-02-8
 acrylaldehyde
 A4

 107-13-1
 acrylonitrile
 A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

107-13-1 acrylonitrile

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms











GHS02

GHS05

GHS06

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

methanol acrylaldehyde

acrylonitrile

· Hazard statements

H225 Highly flammable liquid and vapor.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

H370 Causes damage to the central nervous system and the visual organs.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

 $P303 + P361 + P353\ If\ on\ skin\ (or\ hair):\ Take\ off\ immediately\ all\ contaminated\ clothing.\ Rinse\ skin\ with\ water/shower.$

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P320 Specific treatment is urgent (see on this label).
P363 Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.



Printing date 10/25/2022 Reviewed on 10/25/2022

Product Name: Acrolein/Acrylonitrile

(Contd. of page 8)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 10/25/2022 / -

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2
Acute Toxicity - Inhalation 2: Acute toxicity – Category 2
Skin Corrosion IB: Skin corrosion/irritation – Category IB

Eye Damage 1: Serious eye damage/eye irritation – Category 1 Sensitization - Skin 1: Skin sensitisation – Category 1

Carcinogenicity 1B: Carcinogenicity - Category 1B

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

US -