Page 1/8

1 Identification · Product identifier

- · Product Name: Custom Organic Standard
- · Part Number: AOAC-CANPEST-7
- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA
- · Information department: product safety department · Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT SE 1 H370 Causes damage to organs.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS06

· Signal word Danger

- · Hazard-determining components of labeling:
- methanol · Hazard statements
- H225 Highly flammable liquid and vapor.
- H331 Toxic if inhaled.
- H370 Causes damage to organs.
- · Precautionary statements
- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US

99.99%

0.01%

Reviewed on 01/22/2019

Safety Data Sheet acc. to OSHA HCS

Printing date 01/22/2019

Product Name: Custom Organic Standard

	(Contd. of page 1)
· Classification system: · NFPA ratings (scale 0 - 4)	
$\begin{array}{c} \textbf{Health} = 1\\ \textbf{Fire} = 3\\ \textbf{Reactivity} = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH1FIRE3Fire = 3REACTIVITY0	
• Other hazards	
• Results of PBT and vPvB assessment • PBT: Not applicable.	
• vPvB : Not applicable.	

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

67-56-1 methanol

- · Chemical identification of the substance/preparation
- 732-11-6 phosmet (ISO)

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- · After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 3)

US

Printing date 01/22/2019

Product Name: Custom Organic Standard

Reviewed on 01/22/2019		Reviewed	on	01/22/2019	
------------------------	--	----------	----	------------	--

	(Contd. of page 2)
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
• PAC-1:	
67-56-1 methanol	530 ppm
732-11-6 phosmet (ISO)	$0.049 mg/m^3$
· PAC-2:	
67-56-1 methanol	2,100 ppm
732-11-6 phosmet (ISO)	$0.54 mg/m^3$
· PAC-3:	
67-56-1 methanol	7200* ppm
732-11-6 phosmet (ISO)	77 mg/m ³

7 Handling and storage

- · Handling:
- \cdot Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Con	ponents with limit values that require monitoring at the workplace:
67-5	i6-1 methanol
PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI
· Ingr	redients with biological limit values:
67-5	i6-1 methanol
BEI	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
· Add	itional information: The lists that were valid during the creation were used as basis.
• Pers • Gen Keej Imm Was	osure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. (Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/22/2019

Product Name: Custom Organic Standard

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and c	hemical properties	
· General Information		
· Appearance: Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	64.7 °C (148.5 °F)	
· Flash point:	$< 23 \ ^{\circ}C \ (<73.4 \ ^{\circ}F)$	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	455 °C (851 °F)	
• Decomposition temperature:	Not applicable.	
• Auto igniting:	Product is not selfigniting.	
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	5.5 Vol %	
Upper:	44 Vol %	
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
· Density	Not applicable.	
· Relative density	Not applicable.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	pr): Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	100.0 %	
		(Contd. on page 5)

(Contd. of page 3)

Reviewed on 01/22/2019

Safety Data Sheet acc. to OSHA HCS

Printing date 01/22/2019

Reviewed on 01/22/2019

Product Name: Custom Organic Standard

		(Contd. of page 4)
VOC content:	99 . 99 %	
Solids content: • Other information	0.0 % No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials:} No further relevant information available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-56-1 methanol

Oral LD50 5,628 mg/kg (rat)

Dermal LD50 15,800 mg/kg (rabbit)

732-11-6 phosmet (ISO)

Oral LD50 230 mg/kg (rat)

- Dermal LD50 1,150 mg/kg (rat)
- · Primary irritant effect:
- \cdot on the eye: No irritating effect.
- \cdot Sensitization: No sensitizing effects known.
- Additional toxicological information: The product shows the following dangars ac

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. • Results of PBT and vPvB assessment
- **Results of PB1 and VPVB assess** • **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/22/2019

Product Name: Custom Organic Standard

(Contd. of page 5)

Reviewed on 01/22/2019

13 Disposal considerations

· Waste treatment methods

• Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings: • Recommendation: Disposal must be made according to official regulations.

UN proper shipping name DOT Methanol 1230 Methanol 1230 Methanol METHANOL Transport hazard class(es) DOT Image: Class Class Jack Class Jack Class Jack Class Jack Class Jack Jack <	Transport information	
DOT Methanol ADR 1230 Methanol IMDG (ATA METHANOL Class 3 Flammable liquids 1.6.1 ADR Class 3.6.1 ADR Class 3.6.1 ADR Class 3.6.1 ADR Class 3.6.1 ADR Class 3.6.1 ADR Class 3.6.1 ADR Class 3.6.1 ADR Class 3.6.1 IMDG Class 3.6.1 IMDG IMDG Class 3.6.1 IMDG IMD	· UN-Number · DOT, ADR, IMDG, IATA	UN1230
Class 3 Flammable liquids I abel 3, 6.1 ADR I abel 3, 6.1 Class 1 abel 3 Flammable liquids 1 abel 3+6.1 Class 1 abel 3+6.1 Class 2 label 3 Flammable liquids 3 Label 3 (6.1) Class 1 abel 3 (6.1) Packing group DOT, ADR, IMDG, IATA II I Packing group 3 (6.1) Packing group 3 (6.1) Packing group 36 (6.1) Packing group 33 (6.1) Packing the content of	· UN proper shipping name · DOT · ADR · IMDG, IATA	1230 Methanol
Volume Loss3 Flammable liquids 3.6.1Class Lobel3.6.1OPVClass Lobel3 Flammable liquids 3 Flammab	Transport hazard class(es)	
Class 3 Flammable liquids Label 3, 6.1 ADR Image: Class 3 Flammable liquids Label 3+6.1 IMDG 3+6.1 IMDG 3 Image: Class 3 Flammable liquids Label 3+6.1 IMDG 3 Image: Class 3 Flammable liquids Label 3/6.1 Class Label 3/6.1 Class Label 3 Flammable liquids Joint 3 Flammable liquids Joint 3/6.1 Class Label 3 flammable liquids Joint 1 Image: Class 3 Flammable liquids <td>DOT</td> <td></td>	DOT	
Iabel 3, 6.1 ADR	3 6	
ADR Very Second proceedings to Annex II of MARPOL73/78 and the IBC		
View 3 Class 3 Label 3+6.1 IMDG 3 View View View View View View Class 3 Label 3/6.1 Label 3/6.1 Label 3/6.1 View View View View View View View View View View View View Class 3 Label 3/6.1 Packing group View Doff, ADR, MDG, IATA II Environmental hazards: Not applicable. Special precautions for user 3/6 Dange code (Kenler): 3/6 3/6 3/6 Transport in bulk according to Annex II of MARPOL7378 and the IBC		·
Label 3+6.1 IMDG Impose Impose Impose Class 3 Flammable liquids Label 3/6.1 IATA Impose Impose Impose Class 3 Flammable liquids Label 3/6.1 IATA Impose Impose Impose Impose Impose Packing group Impose DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Barring: Flammable liquids Danger code (Kemler): 336 EMS Number: F-E,S-D Transport in bulk according to Annex II of MARPOL73/78 and the IBC		
IMDG Vor Vor Class 3 Flammable liquids Label 3/6.1 IATA Vor Vor Vor Class 3 Flammable liquids Label 3/6.1 IATA Vor Vor Vor Packing group Vor DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Danger code (Kemler): 336 EMS Number: F-E,S-D Transport in bulk according to Annex II of MARPOL73/78 and the IBC		
Class 3 Flammable liquids Label 3/6.1 IATA 3/6.1 Class 3 Flammable liquids IATA 3/6.1 Class 3 Flammable liquids IATA 3/6.1 Class 3 Flammable liquids IATA 3 Flammable liquids Class 3 Flammable liquids Iabel 3 (6.1) Packing group 3 (6.1) Packing group 11 Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Danger code (Kemler): 33 6 EMS Number: FLS-D Transport in bulk according to Annex II of MARPOL73/78 and the IBC		3+0.1
Label 3/6.1 IATA Image: state s		
IATA Viscoup Viscoup Viscoup Viscoup • Class 3 Flammable liquids • Label 3 (6.1) • Packing group J • DOT, ADR, IMDG, IATA II • Environmental hazards: Not applicable. • Special precautions for user Warning: Flammable liquids • Danger code (Kemler): 336 • EMS Number: F-E,S-D		3 Flammable liquids
Class 3 Flammable liquids Label 3 (6.1) Packing group 3 (6.1) DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Danger code (Kemler): 336 EMS Number: F-E,S-D Transport in bulk according to Annex II of MARPOL73/78 and the IBC		3/6.1
Label 3 (6.1) Packing group II DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Danger code (Kemler): 336 EMS Number: F-E,S-D Transport in bulk according to Annex II of MARPOL73/78 and the IBC		
· DOT, ADR, IMDG, IATA II · Environmental hazards: Not applicable. · Special precautions for user Warning: Flammable liquids · Danger code (Kemler): 336 · EMS Number: F-E,S-D · Transport in bulk according to Annex II of MARPOL73/78 and the IBC	· Class · Label	
• Special precautions for user Warning: Flammable liquids • Danger code (Kemler): 336 • EMS Number: F-E,S-D • Transport in bulk according to Annex II of MARPOL73/78 and the IBC	· Packing group · DOT, ADR, IMDG, IATA	11
• Danger code (Kemler): 336 • EMS Number: F-E,S-D • Transport in bulk according to Annex II of MARPOL73/78 and the IBC	Environmental hazards:	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC	· Danger code (Kemler):	336
	• Transport in bulk according to Annex II of MARP	POL73/78 and the IBC Not applicable.

US

Safety Data Sheet acc. to OSHA HCS

Printing date 01/22/2019

Reviewed on 01/22/2019

Product Name: Custom Organic Standard

	(Contd. of page
· Transport/Additional information:	
· ADR	
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
·IMDG	
· Limited quantities (LQ)	lL
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

15 Regulatory information	
• Safety, health and environmental regulations/legislation specific for the substance or mixture	
· Sara	
· Section 313 (Specific toxic chemical listings):	
67-56-1 methanol	
· TSCA (Toxic Substances Control Act):	
67-56-1 methanol	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-56-1 methanol	
· Carcinogenic categories	
• EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02 GHS06 GHS08	
• Signal word Danger	
 Hazard-determining components of labeling: methanol Hazard statements H225 Highly flammable liquid and vapor. H331 Toxic if inhaled. H370 Causes damage to organs. Precautionary statements If medical advice is needed, have product container or label at hand. 	
Keep out of reach of children.	

Read label before use. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment. Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Safety Data Sheet acc. to OSHA HCS

Printing date 01/22/2019

Product Name: Custom Organic Standard

Store locked up.

(Contd. of page 7)

Reviewed on 01/22/2019

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:
- SPEX CertiPrep, LLC. 1-732-549-7144
- · Date of preparation / last revision 01/22/2019 / -· Abbreviations and acronyms:

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent