Page 1/8

1 Identification• Product identifier

- · Product Name: Stock Organic Standard
- · Part Number: AOAC-CANPEST-8
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:
 SPEX CertiPrep, LLC.
 203 Norcross Ave, Metuchen,
 NJ 08840 USA
- Information department: product safety department • Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Repr. 2H361Suspected of damaging fertility or the unborn child.STOT RE 2H373May cause damage to organs through prolonged or repeated exposure.Asp. Tox. 1H304May be fatal if swallowed and enters airways.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling: toluene · Hazard statements H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H361 Suspected of damaging fertility or the unborn child. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure. H304 May be fatal if swallowed and enters airways. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

99.99%

0.01%

Safety Data Sheet acc. to OSHA HCS

Printing date 01/31/2019

Product Name: Stock Organic Standard

Reviewed on 01/31/2019

(Contd. of page 1) Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 13 FIRE Fire = 3Reactivity = 0**REACTIVITY** 0 · Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

108-88-3 toluene

· Chemical identification of the substance/preparation

3735-33-9 Phosmet oxon

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 3)

US

Printing date 01/31/2019

Product Name: Stock Organic Standard

	(Contd. of page 2)
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
· PAC-1:	
108-88-3 toluene	67 ppm
• PAC-2:	
108-88-3 toluene	560 ppm
· PAC-3:	
108-88-3 toluene	3700* ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:	
108-88-3 toluene	
PEL Long-term value: 200 ppm Ceiling limit value: 300; 500* ppm *10-min peak per 8-hr shift	
REL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm	
TLV Long-term value: 75 mg/m ³ , 20 ppm BEI	
Ingredients with biological limit values:	
108-88-3 toluene	
BEI 0.02 mg/L Medium: blood Time: prior to last shift of workweek Parameter: Toluene	
0.03 mg/L Medium: urine Time: end of shift Parameter: Toluene	
0.3 mg/g creatinine Medium: urine Time: end of shift Parameter: o-Cresol with hydrolysis (background)	
• Additional information: The lists that were valid during the creation were used as basis.	(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/31/2019

Product Name: Stock Organic Standard

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work. Store protective clothing separately.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- · Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

Information on basic physical and c	hemical properties	
• General Information • Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	110-111 °C (230-231.8 °F)	
Flash point:	$< 23 \ ^{\circ}C \ (<73.4 \ ^{\circ}F)$	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	535 °C (995 °F)	
• Decomposition temperature:	Not applicable.	
• Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	1.2 Vol %	
Upper:	7 Vol %	
· Vapor pressure at 20 °C (68 °F):	29 hPa (21.8 mm Hg)	
· Density	Not applicable.	
· Relative density	Not applicable.	
• Vapor density • Evaporation rate	Not applicable. Not applicable.	

(Contd. of page 3)

Reviewed on 01/31/2019

Reviewed on 01/31/2019

Printing date 01/31/2019

Product Name: Stock Organic Standard

		(Contd. of page 4)
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wo	t ter): Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	100.0 %	
VOC content:	99.99 %	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information	on	toxicol	logical	effects
injointation	Uni	ionicoi	oznui	criticits

· Acute toxicity:

· Acut ion	Acut ionicity.		
· LD/LC50 values that are relevant for classification:			
108-88-3 toluene			
Oral	LD50	5,000 mg/kg (rat)	
Dermal	LD50	12,124 mg/kg (rabbit)	
Inhalative	LC50/4 h	5,320 mg/l (mouse)	
· Primary ir	ritant effe	ct:	
• on the skin	i: Irritant t	o skin and mucous membranes.	
	• on the eye: No irritating effect.		
· Sensitization: No sensitizing effects known.			
· Additional toxicological information:			
The produc	The product shows the following dangers according to internally approved calculation methods for preparations:		
Irritant	Irritant		

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)				
108-88-3	toluene			
	•			

• *NTP* (*National Toxicology Program*) None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

(Contd. on page 6)

US

3

Safety Data Sheet acc. to OSHA HCS

Printing date 01/31/2019

Product Name: Stock Organic Standard

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- \cdot Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number	
· DOT, ADR, IMDG, IATA	UN1294
· UN proper shipping name	
· DOT	Toluene
· ADR	1294 Toluene
· IMDG, IATA	TOLUENE
· Transport hazard class(es)	
·DOT	
RAMME COD	
· Class	3 Flammable liquids
· Label	3
· ADR, IMDG, IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, ADR, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	33
· EMS Number:	F-E,S-D
· Stowage Category	В
• Transport in bulk according to Annex II of MARPO Code	DL73/78 and the IBC Not applicable.
• Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E2
Excepted quantities (EQ)	Code. 12 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
	(Contd. on page

Reviewed on 01/31/2019

Safety Data Sheet acc. to OSHA HCS

Printing date 01/31/2019

Product Name: Stock Organic Standard

· UN "Model Regulation":

UN 1294 TOLUENE, 3, II

(Contd. of page 6)

Reviewed on 01/31/2019

15 Regulatory information

Section 313 (Specific toxic chemical listings):	
108-88-3 toluene	
TSCA (Toxic Substances Control Act):	
108-88-3 toluene	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
108-88-3 toluene	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
108-88-3 toluene	
TLV (Threshold Limit Value established by ACGIH)	
108-88-3 toluene	I
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02 GHS07 GHS08	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling:	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: toluene	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02 GHS07 GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: toluene Hazard statements	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02 GHS07 GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: toluene Hazard statements H225 Highly flammable liquid and vapor.	
Signal word Danger Hazard-determining components of labeling: toluene Hazard statements H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H361 Suspected of damaging fertility or the unborn child.	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: GHS02 GHS07 GHS02 GHS07 GHS03 GHS08 Signal word Danger Hazard-determining components of labeling: toluene Hazard statements H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H361 Suspected of damaging fertility or the unborn child. H336 May cause drowsiness or dizziness.	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: toluene Hazard statements H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H361 Suspected of damaging fertility or the unborn child. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure.	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Comparison of the transformer of the transforme	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Comparison of the system of the syst	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Figure Figur	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Constraint of the product of	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Constraint of the product of	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Comparison of the temperature of the temperature of the temperature of the temperature of	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Complexity of the second system of the second system (GHS) GHS02 GHS07 GHS02 GHS07 GHS03 GHS08 Signal word Danger Hazard-determining components of labeling: toluene Hazard statements H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H361 Suspected of damaging fertility or the unborn child. H373 May cause drowsiness or dizziness. H374 May be fatal if swallowed and enters airways. Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Comparison of the product of	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Complexity of the second system of the second system (GHS) GHS02 GHS07 GHS02 GHS07 GHS03 GHS08 Signal word Danger Hazard-determining components of labeling: toluene Hazard statements H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H361 Suspected of damaging fertility or the unborn child. H373 May cause drowsiness or dizziness. H374 May be fatal if swallowed and enters airways. Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/31/2019

Product Name: Stock Organic Standard

(Contd. of page 7)

Reviewed on 01/31/2019

11	01		C	
16	Oth	ler in	forma	non

This information is based on our present knowledg establish a legally valid contractual relationship.	e. However, this shall not constitute a guarantee for any specific product features and shall not
Department issuing SDS: product safety department	
Contact:	
SPEX CertiPrep, LLC.	
1-732-549-7144	
Date of preparation / last revision 01/31/2019 / -	
Abbreviations and acronyms:	
	ar Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substa	ices
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Service)	ciety)
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Repr. 2: Reproductive toxicity – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category	3
STOT SE 5: Specific target organ toxicity (single exposure) – Category STOT RE 2: Specific target organ toxicity (repeated exposure) – Category	
Asp. Tox. 1: Aspiration hazard – Category 1	,-
sup. row r. rup runon nucuru Curegory r	US