

## 1 Identification

- **Product identifier**
- **Product Name:** Instrument Check Standard 3
- **Part Name:**  
CALMIX3-100  
CALMIX3-500
- **Application of the substance / the mixture** For Laboratory Use Only
- **Uses advised against** Not for Human or Animal Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Spex CertiPrep, LLC.  
203 Norcross Ave, Metuchen,  
NJ 08840 USA  
732-549-7144  
USMet-CRMSales@antylia.com
- **Information department:** product safety department
- **Emergency telephone number:**  
Emergency Phone Number (24 hours)  
CHEMTREC (800-424-9300)  
Outside US: 703-527-3887

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
hydrochloric acid
- **Hazard statements**  
H318 Causes serious eye damage.
- **Precautionary statements**  
P280 Wear eye protection / face protection.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a poison center/doctor.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 3  
Fire = 0  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = \*3  
Fire = 0  
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**Product Name: Instrument Check Standard 3**

(Contd. of page 1)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

7647-01-0	hydrochloric acid	5.0%
-----------	-------------------	------

· **Chemical identification of the substance/preparation**

7732-18-5	water, distilled, conductivity or of similar purity	94.954%
7440-09-7	potassium	0.01%
7723-14-0	phosphorus	0.01%
7783-20-2	ammonium sulphate	0.01%
7439-91-0	lanthanum	0.002%
7439-93-2	lithium	0.002%
7439-96-5	manganese	0.002%
7439-98-7	molybdenum	0.002%
7440-02-0	nickel	0.002%
7440-20-2	scandium	0.002%
7440-23-5	sodium	0.002%
7440-38-2	arsenic	0.002%

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Do not give anything to eat or drink - Do not induce vomiting
- **Information for Doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Use neutralizing agent.
- Dispose contaminated material as waste according to section 13.
- **Reference to other sections**
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

7647-01-0	hydrochloric acid	1.8 ppm
7440-09-7	potassium	2.3 mg/m <sup>3</sup>
7723-14-0	phosphorus	0.27 mg/m <sup>3</sup>
7783-20-2	ammonium sulphate	13 mg/m <sup>3</sup>
7439-91-0	lanthanum	30 mg/m <sup>3</sup>
7439-93-2	lithium	3.3 mg/m <sup>3</sup>
7439-96-5	manganese	3 mg/m <sup>3</sup>

(Contd. on page 3)

**Product Name: Instrument Check Standard 3**

(Contd. of page 2)

7439-98-7	molybdenum	30 mg/m <sup>3</sup>
7440-02-0	nickel	4.5 mg/m <sup>3</sup>
7440-20-2	scandium	30 mg/m <sup>3</sup>
7440-23-5	sodium	13 mg/m <sup>3</sup>
7440-38-2	arsenic	1.5 mg/m <sup>3</sup>
<b>· PAC-2:</b>		
7647-01-0	hydrochloric acid	22 ppm
7440-09-7	potassium	25 mg/m <sup>3</sup>
7723-14-0	phosphorus	3 mg/m <sup>3</sup>
7783-20-2	ammonium sulphate	140 mg/m <sup>3</sup>
7439-91-0	lanthanum	330 mg/m <sup>3</sup>
7439-93-2	lithium	36 mg/m <sup>3</sup>
7439-96-5	manganese	5 mg/m <sup>3</sup>
7439-98-7	molybdenum	330 mg/m <sup>3</sup>
7440-02-0	nickel	50 mg/m <sup>3</sup>
7440-20-2	scandium	330 mg/m <sup>3</sup>
7440-23-5	sodium	140 mg/m <sup>3</sup>
7440-38-2	arsenic	17 mg/m <sup>3</sup>
<b>· PAC-3:</b>		
7647-01-0	hydrochloric acid	100 ppm
7440-09-7	potassium	150 mg/m <sup>3</sup>
7723-14-0	phosphorus	18 mg/m <sup>3</sup>
7783-20-2	ammonium sulphate	840 mg/m <sup>3</sup>
7439-91-0	lanthanum	2,000 mg/m <sup>3</sup>
7439-93-2	lithium	220 mg/m <sup>3</sup>
7439-96-5	manganese	1,800 mg/m <sup>3</sup>
7439-98-7	molybdenum	2,000 mg/m <sup>3</sup>
7440-02-0	nickel	99 mg/m <sup>3</sup>
7440-20-2	scandium	2,000 mg/m <sup>3</sup>
7440-23-5	sodium	870 mg/m <sup>3</sup>
7440-38-2	arsenic	100 mg/m <sup>3</sup>

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

**· Components with limit values that require monitoring at the workplace:**

<b>7647-01-0 hydrochloric acid</b>	
PEL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
REL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
TLV	Ceiling limit value: 2 ppm
A4	

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

Product Name: Instrument Check Standard 3

(Contd. of page 3)

- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

- **Form:** Liquid
- **Color:** According to product specification
- **Odor:** Characteristic
- **Odour Threshold:** Not applicable.

· **pH-value:** Not applicable.

· Change in condition

- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** 100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not applicable.

· **Ignition temperature:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

- **Lower:** Not applicable.
- **Upper:** Not applicable.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· **Density** Not applicable.

· **Relative density** Not applicable.

· **Vapor density** Not applicable.

· **Evaporation rate** Not applicable.

· Solubility in / Miscibility with

· **Water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not applicable.

· Viscosity:

- **Dynamic:** Not applicable.
- **Kinematic:** Not applicable.

· Solvent content:

- **Water:** 95.0 %
- **VOC content:** 0.00 %

(Contd. on page 5)

Product Name: Instrument Check Standard 3

(Contd. of page 4)

Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant
- **Carcinogenic categories**

· <b>IARC (International Agency for Research on Cancer)</b>		
7647-01-0	hydrochloric acid	3
7440-02-0	nickel	2B
7440-38-2	arsenic	1
· <b>NTP (National Toxicology Program)</b>		
7440-02-0	nickel	R
7440-38-2	arsenic	K
· <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>		
7440-38-2	arsenic	

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations



- **Waste treatment methods**
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 6)

Product Name: Instrument Check Standard 3

(Contd. of page 5)

**14 Transport information**

· UN-Number · DOT, ADR, IMDG, IATA	UN1789
· UN proper shipping name · DOT · ADR · IMDG, IATA	Hydrochloric acid 1789 HYDROCHLORIC ACID HYDROCHLORIC ACID
· Transport hazard class(es) · DOT	
	
· Class · Label	8 Corrosive substances 8
· ADR, IMDG, IATA	
	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Segregation Code	Warning: Corrosive substances 80 F-A,S-B (SGG1) Acids C SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID, 8, III

**15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.  
· Sara

· Section 313 (Specific toxic chemical listings):	
7647-01-0	hydrochloric acid
7723-14-0	phosphorus
7783-20-2	ammonium sulphate
7439-93-2	lithium
7439-96-5	manganese
7440-02-0	nickel
7440-38-2	arsenic

(Contd. on page 7)

Printing date 01/29/2024

Reviewed on 01/29/2024

Product Name: Instrument Check Standard 3

(Contd. of page 6)

· <b>TSCA (Toxic Substances Control Act):</b>		
All components have the value ACTIVE.		
· <b>Hazardous Air Pollutants</b>		
7647-01-0	hydrochloric acid	
7723-14-0	phosphorus	
7439-96-5	manganese	
· <b>Proposition 65</b>		
· <b>Chemicals known to cause cancer:</b>		
7440-02-0	nickel	
7440-38-2	arsenic	
· <b>Chemicals known to cause reproductive toxicity for females:</b>		
None of the ingredients is listed.		
· <b>Chemicals known to cause reproductive toxicity for males:</b>		
None of the ingredients is listed.		
· <b>Chemicals known to cause developmental toxicity:</b>		
7439-93-2	lithium	
· <b>Carcinogenic categories</b>		
· <b>EPA (Environmental Protection Agency)</b>		
7439-96-5	manganese	D
7440-38-2	arsenic	A
· <b>TLV (Threshold Limit Value)</b>		
7647-01-0	hydrochloric acid	A4
7439-98-7	molybdenum	A3
7440-02-0	nickel	A5
7440-38-2	arsenic	A1
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
7440-02-0	nickel	
7440-38-2	arsenic	

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**

hydrochloric acid

· **Hazard statements**

H318 Causes serious eye damage.

· **Precautionary statements**

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** product safety department

· **Contact:**

Spex CertiPrep, LLC.

1-732-549-7144

· **Date of preparation / last revision** 01/29/2024

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

Printing date 01/29/2024

Reviewed on 01/29/2024

---

**Product Name: Instrument Check Standard 3**

---

(Contd. of page 7)

NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Eye Damage 1: Serious eye damage/eye irritation – Category 1

---

US —