Page 1/9

1 Identification

- · Product identifier
- · Product Name: VO IND. BLENDS MIX B
- · Part Number: CLPV-BH
- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA
- · Information department: product safety department · Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

H350 May cause cancer. Carc. 1A H370 Causes damage to organs.

STOT SE 1

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: methanol vinyl chloride bromomethane · Hazard statements H225 Highly flammable liquid and vapor. H331 Toxic if inhaled. H350 May cause cancer. H370 Causes damage to organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Reviewed on 06/29/2018

Safety Data Sheet acc. to OSHA HCS

Printing date 06/29/2018

Product Name: VO IND. BLENDS MIX B

· Classification system:	(Contd. of page 1)
· NFPA ratings (scale 0 - 4)	
$\begin{array}{c} \textbf{Health} = 1\\ Fire = 3\\ Reactivity = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH*1FIRE3REACTIVITY0	
• Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	
**	

3 Composition/information on ingredients

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dange	ous components:		
67-56-	methanol	99.2%	
74-87	³ chloromethane	0.2%	
75-00	chloroethane	0.2%	
75-01-	vinyl chloride	0.2%	
	cal identification of the substance/preparation		
74-83-	74-83-9 bromomethane 0.2%		

4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Do not induce vomiting; immediately call for medical help.
- Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

Reviewed on 06/29/2018

Safety Data Sheet acc. to OSHA HCS

Printing date 06/29/2018

Product Name: VO IND. BLENDS MIX B

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: 67-56-1 methanol 74-87-3 chloromethane 75-00-3 chloroethane 75-01-4 vinyl chloride 74-83-9 bromomethane • PAC-2: 67-56-1 methanol 74-87-3 chloromethane	530 ppm
See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: 67-56-1 methanol 74-87-3 chloromethane 75-00-3 chloroethane 75-01-4 vinyl chloride 74-83-9 bromomethane • PAC-2: 67-56-1 methanol	
• PAC-1: 67-56-1 methanol 74-87-3 chloromethane 75-00-3 chloroethane 75-01-4 vinyl chloride 74-83-9 bromomethane •PAC-2: 67-56-1 67-56-1 methanol	
67-56-1 methanol 74-87-3 chloromethane 75-00-3 chloroethane 75-01-4 vinyl chloride 74-83-9 bromomethane • PAC-2: 67-56-1 67-56-1 methanol	
74-87-3 chloromethane 75-00-3 chloroethane 75-01-4 vinyl chloride 74-83-9 bromomethane • PAC-2: 67-56-1 methanol 1	
75-00-3 chloroethane 75-01-4 vinyl chloride 74-83-9 bromomethane • PAC-2: 67-56-1 methanol 1	
75-01-4 vinyl chloride 74-83-9 bromomethane •PAC-2: 67-56-1 methanol 67-56-1	150 ppm
74-83-9 bromomethane • PAC-2: 67-56-1 methanol • • • • • • • • • • • • • • • • • • •	300 ppm
• PAC-2: 67-56-1 methanol	250 ppm
67-56-1 methanol	19 ppm
	2,100 ppm
74-87-3 Chioromethane	910 ppm
75-00-3 chloroethane	5100* ppm
75-01-4 vinyl chloride	1,200 ppm
74-83-9 bromomethane	210 ppm
• PAC-3:	
67-56-1 methanol	7200* ppm
	3,000 ppm
75-00-3 chloroethane	20000** ppm
	4800* ppm
74-83-9 bromomethane	740 ppm

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
 Information about protection against explosions and fires:
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with	limit values the	at reauire	monitoring	at the v	workplace:

67-56-1 methanol

- PEL Long-term value: 260 mg/m³, 200 ppm
- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin

(Contd. on page 4)

US -

Printing date 06/29/2018

Product Name: VO IND. BLENDS MIX B

Reviewed on 06/29/2018

	(Contd. of page 3
TLV	Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI
74-82	7-3 chloromethane
PEL	Long-term value: 100 ppm
	Ceiling limit value: 200; 300* ppm
	*5-min peak in any 3 hrs
	See Pocket Guide App. A
TLV	Short-term value: 207 mg/m³, 100 ppm Long-term value: 103 mg/m³, 50 ppm Skin
75 0	0-3 chloroethane
	Long-term value: 2600 mg/m ³ , 1000 ppm
	Handle with caution; See Pocket Guide App. C
	Long-term value: 264 mg/m ³ , 100 ppm
ILV	Skin
75-0	1-4 vinyl chloride
	Short-term value: 5* ppm
	Long-term value: 1 ppm
	*Avg. not exceeding any 15 min; see 29CFR1910.1017
REL	See Pocket Guide App.A
TLV	Long-term value: 2.6 mg/m ³ , 1 ppm
Ingre	edients with biological limit values:
67-56	6-1 methanol
BEI	15 mg/L
	Medium: urine
	Time: end of shift Parameter: Methanol (background, nonspecific)
	tional information: The lists that were valid during the creation were used as basis.
	•
	osure controls onal protective equipment:
	eral protective equipment.
Keep	a away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	e protective clothing separately. d contact with the eyes and skin.
	iratory protection:
	use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that
indep	pendent of circulating air.
Prote	ection of hands:
- 11	Protective gloves
	Tolective gloves
The g	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	rial of gloves relation of the witchle cloves does not only depend on the motorial, but close on further membre of suglity, and varies from membreatures
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer t ufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and ha
	fore to be checked prior to the application.
there	
Pene	tration time of glove material
Pene The e	exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Pene The e	tration time of glove material exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. protection:
Pene The e	exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



Tightly sealed goggles

Safety Data Sheet acc. to OSHA HCS

Printing date 06/29/2018

Product Name: VO IND. BLENDS MIX B

(Contd. of page 4)

Reviewed on 06/29/2018

9 Physical and chemical properties	s.
• Information on basic physical and c • General Information	hemical properties
· Appearance: Form: Color: · Odor: · Odour Threshold:	Liquid According to product specification Characteristic Not applicable.
· pH-value:	Not applicable.
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 64.7 °C (148.5 °F)
· Flash point:	$< 23 ^{\circ}C (< 73.4 ^{\circ}F)$
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
• Explosion limits: Lower: Upper:	5.5 Vol % 44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F) · Relative density · Vapor density · Evaporation rate	0.78552 g/cm ³ (6.55516 lbs/gal) Not applicable. Not applicable. Not applicable. Not applicable.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	r): Not applicable.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
· Solvent content: Organic solvents: VOC content:	99.2 % 99.20 %
Solids content: • Other information	0.0 % No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50	LD/LC50 values that are relevant for classification:		
67-56-1 m	ethanol		
Oral	LD50	5,628 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	

(Contd. on page 6)

US

Reviewed on 06/29/2018

Safety Data Sheet acc. to OSHA HCS

Printing date 06/29/2018

Product Name: VO IND. BLENDS MIX B

			(Contd. of page 5)
75-01-4 vii	nyl chlorid	e	
Oral	LD50	500 mg/kg (rat)	
74-83-9 br	omometha	ne	
Oral	LD50	214 mg/kg (rat)	
Inhalative	LC50/4 h	302 mg/l (rat)	
• Additional The produc Toxic Carcinoge • Carcinoge	n: No irrita : No irritat on: No sen toxicolog toxicolog toxicolog nic. nic. nic catego	nt effect. ing effect. sitizing effects known. cal information: e following dangers according to internally approved calculation methods for preparations:	
74-87-3 ci			3
75-00-3 ci			3
75-01-4 vi			1
74-83-9 b	2		3
· NTP (Nati	onal Toxic	ology Program)	
75-01-4 vi	inyl chlorid	le	K
		onal Safety & Health Administration)	
75-01-4 vi	inyl chlorid	le	

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

TTAT AT J		
UN-Number	1111220	
DOT, ADR, IMDG, IATA	UN1230	
UN proper shipping name		
DOT	Methanol	
ADR	1230 Methanol	
IMDG, IATA	METHANOL	

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/29/2018

Product Name: VO IND. BLENDS MIX B

Reviewed on 06/29/2018

	(Contd. of page 0
· Transport hazard class(es)	
·DOT	
· Class	3 Flammable liquids
· Label	3, 6.1
· ADR	
· Class	3 Flammable liquids
	3+6.1
· IMDG	
· Class · Label	3 Flammable liquids 3/6.1
·IATA	· · · · · · · · · · · · · · · · · · ·
· Class · Label	3 Flammable liquids
	3 (6.1)
· Packing group · DOT, ADR, IMDG, IATA	11
Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler): · EMS Number:	336 F-E,S-D
· EMS Number: · Stowage Category	B
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II of MARP Code	POL73/78 and the IBC Not applicable.
· Transport/Additional information:	
·ADR	
\cdot Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG	
Limited quantities (LQ)	
\cdot Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 50 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/29/2018

Product Name: VO IND. BLENDS MIX B

(Contd. of page 7)

Reviewed on 06/29/2018

5 Regulatory information	
\cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara	
· Section 313 (Specific toxic chemical listings):	
All ingredients are listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
75-00-3 chloroethane	
75-01-4 vinyl chloride	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
74-87-3 chloromethane	
Chemicals known to cause developmental toxicity:	
67-56-1 methanol	
74-87-3 chloromethane	
74-83-9 bromomethane	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
74-87-3 chloromethane	D, CBD
75-01-4 vinyl chloride	A, K/L
74-83-9 bromomethane	D

• TLV (Th	reshold Limit Value established by ACGIH)	
74-87-3	chloromethane A	A4
75-00-3	chloroethane .	A3
75-01-4	vinyl chloride	A1
74-83-9	bromomethane	A4
· NIOSH-	Ca (National Institute for Occupational Safety and Health)	
74-87-3	chloromethane	
75 01 4		

75-01-4 vinyl chloride 74-83-9 bromomethane

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: methanol vinyl chloride bromomethane · Hazard statements H225 Highly flammable liquid and vapor. H331 Toxic if inhaled. H350 May cause cancer. H370 Causes damage to organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Do not breathe dust/fume/gas/mist/vapors/spray. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

Safety Data Sheet acc. to OSHA HCS

Printing date 06/29/2018

Product Name: VO IND. BLENDS MIX B

(Contd. of page 8)

Reviewed on 06/29/2018

· National regulations:

- · Information about limitation of use:
- Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:
- SPEX CertiPrep, LLC. 1-732-549-7144
- · Date of preparation / last revision 06/29/2018 / -
- · Abbreviations and acronyms:
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit BEI: Biological Exposure Limit
- Flam. Liq. 2: Flammable liquids Category 2 Acute Tox. 3: Acute toxicity Category 3 Carc. 1A: Carcinogenicity Category 1A
- STOT SE 1: Specific target organ toxicity (single exposure) Category 1