

Safety Data Sheet acc. to OSHA HCS

Page 1/10

1 Identification

· Product identifier

- · Product Name: 8270 Add-ons Mix
- Part Name: ECS-B-031
- · Restrictions

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

· Application of the substance / the mixture Certified Reference Material

• Details of the supplier of the safety data sheet

Manufacturer/Supplier: Spex CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA 732-549-7144 USMet-CRMSales@antylia.com

• Information department: product safety department • Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300)

Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Carcinogenicity 2

H351 Suspected of causing cancer.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Toxicity - Oral 4H302 Harmful if swallowed.Skin Irritation 2H315 Causes skin irritation.Sensitization - Skin 1H317 May cause an allergic skin reaction.Specific Target Organ Toxicity - Single Exposure 3H336 May cause drowsiness or dizziness.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

- Hazard-determining components of labeling: dichloromethane aniline
 4-chloroaniline
 o-nitroaniline
 Hazard statements
 H302 Harmful if swallowed.
- H315 Causes skin irritation. H317 May cause an allergic skin reaction.
- 11317 Muy cause an anergic skin reaction
- H351 Suspected of causing cancer.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.
- · Precautionary statements
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.



Product Name: 8270 Add-ons Mix

Reviewed on 08/10/2023

P330 Rinse mouth.

- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P321 Specific treatment (see on this label).
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P363 Wash contaminated clothing before reuse.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
 Classification system:
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



 \cdot Other hazards

- · Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerou	s components:	
75-09-2	dichloromethane	97.6%
62-53-3	aniline	0.2%
88-74-4	o-nitroaniline	0.2%
95-48-7	o-cresol	0.2%
95-95-4	2,4,5-trichlorophenol	0.2%
99-09-2	m-nitroaniline	0.2%
100-01-6	p-nitroaniline	0.2%
106-44-5	p-cresol	0.2%
106-47-8	4-chloroaniline	0.2%
· Chemical	identification of the substance/preparation	
65-85-0	Benzoic acid	0.2%
91-57-6	2-methylnaphthalene	0.2%
100-51-6	Benzyl alcohol	0.2%
132-64-9	dibenzofuran	0.2%

Safety Data Sheet acc. to OSHA HCS

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing:

- Immediately call a doctor.
- Do not give anything to eat or drink Do not induce vomitting

· Information for Doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.



Product Name: 8270 Add-ons Mix

Safety Data Sheet acc. to OSHA HCS

Reviewed on 08/10/2023

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. of page 2)

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation. Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1·

9 mg/m ³ 2.5 mg/m ³ 1.6 mg/m ³ 9 mg/m ³ 30 ppm 6.1 mg/m ³ 30 mg/m ³ 560 ppm 12 ppm 140 mg/m ³ 68 mg/m ³ 54 mg/m ³
13 mg/m³ 6.2 mg/m³ 9 mg/m³ 2.5 mg/m³ 1.6 mg/m³ 9 mg/m³ 30 ppm 6.1 mg/m³ 30 mg/m³ 560 ppm 12 ppm 140 mg/m³ 54 mg/m³
6.2 mg/m ² 9 mg/m ³ 2.5 mg/m ² 1.6 mg/m ³ 9 mg/m ³ 30 ppm 6.1 mg/m ² 30 mg/m ³ 560 ppm 12 ppm 140 mg/m ³ 54 mg/m ³
9 mg/m ³ 2.5 mg/m ³ 1.6 mg/m ³ 9 mg/m ³ 30 ppm 6.1 mg/m ³ 30 mg/m ³ 560 ppm 12 ppm 140 mg/m ³ 68 mg/m ³ 54 mg/m ³
2.5 mg/m ³ 1.6 mg/m ³ 9 mg/m ³ 30 ppm 6.1 mg/m ³ 30 mg/m ³ 560 ppm 12 ppm 140 mg/m ³ 68 mg/m ³ 54 mg/m ³
1.6 mg/m³ 9 mg/m³ 30 ppm 6.1 mg/m³ 30 mg/m³ 30 mg/m³ 12 ppm 140 mg/m³ 68 mg/m³ 54 mg/m³
9 mg/m ³ 30 ppm 6.1 mg/m ³ 30 mg/m ³ 560 ppm 12 ppm 140 mg/m ³ 68 mg/m ³ 54 mg/m ³
30 ppm 6.1 mg/m ³ 30 mg/m ³ 560 ppm 12 ppm 140 mg/m ³ 68 mg/m ³ 54 mg/m ³
6.1 mg/m ³ 30 mg/m ³ 560 ppm 12 ppm 140 mg/m ³ 68 mg/m ³ 54 mg/m ³
30 mg/m ³ 560 ppm 12 ppm 140 mg/m ³ 68 mg/m ³ 54 mg/m ³
560 ppm 12 ppm 140 mg/m ³ 68 mg/m ³ 54 mg/m ³
12 ppm 140 mg/m ³ 68 mg/m ³ 54 mg/m ³
12 ppm 140 mg/m ³ 68 mg/m ³ 54 mg/m ³
140 mg/m³ 68 mg/m³ 54 mg/m³
68 mg/m ³ 54 mg/m ³
54 mg/m ³
, in the second s
27 mg/m ³
18 mg/m ³
71 mg/m ³
52 ppm
68 mg/m ³
330 mg/m ³
·
6,900 ppm
20 ppm
830 mg/m ³
410 mg/m ³
320 mg/m ³
160 mg/m ³
110 mg/m ³
300 mg/m ³
740 ppm
100 mg/m ³
2,000 mg/m ³
-



Product Name: 8270 Add-ons Mix

Safety Data Sheet acc. to OSHA HCS

Reviewed on 08/10/2023

(Contd. of page 3)

Page 4/10

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

- · Components with limit values that require monitoring at the workplace:
- The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
- At this time, the other constituents have no known exposure limits.

75 00 2 diablamamatha

75-09-2 dichloromethane
PEL Short-term value: 125 ppm
Long-term value: 25 ppm
see 29 CFR 1910.1052
REL See Pocket Guide App. A
TLV Long-term value: 50 ppm BEI, A3
62-53-3 aniline
PEL Long-term value: 19 mg/m ³ , 5 ppm and Homologues; Skin
REL And Homologues; See Pocket Guide App. A
TLV Long-term value: 2 ppm
Skin; BEI, A3
95-48-7 o-cresol
PEL Long-term value: 22 mg/m ³ , 5 ppm
Skin
REL Long-term value: 10 mg/m ³ , 2.3 ppm
TLV Long-term value: 20* mg/m ³
Skin; *as inhalable fraction and vapor, A4
100-01-6 p-nitroaniline
PEL Long-term value: 6 mg/m³, 1 ppm Skin
REL Long-term value: 3 mg/m ³
Skin
TLV Long-term value: 3 mg/m ³
Skin; BEI-M, A4
106-44-5 p-cresol
PEL Long-term value: 22 mg/m ³ , 5 ppm Skin
REL Long-term value: 10 mg/m ³ , 2.3 ppm
TLV Long-term value: 20* mg/m ³
Skin;*as inhalable fraction and vapor, A4
· Ingredients with biological limit values:
75-09-2 dichloromethane
BEI 0.3 mg/L
Medium: urine
Time: end of shift Parameter: Dichloromethane (semi-quantitative)
(Contd. on page 5)
(Conta. on page 5)

Product Name: 8270 Add-ons Mix

Reviewed on 08/10/2023

(Contd. of page 4)

62-53-3	aniline

02-	55-5 anune
BE	I 0.5 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Aniline (with hydrolysis)
100	-01-6 p-nitroaniline
BE	I 1.5 % of hemoglobin
	Medium: blood
	Time: during or end of shift
	Parameter: Methemoglobin (background, nonspecific, semi-quantitative)
· Add	ditional information: The lists that were valid during the creation were used as basis.
$\cdot Ext$	posure controls
	sonal protective equipment:

Safety Data Sheet acc. to OSHA HCS

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:

Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and	chemical properties
• General Information • Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	40 °C (104 °F)
· Flash point:	> 100 °C (> 212 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto igniting:	605 °C (1,121 °F)
· Decomposition temperature:	Not applicable.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
	(Contd. on page 6

(Contd. on page 6)

Product Name: 8270 Add-ons Mix

Page 6/10

		(Contd. of page 5)
· Explosion limits:		
Lower:	13 Vol %	
Upper:	22 Vol %	
· Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)	
• Density at 20 °C (68 °F)	1.32569 g/cm ³ (11.06288 lbs/gal)	
· Relative density	Not applicable.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	er): Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	98.0 %	
NOC ()	0.40.01	

Safety Data Sheet

acc. to OSHA HCS

VOC content:	0.40~%	
Solids content:	2.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

75-09-2 dichloromethane

Oral LD50 1,600 mg/kg (rat)

Inhalative LC50/4 h 88 mg/l (rat)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.

· Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant

· Carcinogenic categories

· IARC (In	ternational Agency for Research on Cancer)	
75-09-2	dichloromethane	2A
62-53-3	aniline	2A
95-95-4	2,4,5-trichlorophenol	28
106-47-8	4-chloroaniline	28
	ional Toxicology Program)	
75-09-2 dichloromethane		
· OSHA-Ca	(Occupational Safety & Health Administration)	
75-09-2	lichloromethane	
		(Contd. on page 7)

(Contd. on page 7) -US —



Product Name: 8270 Add-ons Mix

Reviewed on 08/10/2023

(Contd. of page 6)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water
- Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- \cdot Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN1593
· UN proper shipping name · DOT · ADR · IMDG, IATA	Dichloromethane 1593 DICHLOROMETHANE DICHLOROMETHANE
· Transport hazard class(es)	
·DOT	
· Class	6.1 Toxic substances
·Label	6.1
· ADR, IMDG, IATA	
· Class	6.1 Toxic substances
·Label	6.1
· Packing group · DOT, ADR, IMDG, IATA	111
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Stowage Code 	Warning: Toxic substances 60 F-A,S-B (SGG1) Acids B SW2 Clear of living quarters.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Cod	le Not applicable.
	(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Contd. on page 8)

Product Name: 8270 Add-ons Mix

Page 8/10

	(Contd. of page 7
· Transport/Additional information:	
·ADR	
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (\widetilde{EQ})	Code: E1
1 1 (2)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1593 DICHLOROMETHANE, 6.1, III

15 Regulatory information

· Section 3	13 (Specific toxic chemical listings):	
	dichloromethane	
62-53-3		
95-48-7	o-cresol	
	2,4,5-trichlorophenol	
	<i>p</i> -nitroaniline	
106-44-5	*	
106-47-8	4-chloroaniline	
132-64-9	dibenzofuran	
	oxic Substances Control Act):	
consumer	nical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section paint or coating removal.	n 3(13)) j
All compo	ments have the value ACTIVE.	
· Hazardou	is Air Pollutants	
75-09-2	dichloromethane	
62-53-3	aniline	
95-48-7	o-cresol	
95-95-4	2,4,5-trichlorophenol	
106-44-5	p-cresol	
132-64-9	dibenzofuran	
· Propositio	on 65	
· Chemical	s known to cause cancer:	
75-09-2	dichloromethane	
62-53-3	aniline	
106-47-8	4-chloroaniline	
· Chemical	s known to cause reproductive toxicity for females:	
None of th	ne ingredients is listed.	
· Chemical	s known to cause reproductive toxicity for males:	
	he ingredients is listed.	
· Chemical	s known to cause developmental toxicity:	
	he ingredients is listed.	
-	enic categories	
· EPA (Env	vironmental Protection Agency)	
75-09-2	dichloromethane	L
62-53-3	aniline	В
65-85-0	Benzoic acid	L
91-57-6	2-methylnaphthalene	Ι
95-48-7		0
106-44-5	p-cresol	0
	dibenzofuran	

Product Name: 8270 Add-ons Mix

~

Page 9/10

		(Contd. of page 8)
• TLV (Thr	eshold Limit Value)	
75-09-2	dichloromethane	A3
62-53-3	aniline	A3
91-57-6	2-methylnaphthalene	A4
100-01-6	p-nitroaniline	A4
· NIOSH-C	a (National Institute for Occupational Safety and Health)	
75-09-2 dichloromethane		
62-53-3	niline	

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labeling:
- dichloromethane
- aniline
- 4-chloroaniline
- o-nitroaniline
- · Hazard statements
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
- P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

- P321 Specific treatment (see on this label).
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

- · Contact:
- Spex CertiPrep, LLC. 1-732-549-7144

· Date of preparation / last revision 08/10/2023

· Abbreviations and acronyms:

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association

- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic

Safety Data Sheet acc. to OSHA HCS

Printing date 08/10/2023

certiprep

S

Product Name: 8270 Add-ons Mix

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Sensitization - Skin 1: Skin sensitisation – Category 1 Carcinogenicity 2: Carcinogenicity – Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2 Reviewed on 08/10/2023

(Contd. of page 9)

- US —