06/13/2023	Kit Components
Product code	Description
ECS-K-TUNE	SemiVOA Tuning Kit for EPA Methods 625/8270
Components:	
VIAL 1	Benzidine
VIAL 2	4,4'-DDT

DFTPP

Pentachlorophenol

VIAL 3

VIAL 4

Printing date 06/13/2023 Reviewed on 06/13/2023

1 Identification

· Product identifier

· Product Name: Benzidine

· Part Name: VIAL 1

· Restrictions

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 1A

H350 May cause cancer.



Acute Toxicity - Oral 4

H302 Harmful if swallowed.

Skin Irritation 2

H315 Causes skin irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- $\cdot \textit{GHS label elements} \ \textit{The product is classified and labeled according to the Globally Harmonized System (GHS)}.$
- · Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

dichloromethane

benzidine

· Hazard statements

 $H302\ Harmful\ if\ swallowed.$

H315 Causes skin irritation.

H350 May cause cancer.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

(Contd. of page 1)



Safety Data Sheet acc. to OSHA HCS

Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Benzidine

P332+P313 If skin irritation occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *1 Fire = 1Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions}.$

	· Dangero	ous components:	
	75-09-2	dichloromethane	99.9%
ĺ	92-87-5	benzidine	0.1%

4 First-aid measures

- · Description of first aid measures
- · General information:

 $Immediately\ remove\ any\ clothing\ soiled\ by\ the\ product.$

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Immediately call a doctor.

Do not give anything to eat or drink - Do not induce vomitting

- Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Benzidine

(Contd. of page 2)

· Protective Action Criteria for Chemicals

· Protective Action Cruerta for Chemicais	
· PAC-1:	
75-09-2 dichloromethane	200 ppm
92-87-5 benzidine	0.93 mg/m^3
· PAC-2:	
75-09-2 dichloromethane	560 ppm
92-87-5 benzidine	10 mg/m^3
PAC-3:	
75-09-2 dichloromethane	6,900 ppm
92-87-5 benzidine	61 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Com	· Components with limit values that require monitoring at the workplace:				
75-0	75-09-2 dichloromethane				
PEL	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052				
REL	See Pocket Guide App. A				
TLV	Long-term value: 50 ppm BEI, A3				
92-8	7-5 benzidine				
PEL	see 29 CFR 1910.1003				
REL	See Pocket Guide Apps. A and C				
TLV	Skin; L, A1				
Inar	ediants with historical limit values.				

· Ingredients with biological limit values:

75-09-2 dichloromethane

BEI 0.3 mg/L Medium: urine

Time: end of shift

Parameter: Dichloromethane (semi-quantitative)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

 $(Contd.\ on\ page\ 4)$

Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Benzidine

(Contd. of page 3)

· Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:

Safety glasses



Tightly sealed goggles

9 Ph	vsical	and	cl	hemical	nro	nerties
	ysicui	unu	$\boldsymbol{\iota}$	iemicui	טוע	permes

Thysical and Chemical properties					
· Information on basic physical and of · General Information · Appearance:					
Form:	Liquid				
Color:	According to product specification				
· Odor:	Characteristic				
· Odour Threshold:	Not applicable.				
· pH-value:	Not applicable.				
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 40 °C (104 °F)				
· Flash point:	> 100 °C (> 212 °F)				
· Flammability (solid, gaseous):	Not applicable.				
· Ignition temperature:	605 °C (1,121 °F)				
· Decomposition temperature:	Not applicable.				
· Auto igniting:	Product is not selfigniting.				
· Danger of explosion:	Product does not present an explosion hazard.				
· Explosion limits:					
Lower:	13 Vol %				
Upper:	22 Vol %				
· Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)				
· Density at 20 °C (68 °F)	$1.32992 \ g/cm^3 \ (11.09818 \ lbs/gal)$				
Relative density	Not applicable.				
· Vapor density	Not applicable.				
· Evaporation rate	Not applicable.				
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.				
· Partition coefficient (n-octanol/wate	er): Not applicable.				
· Viscosity:					
Dynamic:	Not applicable.				
Kinematic:	Not applicable.				
· Solvent content:					
Organic solvents:	99.9 %				
VOC content:	0.00 %				
Solids content:	0.1%				
	(Contd. on page 5				

(Contd. on page 5)



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Benzidine

(Contd. of page 4)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:		
75-09-2 di	chlorometh	hane	
Oral	LD50	1,600 mg/kg (rat)	
Inhalative	LC50/4 h	88 mg/l (rat)	

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
75-09-2 dichloromethane	2A		
92-87-5 benzidine	1		
· NTP (National Toxicology Program)			
75-09-2 dichloromethane	R		
92-87-5 benzidine	K		
· OSHA-Ca (Occupational Safety & Health Administration)			
All ingredients are listed.			

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- $\cdot \textit{Persistence and degradability} \ \textit{No further relevant information available}.$
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- $\cdot \textit{Other adverse effects} \ \textit{No further relevant information available}.$

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Benzidine

(Contd. of page 5)

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number	
· DOT, ADR, IMDG, IATA	UN1593
· UN proper shipping name	D. II. d
· <i>DOT</i> · <i>ADR</i>	Dichloromethane 1593 DICHLOROMETHANE
· IMDG, IATA	DICHLOROMETHANE
· Transport hazard class(es)	
· DOT	
TOXIC	
· Class · Label	6.1 Toxic substances 6.1
· ADR, IMDG, IATA	
· Class · Label	6.1 Toxic substances 6.1
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code):	60
EMS Number: Segregation groups	F-A,S-B (SGG1) Acids
· Segregation groups · Stowage Category	B
· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex II of MARPOL73/78 and	the IBC Code Not applicable.
· Transport/Additional information:	
·ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

· UN "Model Regulation":

 $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture} \\$

· Sara

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

UN 1593 DICHLOROMETHANE, 6.1, III

All components have the value ACTIVE.



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Benzidine

(Contd. of page 6)

· Hazardous Air Pollutants

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

All ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)	
75-09-2 dichloromethane	L
92-87-5 benzidine	A
· TLV (Threshold Limit Value)	
75-09-2 dichloromethane	A3
92-87-5 benzidine	A1
NIGHT COLC II COLC O COLC III III	

· NIOSH-Ca (National Institute for Occupational Safety and Health)

All ingredients are listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

dichloromethane

benzidine

· Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H350 May cause cancer.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Benzidine

(Contd. of page 7)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC. 1-732-549-7144

· Date of preparation / last revision 06/13/2023

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Irritation 2: Skin corrosion/irritation - Category 2

Carcinogenicity IA: Carcinogenicity – Category IA Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

Printing date 06/13/2023 Reviewed on 06/13/2023

1 Identification

· Product identifier

· Product Name: 4,4'-DDT

· Part Name: VIAL 2

· Restrictions

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



Acute Toxicity - Oral 4

H302 Harmful if swallowed.

Skin Irritation 2

H315 Causes skin irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- $\cdot \textit{GHS label elements} \ \textit{The product is classified and labeled according to the Globally Harmonized System (GHS)}.$
- · Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

dichloromethane

1, 1, 1-trichloro-2, 2-bis (4-chlorophenyl) ethane

· Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: 4,4'-DDT

(Contd. of page 1)

P332+P313 If skin irritation occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 1Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

$\cdot I$	Dangero	ous components:	
7	75-09-2	dichloromethane	99.9%
5	50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	0.1%

4 First-aid measures

- · Description of first aid measures
- · General information:

 $Immediately\ remove\ any\ clothing\ soiled\ by\ the\ product.$

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Immediately call a doctor.

Do not give anything to eat or drink - Do not induce vomitting

- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: 4,4'-DDT

(Contd. of page 2)

· Protective Action Criteria for Chemicals

· PAC-1:	
75-09-2 dichloromethane	200 ppm
50-29-3 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	3 mg/m ³
· PAC-2:	
75-09-2 dichloromethane	560 ppm
50-29-3 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	34 mg/m ³
· PAC-3:	
75-09-2 dichloromethane	6,900 ppm
50-29-3 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	210 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- $\cdot \textit{Components with limit values that require monitoring at the workplace:} \\$

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

75-09-2 dichloromethane

PEL	Short-term value: 125 ppm		
	Long-term value: 25 ppm		
	see 29 CFR 1910.1052		
REL	See Pocket Guide App. A		
TLV	Long-term value: 50 ppm		
	BEI, A3		

· Ingredients with biological limit values:

75-09-2 dichloromethane

BEI 0.3 mg/L

Medium: urine Time: end of shift

Parameter: Dichloromethane (semi-quantitative)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- $\cdot \textit{General protective and hygienic measures:} \\$

 ${\it Keep \ away \ from \ foodstuffs, \ beverages \ and \ feed.}$

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: 4,4'-DDT

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

y rhysicai ana chemicai properties				
· Information on basic physical and chemical properties · General Information · Appearance:				
Form:	Liquid			
Color:	According to product specification			
· Odor:	Characteristic			
· Odour Threshold:	Not applicable.			
· pH-value:	Not applicable.			
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. $40 ^{\circ}\text{C} (104 ^{\circ}\text{F})$			
· Flash point:	> 100 °C (> 212 °F)			
· Flammability (solid, gaseous):	Not applicable.			
· Ignition temperature:	605 °C (1,121 °F)			
· Decomposition temperature:	Not applicable.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	13 Vol %			
Upper:	22 Vol %			
· Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)			
· Density at 20 °C (68 °F)	1.33021 g/cm³ (11.1006 lbs/gal)			
· Relative density	Not applicable.			
· Vapor density	Not applicable.			
· Evaporation rate	Not applicable.			
· Solubility in / Miscibility with				
Water:	Not miscible or difficult to mix.			
· Partition coefficient (n-octanol/water	· Partition coefficient (n-octanol/water): Not applicable.			
· Viscosity:				
Dynamic:	Not applicable.			
Kinematic:	Not applicable.			
· Solvent content:				
Organic solvents:	99.9 %			
VOC content:	0.00 %			
Solids content:	0.1 %			
· Other information	No further relevant information available.			

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: 4,4'-DDT

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	values	that are	e relevant	for c	lassification.	:

75-09-2 dichloromethane

 Oral
 LD50
 1,600 mg/kg (rat)

 Inhalative
 LC50/4 h
 88 mg/l (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

All components have the value 2A.

· NTP (National Toxicology Program)

All components have the value R.

· OSHA-Ca (Occupational Safety & Health Administration)

75-09-2 dichloromethane

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- $\cdot \textit{Behavior in environmental systems:}$
- . Bioaccumulative potential No further relevant information available.
- $\cdot \textit{\textbf{Mobility in soil}} \ \textit{No further relevant information available}.$
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA UN1593

· UN proper shipping name

· DOT Dichloromethane

· ADR 1593 DICHLOROMETHANE · IMDG, IATA DICHLOROMETHANE

(Contd. on page 6)

Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: 4,4'-DDT

(Contd. of page 5)

· Transport hazard class(es)

 $\cdot DOT$



· Class 6.1 Toxic substances 6.1

 \cdot Label

· ADR, IMDG, IATA



· Class 6.1 Toxic substances · Label

· Packing group

· DOT, ADR, ÎMDG, IATA III

Not applicable. · Environmental hazards:

· Special precautions for user Warning: Toxic substances

· Hazard identification number (Kemler code): F-A,S-B· EMS Number: · Segregation groups (SGG1) Acids

· Stowage Category

· Stowage Code SW2 Clear of living quarters.

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot ADR$

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

 \cdot IMDG

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN 1593 DICHLOROMETHANE, 6.1, III

15 Regulatory information

· UN "Model Regulation":

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Section 313 (Specific toxic chemical listings):

75-09-2 dichloromethane

TSCA (Toxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

All components have the value ACTIVE.

· Hazardous Air Pollutants

75-09-2 dichloromethane

Proposition 65

Chemicals known to cause cancer:

All ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

50-29-3 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane

Chemicals known to cause reproductive toxicity for males:

50-29-3 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane

(Contd. on page 7)

Reviewed on 06/13/2023 Printing date 06/13/2023

Product Name: 4,4'-DDT

(Contd. of page 6) · Chemicals known to cause developmental toxicity: 50-29-3 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane

· Carcinogenic categories		
· EPA (Environmental Protection Agency)		
75-09-2 dichloromethane	L	
50-29-3 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	B2	
· TLV (Threshold Limit Value)		
All components have the value A3.		

· NIOSH-Ca (National Institute for Occupational Safety and Health)

All ingredients are listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





- · Signal word Warning
- · Hazard-determining components of labeling:

dichloromethane

- 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane
- · Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray P261

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 06/13/2023
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: 4,4'-DDT

OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
BEI: Biological Exposure Limit
Acute Toxicity - Oral 4: Acute toxicity - Category 4
Skin Irritation 2: Skin corrosion/irritation - Category 2
Carcinogenicity 2: Carcinogenicity - Category 2
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

us —

(Contd. of page 7)

Printing date 06/13/2023 Reviewed on 06/13/2023

1 Identification

· Product identifier

· Product Name: <u>DFTPP</u>

· Part Name: VIAL 3

· Restrictions

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



GHS07

Acute Toxicity - Oral 4

H302 Harmful if swallowed.

Skin Irritation 2

H315 Causes skin irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

· Signal word Warning

· Hazard-determining components of labeling:

dichloromethane

· Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: DFTPP

(Contd. of page 1)

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Description. Histare of the substances tisted below with normal artifacts additions.			
· Dangerous components:			
75-09-2 dichloromethane	99.9%		
· Chemical identification of the substance/preparation			
5074-71-5 bis(pentafluorophenyl) phenyl phosphite	0.1%		

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Immediately call a doctor.

Do not give anything to eat or drink - Do not induce vomitting

- $\cdot \textit{Information for Doctor:}$
- $\cdot \textit{Most important symptoms and effects, both acute and delayed} \ \textit{No further relevant information available}.$
- $\cdot \textbf{Indication of any immediate medical attention and special treatment needed} \ \textit{No further relevant information available}.$

5 Fire-fighting measures

- · Extinguishing media
- $\cdot \textbf{\it Suitable extinguishing agents:} \ \textit{\it Use fire fighting measures that suit the environment.}$
- $\cdot \textit{Special hazards arising from the substance or \textit{mixture}} \ \textit{No further relevant information available}.$
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- $\cdot \textit{Personal precautions, protective equipment and emergency procedures} \ \textit{Not required}.$
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- $\cdot \ \textit{Methods and material for containment and cleaning up:}$

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: DFTPP

(Contd. of page 2)

· Protective Action Criteria for Chemicals

Trotecure Action Crueria for Chemicus	
· PAC-1:	
75-09-2 dichloromethane	200 ppm
· PAC-2:	
75-09-2 dichloromethane	560 ppm
· PAC-3:	
75-09-2 dichloromethane	6,900 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

75-09-2 dichloromethane

PEL Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052 REL See Pocket Guide App. A

TLV Long-term value: 50 ppm

BEI, A3

· Ingredients with biological limit values:

75-09-2 dichloromethane

BEI 0.3 mg/L

Medium: urine

Time: end of shift

Parameter: Dichloromethane (semi-quantitative)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

 $\label{thm:commendation} \textit{Due to missing tests no recommendation to the glove material can be given for the product/the preparation/the chemical mixture.}$

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: DFTPP

(Contd. of page 3)

· Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

9 Physical and chemical propertie	S
· Information on basic physical and c · General Information · Appearance:	chemical properties
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 40 °C (104 °F)
· Flash point:	> 100 °C (> 212 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	605 °C (1,121 °F)
· Decomposition temperature:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	13 Vol %
Upper:	22 Vol %
· Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)
· Density	Not applicable.
· Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	er): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	99.9 %
VOC content:	0.00 %
Solids content:	0.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

- $\cdot \textit{Reactivity} \ \textit{No further relevant information available}.$
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\boldsymbol{\cdot} \textit{Possibility of hazardous reactions} \ \textit{No dangerous reactions known}.$
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
75-09-2 dichloromethane			
Oral	LD50	1,600 mg/kg (rat)	

(Contd. on page 5)



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: DFTPP

(Contd. of page 4)

Inhalative LC50/4 h 88 mg/l (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
75-09-2 dichloromethane	2A
· NTP (National Toxicology Program)	
75-09-2 dichloromethane	R
· OSHA-Ca (Occupational Safety & Health Administration)	
75-09-2 dichloromethane	

12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- $\cdot \textit{vPvB:} \textit{Not applicable}.$
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- $\cdot \textit{Recommendation:} \ Disposal \ must \ be \ made \ according \ to \ official \ regulations.$

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN1593

· UN proper shipping name

· DOT

Dichloromethane

· ADR · IMDG, IATA 1593 DICHLOROMETHANE DICHLOROMETHANE

- · Transport hazard class(es)
- $\cdot DOT$



· Class 6.1 Toxic substances

(Contd. on page 6)

Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: DFTPP

(Contd. of page 5) · Label 6.1 · ADR, IMDG, IATA 6.1 Toxic substances · Class · Label 6.1 · Packing group · DOT, ADR, IMDG, IATA III · Environmental hazards: Not applicable. · Special precautions for user Warning: Toxic substances · Hazard identification number (Kemler code): F-A,S-B· EMS Number: · Segregation groups (SGG1) Acids · Stowage Category · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN 1593 DICHLOROMETHANE, 6.1, III

15 Regulatory information

· UN "Model Regulation":

· Limited quantities (LQ)

· Excepted quantities (EQ)

- · Safety, health and environmental regulations/legislation specific for the substance or mixture

· IMDG

· Section 313 (Specific toxic chemical listings):

75-09-2 dichloromethane

TSCA (Toxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

5LCode: E1

75-09-2 dichloromethane	ACTIVE
· Hazardous Air Pollutants	
75-09-2 dichloromethane	
· Proposition 65	
· Chemicals known to cause cancer:	
75-09-2 dichloromethane	

Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.

Chemicals known to cause developmental toxicity: None of the ingredients is listed.

· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
75-09-2 dichloromethane	L
· TLV (Threshold Limit Value)	
75-09-2 dichloromethane	A3
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
75-09-2 dichloromethane	

(Contd. on page 7)

Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: DFTPP

(Contd. of page 6)

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).





GHS07

- · Signal word Warning
- Hazard-determining components of labeling:
- dichloromethane
- Hazard statements
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H351 Suspected of causing cancer.
- H336 May cause drowsiness or dizziness.
- Precautionary statements
- Avoid breathing dust/fume/gas/mist/vapors/spray P261
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
- P330 Rinse mouth.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: product safety department
- · Contact:

Spex CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 06/13/2023
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit BEI: Biological Exposure Limit
- Acute Toxicity Oral 4: Acute toxicity Category 4
 Skin Irritation 2: Skin corrosion/irritation Category 2
- Carcinogenicity 2: Carcinogenicity Category 2
- Specific Target Organ Toxicity Single Exposure 3: Specific target organ toxicity (single exposure) Category 3

Printing date 06/13/2023 Reviewed on 06/13/2023

1 Identification

· Product identifier

· Product Name: Pentachlorophenol

· Part Name: VIAL 4

· Restrictions

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

· Application of the substance / the mixture Certified Reference Material

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Spex CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



Acute Toxicity - Oral 4

H302 Harmful if swallowed.

Skin Irritation 2

H315 Causes skin irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- $\cdot \textit{GHS label elements} \ \textit{The product is classified and labeled according to the Globally Harmonized System (GHS)}.$
- · Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

dich loromethane

pentachlorophenol

· Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Pentachlorophenol

(Contd. of page 1)

P332+P313 If skin irritation occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 1Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dang	· Dangerous components:			
75-0	9-2 dichloromethane	99.9%		
87-8	6-5 pentachlorophenol	0.1%		

4 First-aid measures

- · Description of first aid measures
- · General information:

 $Immediately\ remove\ any\ clothing\ soiled\ by\ the\ product.$

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Immediately call a doctor.

Do not give anything to eat or drink - Do not induce vomitting

- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Pentachlorophenol

(Contd. of page 2)

· Protective Action Criteria for Chemicals

· Protective Action Criteria for Chemicals			
• PAC-1:			
75-09-2 dichloromethane	200 ppm		
87-86-5 pentachlorophenol	1 mg/m ³		
· PAC-2:			
75-09-2 dichloromethane	560 ppm		
87-86-5 pentachlorophenol	15 mg/m³		
· PAC-3:			
75-09-2 dichloromethane	6,900 ppm		
87-86-5 pentachlorophenol	150 mg/m³		

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Com	· Components with limit values that require monitoring at the workplace:			
75-09-2 dichloromethane				
PEL	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052			
REL	See Pocket Guide App. A			
TLV	Long-term value: 50 ppm BEI, A3			
87-8	87-86-5 pentachlorophenol			
PEL	Long-term value: 0.5 mg/m³ Skin			
REL	Long-term value: 0.5 mg/m³ Skin			
TLV	Short-term value: 1* mg/m³ Long-term value: 0.5* mg/m³ Skin; BEI;*inh. fraction+vapor, A3			
· Ingr	· Ingredients with biological limit values:			
75-0	75-09-2 dichloromethane			
	0.3 mg/L Medium: urine Time: end of shift Parameter: Dichloromethane (semi-quantitative)			
87-8	87-86-5 pentachlorophenol			
BEI	-			

· Additional information: The lists that were valid during the creation were used as basis.

Parameter: Pentachlorophenol with hydrolysis (nonquantitative)

- · Exposure controls
- · Personal protective equipment:

Medium: urine

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Time: prior to last shift of workweek

(Contd. on page 4)



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Pentachlorophenol

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

0.1 %

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Solids content:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties		
Information on basic physical and ci General Information Appearance: Form: Color: Odor: Odour Threshold:	hemical properties Liquid According to product specification Characteristic Not applicable.	
· pH-value:	Not applicable.	
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 40 °C (104 °F)	
· Flash point:	> 100 °C (> 212 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	enition temperature: 605 °C (1,121 °F)	
· Decomposition temperature:	Not applicable.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	13 Vol % 22 Vol %	
· Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)	
Density at 20 °C (68 °F) Relative density Vapor density Evaporation rate	1.33065 g/cm³ (11.10427 lbs/gal) Not applicable. Not applicable. Not applicable.	
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not applicable.		
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
· Solvent content: Organic solvents: VOC content:	99.9 % 0.00 %	



Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Pentachlorophenol

(Contd. of page 4)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

	LD/LC50 values that are relevant for classification:			
	75-09-2 die	chlorometh	hane	
	Oral	LD50	1,600 mg/kg (rat)	
L	Inhalative	LC50/4 h	88 mg/l (rat)	

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
75-09-2 dichloromethane	2A	
87-86-5 pentachlorophenol	1	
· NTP (National Toxicology Program)		
All components have the value R.		
· OSHA-Ca (Occupational Safety & Health Administration)		
75-09-2 dichloromethane		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Pentachlorophenol

(Contd. of page 5)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number		
· DOT, ADR, IMDG, IATA	UN1593	
· UN proper shipping name		
$\cdot DOT$	Dichloromethane	
·ADR	1593 DICHLOROMETHANE	
· IMDG, IATA	DICHLOROMETHANE	
· Transport hazard class(es)		
·DOT		
TOXIC		
· Class	6.1 Toxic substances	
· Label	6.1	
· ADR, IMDG, IATA		
· Class	6.1 Toxic substances	
· Label	6.1	
· Packing group		
· DOT, ADR, IMDG, IATA	III	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Warning: Toxic substances	
Hazard identification number (Kemler code):	60	
EMS Number:	F-A,S-B	
· Segregation groups	(SGG1) Acids B	
· Stowage Category · Stowage Code	SW2 Clear of living quarters.	
• Stowage Code • Sw2 Clear of tiving quarters. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
Transport in back according to Annex 11 of MAKI OL/3/18 and the IBC Code (Not applicable). Transport/Additional information:		
· ADR		
· Excepted quantities (EQ)	Code: E1	
Zacopica quantities (ZZ)	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
· IMDG		
· Limited quantities (LQ)	5L	
· Excepted quantities (EQ)	Code: E1	
l	Manimum not avantity non-inner nachasine, 20 ml	

15 Regulatory information

· UN "Model Regulation":

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN 1593 DICHLOROMETHANE, 6.1, III

All components have the value ACTIVE.

Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Pentachlorophenol

(Contd. of page 6)

· Hazardous Air Pollutants

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

All ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

All components have the value L.

· TLV (Threshold Limit Value)

All components have the value A3.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

75-09-2 dichloromethane

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

011506

- · Signal word Warning
- · Hazard-determining components of labeling:

dichloromethane

pentachlorophenol

Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:

Spex CertiPrep, LLC.

1-732-549-7144

- Date of preparation / last revision 06/13/2023
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. of page 7)



Safety Data Sheet acc. to OSHA HCS

Printing date 06/13/2023 Reviewed on 06/13/2023

Product Name: Pentachlorophenol

DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)

HMIS: Hazardous Materials Identification System (
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PBT: Permissible Evasure Limit

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Acute Toxicity - Oral 4: Acute toxicity - Category 4
Skin Irritation 2: Skin corrosion/irritation - Category 2
Carring activity 2: Category (Category)

Carcinogenicity 2: Carcinogenicity – Category 2
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

us —