Printing date 08/16/2022 Reviewed on 08/16/2022

#### 1 Identification

· Product identifier

· Product Name: PAH Analyte Mix

· Part Name: ECS-N-032

· Restrictions

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300)

Outside US: 703-527-3887

## 2 Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Dermal 2 H310 Fatal in contact with skin.

Acute Toxicity - Inhalation 3 H331 Toxic if inhaled.



GHS08 Health hazard

Germ Cell Mutagenicity 1B H340 May cause genetic defects.

Carcinogenicity 1A H350 May cause cancer.

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.

Specific Target Organ Toxicity - Repeated Exposure 1 H372 Causes damage to the central nervous system and the hematopoietic system through prolonged or

repeated exposure.

Aspiration Hazard 1  $H304\ May\ be\ fatal\ if\ swallowed\ and\ enters\ airways.$ 



GHS07

Skin Irrititation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation. Sensitization - Skin 1 H317 May cause an allergic skin reaction. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02

GHS06

GHS07

GHS08

(Contd. on page 2)

Printing date 08/16/2022 Reviewed on 08/16/2022

Product Name: PAH Analyte Mix

(Contd. of page 1)

## · Signal word Danger

## · Hazard-determining components of labeling:

benzene

dichloromethane

acenaphthylene

benzo[a]pyrene

## · Hazard statements

H225 Highly flammable liquid and vapor.

H310 Fatal in contact with skin.

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H336 May cause drowsiness or dizziness.

H372 Causes damage to the central nervous system and the hematopoietic system through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

#### · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment. P240

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P260 Do not breathe dust/fume/gas/mist/vapors/spray. P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## · Classification system:

## · NFPA ratings (scale 0 - 4)



Health = 3Fire = 3Reactivity = 0

## · HMIS-ratings (scale 0 - 4)



Health = \*3Fire = 3Reactivity = 0

#### · Other hazards

## · Results of PBT and vPvB assessment

· PBT:	PB1 and VPVB assessment
	benzo[a]pyrene
	benz[a]anthracene
120-12-7	anthracene
129-00-0	pyrene
191-24-2	Benzo(g,h,i)perylene
206-44-0	fluoranthene
207-08-9	benzo[k]fluoranthene
218-01-9	chrysene
· vPvB:	
50-32-8	benzo[a]pyrene
56-55-3	benz[a]anthracene
85-01-8	phenanthrene, pure
129-00-0	pyrene
191-24-2	Benzo(g,h,i)perylene
	(Contd. on page



Printing date 08/16/2022 Reviewed on 08/16/2022

Product Name: PAH Analyte Mix

 206-44-0
 fluoranthene

 207-08-9
 benzo[k]fluoranthene

 218-01-9
 chrysene

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangero	us components:	
71-43-2	benzene	48.4%
75-09-2	dichloromethane	48.4%
50-32-8	benzo[a]pyrene	0.2%
53-70-3	dibenz[a,h]anthracene	0.2%
	benz[a]anthracene	0.2%
85-01-8	phenanthrene, pure	0.2%
86-73-7	fluorene	0.2%
91-20-3	naphthalene	0.2%
120-12-7	anthracene	0.2%
129-00-0		0.2%
	Benzo(g,h,i)perylene	0.2%
193-39-5	indeno[1,2,3-cd]pyrene	0.2%
205-99-2	benz[e]acephenanthrylene	0.2%
206-44-0	fluoranthene	0.2%
207-08-9	benzo[k]fluoranthene	0.2%
208-96-8	acenaphthylene	0.2%
218-01-9	chrysene	0.2%
· Chemica	l identification of the substance/preparation	
83-32-9	acenaphthene	0.2%

## 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- $\cdot \textit{Information for Doctor:}$
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- $\cdot \textit{Protective equipment: } \textit{Mouth respiratory protective device.}$

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Printing date 08/16/2022 Reviewed on 08/16/2022

Product Name: PAH Analyte Mix

(Contd. of page 3)

· Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

## · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

71-43-2	benzene	52 ppm
	dichloromethane	200 ppm
	benzo[a]pyrene	$0.6 \text{ mg/m}^3$
	dibenz[a,h]anthracene	0.093 mg/m
	benz[a]anthracene	$0.6 \text{ mg/m}^3$
	acenaphthene	$3.6 \text{ mg/m}^3$
	phenanthrene, pure	$5.4 \text{ mg/m}^3$
	fluorene	$6.6 \text{ mg/m}^3$
	naphthalene	15 ppm
	anthracene	48 mg/m³
129-00-0		$0.15 \text{ mg/m}^{2}$
	Benzo(g,h,i)perylene	30 mg/m³
	indeno[1,2,3-cd]pyrene	$1.2 \text{ mg/m}^3$
	benz[e]acephenanthrylene	$0.12 \ mg/m^3$
	fluoranthene	$8.2 \text{ mg/m}^3$
	acenaphthylene	10 mg/m³
218-01-9		$0.6 \text{ mg/m}^3$
PAC-2:	· · · · · · · · · · · · · · · · · · ·	
71-43-2	hanzana	800 ppm
	dichloromethane	560 ppm
	benzo[a]pyrene	120 mg/n
	dibenz[a,h]anthracene	1 mg/m <sup>3</sup>
	benz[a]anthracene	120 mg/n
	acenaphthene	40 mg/m <sup>3</sup>
	phenanthrene, pure	59 mg/m <sup>3</sup>
86-73-7		72 mg/m <sup>3</sup>
	naphthalene	83 ppm
	anthracene	530 mg/n
129-00-0		1.7 mg/m
	Benzo(g,h,i)perylene	330 mg/m
	indeno[1,2,3-cd]pyrene	13 mg/m <sup>3</sup>
	benz[e]acephenanthrylene	1.3 mg/m
	fluoranthene	90 mg/m <sup>3</sup>
	acenaphthylene	90 mg/m <sup>2</sup> 110 mg/m
218-01-9	• •	110 mg/m 12 mg/m <sup>3</sup>
	chrysene	12 mg/m³
• PAC-3:		T
71-43-2		4000* ppm
	dichloromethane	6,900 ppm
	benzo[a]pyrene	$700 \text{ mg/m}^3$
	dibenz[a,h]anthracene	$2.9 \text{ mg/m}^3$
	benz[a]anthracene	700 mg/m <sup>3</sup>
	acenaphthene	240 mg/m³
	phenanthrene, pure	360 mg/m³
86-73-7		430 mg/m <sup>3</sup>
	naphthalene	500 ppm
	anthracene	3,200 mg/n
129-00-0		110 mg/m³
191-24-2	Benzo(g,h,i)perylene	2,000 mg/n



Printing date 08/16/2022 Reviewed on 08/16/2022

Product Name: PAH Analyte Mix

	(Contd. of page 4)
193-39-5   indeno[1,2,3-cd]pyrene	79 mg/m³
205-99-2 benz[e]acephenanthrylene	7.9 mg/m <sup>3</sup>
206-44-0 fluoranthene	400 mg/m³
208-96-8 acenaphthylene	660 mg/m³
218-01-9 chrysene	69 mg/m³

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

	3-2 benzene
	Short-term value: 15* mg/m³, 5* ppm Long-term value: 3* mg/m³, 1* ppm *table Z-2 for exclusions in 29CFR1910.1028(d)
REL	Short-term value: 1 ppm Long-term value: 0.1 ppm See Pocket Guide App. A
TLV	Short-term value: (2.5) NIC-0.1 ppm Long-term value: (0.5) NIC-0.02 ppm Skin; BEI, A1
75-09	9-2 dichloromethane
PEL	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052
REL	See Pocket Guide App. A
TLV	Long-term value: 50 ppm BEI, A3
50-32	2-8 benzo[a]pyrene
PEL	Long-term value: 0.2 mg/m³ see Coal tar pitch volatiles
REL	Long-term value: 0.1 mg/m³ Coal tar pitch volatile; Pocket Guide Apps. A+C
TLV	L; BEIp, A2
56-5	5-3 benz[a]anthracene
TLV	L; BEIp, A2
91-20	0-3 naphthalene
PEL	Long-term value: 50 mg/m³, 10 ppm
REL	Short-term value: 75 mg/m³, 15 ppm Long-term value: 50 mg/m³, 10 ppm
	(Contd. on page 6

Printing date 08/16/2022 Reviewed on 08/16/2022

Product Name: PAH Analyte Mix

(Contd. of page 5)

TLV Long-term value: 10 ppm

Skin; BEI, A3

205-99-2 benz[e]acephenanthrylene

TLV L; BEIp, A2

218-01-9 chrysene

PEL Long-term value: 0.2 mg/m³ see Coal Tar Pitch Volatiles

EL Long-term value: 0.1\* mg/m³

\*Cyclohexane-extrble.fraction;PocketGuide Apps.A+C

TLV L, BEIp, A3

#### · Ingredients with biological limit values:

#### 71-43-2 benzene

BEI 25 µg/g creatinine

Medium: urine

Time: end of shift Parameter

Parameter: S-Phenylmercapturic acid (background

500 µg/g creatinine Medium: urine Time: end of shift

Parameter: t,t-Muconic acid (background)

#### 75-09-2 dichloromethane

BEI 0.3 mg/L

Medium: urine Time: end of shift

Parameter: Dichloromethane (semi-quantitative)

## 50-32-8 benzo[a]pyrene

BEI

Medium: urine

Time: end of shift at end of workweek

Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)

## 56-55-3 benz[a]anthracene

BEI

Medium: urine

Time: end of shift at end of workweek

Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)

## 91-20-3 naphthalene

BEI

Medium: -Time: end of shift

Parameter: 1-Naphthol with hydrolysis + 2-Naphthol with hydrolysis (Nq,Ns)

#### 205-99-2 benz[e]acephenanthrylene

BEI -

Medium: urine

Time: end of shift at end of workweek

Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)

## 218-01-9 chrysene

BEI

Medium: urine

Time: end of shift at end of workweek

Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

## Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 7)



Printing date 08/16/2022 Reviewed on 08/16/2022

Product Name: PAH Analyte Mix

(Contd. of page 6)

#### · Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



9 Physical and chemical properties		
· Information on basic physical and chemical properties · General Information · Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. $40 ^{\circ}\text{C}  (104 ^{\circ}\text{F})$	
· Flash point:	< 0 °C (< 32 °F)	
· Flammability (solid, gaseous):	Highly flammable.	
· Ignition temperature:	555 °C (1,031 °F)	
· Decomposition temperature:	Not applicable.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	1.2 Vol %	
Upper:	22 Vol %	
· Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)	
· Density	Not applicable.	
Relative density	Not applicable.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not applicable.		
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	96.8 %	
VOC content:	48.40 %	
Solids content:	2.6 %	

(Contd. on page 8)



Printing date 08/16/2022 Reviewed on 08/16/2022

Product Name: PAH Analyte Mix

(Contd. of page 7)

· Other information

No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
71-43-2 be	71-43-2 benzene		
Oral	LD50	4,894 mg/kg (rat)	
Dermal	LD50	48 mg/kg (mouse)	
Inhalative	LC50/4 h	9,980 mg/l (mouse)	
75-09-2 di	75-09-2 dichloromethane		
Oral	LD50	1,600 mg/kg (rat)	
Inhalative	LC50/4 h	88 mg/l (rat)	

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Irritant

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

The product can cause inheritable damage.

## · Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
71-43-2	benzene	1
75-09-2	dichloromethane	2A
50-32-8	benzo[a]pyrene	1
53-70-3	dibenz[a,h]anthracene	2A
56-55-3	benz[a]anthracene	2B
83-32-9	acenaphthene	3
85-01-8	phenanthrene, pure	3
86-73-7		3
91-20-3	naphthalene	2B
	anthracene	3
129-00-0		3
191-24-2	Benzo(g,h,i)perylene	3
	indeno[1,2,3-cd]pyrene	2B
205-99-2	benz[e]acephenanthrylene	2B
	fluoranthene	3
	benzo[k]fluoranthene	2B
218-01-9	chrysene	2B
· NTP (Nat	ional Toxicology Program)	
71-43-2	benzene	K
	dichloromethane	R
50-32-8	benzo[a]pyrene	R
53-70-3	dibenz[a,h]anthracene	R

(Contd. on page 9)

Printing date 08/16/2022 Reviewed on 08/16/2022

Product Name: PAH Analyte Mix

		(Contd. of page 8
56-55-3	benz[a]anthracene	R
85-01-8	phenanthrene, pure	R
86-73-7	fluorene	R
91-20-3	naphthalene	R
	anthracene	R
129-00-0	pyrene	R
193-39-5	indeno[1,2,3-cd]pyrene	R
205-99-2	benz[e]acephenanthrylene	R
206-44-0	fluoranthene	R
207-08-9	benzo[k]fluoranthene	R
218-01-9	chrysene	R
· OSHA-Ca	a (Occupational Safety & Health Administration)	
71-43-2   benzene		
75-09-2 d	lichloromethane	

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- . Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

 $Do \ not \ allow \ product \ to \ reach \ ground \ water, \ water \ course \ or \ sewage \ system, \ even \ in \ small \ quantities.$ 

Danger to drinking water if even extremely small quantities leak into the ground.

· Results of PBT and vPvB assessment

Results of 1 D1 and 11 1 D assessment		
· PBT:		
50-32-8	benzo[a]pyrene	
56-55-3	benz[a]anthracene	
120-12-7	anthracene	
129-00-0	pyrene	
191-24-2	Benzo(g,h,i) perylene	
206-44-0	fluoranthene	
207-08-9	benzo[k]fluoranthene	
218-01-9	chrysene	
· vPvB:		
50-32-8	benzo[a]pyrene	
56-55-3	benz[a]anthracene	
85-01-8	phenanthrene, pure	
129-00-0	pyrene	
191-24-2	Benzo(g,h,i) perylene	
206-44-0	fluoranthene	
207-08-9	benzo[k]fluoranthene	
218-01-9	chrysene	
Oth on a de	were offeets No further relevant information available	

· Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 10)

 $\cdot ADR$ 

· Excepted quantities (EQ)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/16/2022 Reviewed on 08/16/2022

Product Name: PAH Analyte Mix

(Contd. of page 9)

## 14 Transport information · UN-Number UN1992 · DOT, ADR, IMDG, IATA · UN proper shipping name $\cdot DOT$ Flammable liquids, toxic, n.o.s. (Benzene) $\cdot ADR$ 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (BENZENE), ENVIRONMENTALLY HAZARDOUS $\cdot$ IMDG FLAMMABLE LIQUID, TOXIC, N.O.S. (BENZENE, NAPHTHALENE, CRUDE), MARINE POLLUTANT $\cdot$ IATA FLAMMABLE LIQUID, TOXIC, N.O.S. (BENZENE) · Transport hazard class(es) $\cdot DOT$ · Class 3 Flammable liquids 3, 6.1 · Label $\cdot ADR$ · Class 3 Flammable liquids · Label 3+6.1 $\cdot$ IMDG · Class 3 Flammable liquids $\cdot \textit{Label}$ 3/6.1 $\cdot$ IATA 3 Flammable liquids · Class · Label 3(6.1)· Packing group · DOT, ADR, IMDG, IATA II $Product\ contains\ environmentally\ hazardous\ substances:\ benzo[a] pyrene$ · Environmental hazards: · Marine pollutant: Symbol (fish and tree) Symbol (fish and tree) · Special marking (ADR): · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 336 F-E,S-D· EMS Number: · Stowage Category В · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information:

Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Printing date 08/16/2022 Reviewed on 08/16/2022

Product Name: PAH Analyte Mix

(Contd. of page 10)

· IMDG · Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2  Maximum net quantity per inner packaging: 30 ml  Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (BENZENE), 3 (6.1), II, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 313 (Specific toxic chemical listings):		
71-43-2	benzene	
75-09-2	dichloromethane	
50-32-8	benzo[a]pyrene	
	dibenz[a,h]anthracene	
	benz[a]anthracene	
	phenanthrene, pure	
91-20-3	naphthalene	
	anthracene	
	Benzo(g,h,i) perylene	
193-39-5	indeno[1,2,3-cd]pyrene	
205-99-2	benz[e]acephenanthrylene	
206-44-0	fluoranthene	
207-08-9	benzo[k]fluoranthene	
218-01-9	chrysene	
TCCA (T	avic Substances Control Act)	

#### · TSCA (Toxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

consumer	paini or coating removal.	
71-43-2	benzene	ACTIVE
75-09-2	dichloromethane	ACTIVE
50-32-8	benzo[a]pyrene	ACTIVE
53-70-3	dibenz[a,h]anthracene	ACTIVE
56-55-3	benz[a]anthracene	ACTIVE
83-32-9	acenaphthene	ACTIVE
85-01-8	phenanthrene, pure	ACTIVE
86-73-7	fluorene	ACTIVE
91-20-3	naphthalene	ACTIVE
120-12-7	anthracene	ACTIVE
129-00-0	pyrene	ACTIVE
193-39-5	indeno[1,2,3-cd]pyrene	ACTIVE
206-44-0	fluoranthene	ACTIVE
208-96-8	acenaphthylene	ACTIVE
218-01-9	chrysene	ACTIVE
· Hazardoi	us Air Pollutants	
71-43-2	benzene	
75-09-2	dichloromethane	
50-32-8	benzo[a]pyrene	
53-70-3	dibenz[a,h]anthracene	
56-55-3	benz[a]anthracene	
85-01-8	phenanthrene, pure	
	fluorene	
91-20-3	naphthalene	
120-12-7	anthracene	
129-00-0	pyrene	
193-39-5	indeno[1,2,3-cd]pyrene	
		C 12\

Printing date 08/16/2022 Reviewed on 08/16/2022

Product Name: PAH Analyte Mix

(Contd. of page 11)

205-99-2 benz[e]acephenanthrylene

206-44-0 fluoranthene

207-08-9 benzo[k]fluoranthene

218-01-9 chrysene

## · Proposition 65

· Chemicals known to cause cancer:			
71-43-2	benzene		
75-09-2	dichloromethane		
	benzo[a]pyrene		
	dibenz[a,h]anthracene		
	benz[a]anthracene		
	naphthalene		
	indeno[1,2,3-cd]pyrene		
	benz[e]acephenanthrylene		
	benzo[k]fluoranthene		
218-01-9	chrysene		
. Chamical	· Chemicals known to cause correductive taxicity for females:		

## · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

## · Chemicals known to cause reproductive toxicity for males:

71-43-2 benzene

## · Chemicals known to cause developmental toxicity:

71-43-2 benzene

## · Carcinogenic categories

71-43-2   benzene	A, K/L
75-09-2 dichloromethane	
50-32-8 benzo[a]pyrene	СаН
53-70-3 dibenz[a,h]anthracene	B2
56-55-3 benz[a]anthracene	B2
83-32-9 acenaphthene	A
85-01-8 phenanthrene, pure	D
86-73-7 fluorene	D
91-20-3 naphthalene	C, CBI
120-12-7 anthracene	D
129-00-0 pyrene	D
191-24-2 Benzo(g,h,i)perylene	D
193-39-5 indeno[1,2,3-cd]pyrene	B2
205-99-2 benz[e]acephenanthrylene	B2
206-44-0 fluoranthene	D
207-08-9 benzo[k]fluoranthene	B2
208-96-8 acenaphthylene	D
218-01-9 chrysene	B2

127 (111 0511011 211111 7 11110)		
71-43-2	benzene	A1
75-09-2	dichloromethane	A3
	· · · · · · · · · · · · · · · · · · ·	A2
56-55-3	benz[a]anthracene	A2
91-20-3	naphthalene	A4
205-99-2	benz[e]acephenanthrylene	A2
218-01-9	chrysene	A.3

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

1110511 Cu (14mional Institute for Occupational Sufery and Incatin)		a (Manorial Institute for Occupational Suffey and Iteams)
	71-43-2	benzene
	75-09-2	dichloromethane
	50-32-8	benzo[a]pyrene
	218-01-9	chrysene

<sup>·</sup> GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. of page 12)

Printing date 08/16/2022 Reviewed on 08/16/2022

#### Product Name: PAH Analyte Mix

#### · Hazard pictograms









GHS02

GHS06

· Signal word Danger

#### · Hazard-determining components of labeling:

dichloromethane

acenaphthylene

benzo[a]pyrene

### Hazard statements

H225 Highly flammable liquid and vapor.

H310 Fatal in contact with skin.

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H336 May cause drowsiness or dizziness.

H372 Causes damage to the central nervous system and the hematopoietic system through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

#### · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P260 Do not breathe dust/fume/gas/mist/vapors/spray. P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

Do NOT induce vomiting. P331

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## · National regulations:

· Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).

#### · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## · Department issuing SDS: product safety department

#### · Contact:

Spex CertiPrep, LLC.

1-732-549-7144

#### Date of preparation / last revision 08/16/2022 / -

## · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

(Contd. of page 13)



## Safety Data Sheet acc. to OSHA HCS

Printing date 08/16/2022 Reviewed on 08/16/2022

#### Product Name: PAH Analyte Mix

vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Elimpoole Limit 5: Elempoole Limit Catego

BEI: Biological Exposure Limit
Flammable Liquids 2: Flammable liquids - Category 2
Acute Toxicity - Dermal 2: Acute toxicity — Category 2
Acute Toxicity - Inhalation 3: Acute toxicity — Category 3
Skin Irrititation 2: Skin corrosion/irritation — Category 3
Eye Irritation 2A: Serious eye damage/eye irritation — Category 2
Sensitization — Skin 1: Skin sensitisation — Category 1
Germ Cell Mutagenicity 1B: Germ cell mutagenicity — Category 1B
Carcinogenicity 1A: Carcinogenicity — Category 1A
Toxic to Reproduction 1B: Reproductive toxicity — Category 1B
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) — Category 1
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) — Category 1
Aspiration Hazard 1: Aspiration hazard — Category 1

US -