1 Identification

- · Product identifier
- · Product Name: GASOLINE RANGE ORGANICS (EPA)
- · Part Number: GRO-EPA
- $\cdot \textbf{Application of the substance / the mixture} \ \textit{Certified Reference Material} \\$
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SPEX CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT SE 1 H370 Causes damage to organs.

- · Label elements
- $\cdot \textit{GHS label elements The product is classified and labeled according to the \textit{Globally Harmonized System (GHS)}. \\$
- · Hazard pictograms







GHS02

GHS06

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

methanol

· Hazard statements

H225 Highly flammable liquid and vapor.

H331 Toxic if inhaled.

H361 Suspected of damaging fertility or the unborn child.

H370 Causes damage to organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

 $Use\ explosion-proof\ electrical/ventilating/lighting/equipment.$

Do not breathe dust/fume/gas/mist/vapors/spray.

 ${\it If on skin (or hair): Take of fimme diately all contaminated clothing. Rinse skin with water/shower.}$

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Printing date 07/19/2017 Reviewed on 07/19/2017

Product Name: GASOLINE RANGE ORGANICS (EPA)

· Classification system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerou	s components:	
67-56-1	methanol	98.95%
108-88-3	toluene	0.15%
· Chemical	identification of the substance/preparation	
	m-xylene	0.15%
95-63-6	1,2,4-trimethylbenzene	0.15%
	2,2,4-trimethylpentane	0.15%
107-83-5	2-methylpentane	0.15%
95-47-6	o-xylene	0.15%
71-43-2	benzene	0.05%
100-41-4	ethylbenzene	0.05%
142-82-5	heptane	0.05%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

 \cdot After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- $\cdot \textit{After skin contact:} \ \textit{Immediately wash with water and soap and rinse thoroughly}.$
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- $\cdot \textit{After swallowing:} \ Do \ not \ induce \ vomiting; \ immediately \ call \ for \ medical \ help.$
- Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

US

Product Name: GASOLINE RANGE ORGANICS (EPA)

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

	*	
· PAC-1:		
67-56-1	methanol	530 ppm
108-38-3	m-xylene	130 ppm
95-63-6	1,2,4-trimethylbenzene	140 ppm
540-84-1	2,2,4-trimethylpentane	230 ррт
107-83-5	2-methylpentane	1,000 ppm
108-88-3	toluene	67 ppm
71-43-2	benzene	52 ppm
100-41-4	ethylbenzene	33 ppm
142-82-5	heptane	500 ppm
· PAC-2:		•
67-56-1	methanol 2	2,100 ppm
108-38-3	m-xylene 9	920 ppm
95-63-6	1,2,4-trimethylbenzene	360 ppm
540-84-1	2,2,4-trimethylpentane δ	830 ppm
107-83-5	2-methylpentane	11000** ppm
108-88-3		560 ppm
71-43-2	benzene &	800 ppm
100-41-4	ethylbenzene I	l 100* ppm
142-82-5	heptane &	830 ppm
· PAC-3:		
67-56-1	methanol 72	200* ppm
108-38-3	m-xylene 25	500* ppm
95-63-6	1,2,4-trimethylbenzene 48	80 ppm
540-84-1	2,2,4-trimethylpentane 50	000* ppm
107-83-5	2-methylpentane 60	6000*** ppm
108-88-3	toluene 37	700* ppm
71-43-2	benzene 40	000* ppm
100-41-4	ethylbenzene 18	800* ppm
142-82-5	heptane 50	000* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

 $Open\ and\ handle\ receptacle\ with\ care.$

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

(Contd. on page 4)

Product Name: GASOLINE RANGE ORGANICS (EPA)

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

67-56-1 methanol

PEL Long-term value: 260 mg/m³, 200 ppm

REL Short-term value: 325 mg/m³, 250 ppm

Long-term value: 260 mg/m³, 200 ppm

Skin

TLV Short-term value: 328 mg/m³, 250 ppm

Long-term value: 262 mg/m³, 200 ppm Skin; BEI

108-88-3 toluene

PEL Long-term value: 200 ppm

Ceiling limit value: 300; 500* ppm

*10-min peak per 8-hr shift

REL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm

TLV Long-term value: 75 mg/m³, 20 ppm

BEI

· Ingredients with biological limit values:

67-56-1 methanol

BEI 15 mg/L

Medium: urine

Time: end of shift

Parameter: Methanol (background, nonspecific)

108-88-3 toluene

BEI 0.02 mg/L

Medium: blood

Time: prior to last shift of workweek

Parameter: Toluene

0.03 mg/L Medium: urine Time: end of shift Parameter: Toluene

0.3 mg/g creatinine Medium: urine Time: end of shift

Parameter: o-Cresol with hydrolysis (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

(Contd. of page 4)

Printing date 07/19/2017 Reviewed on 07/19/2017

Product Name: GASOLINE RANGE ORGANICS (EPA)

· Protection of hands:



 $The \ glove \ material \ has \ to \ be \ impermeable \ and \ resistant \ to \ the \ product/\ the \ substance/\ the \ preparation.$

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

9 Physical and chemical propertie	es ·	
· Information on basic physical and chemical properties		
· General Information	· · · · · · · · · · · · · · · · · · ·	
· Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	64.7 °C (148 °F)	
· Flash point:	11 °C (52 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	455 °C (851 °F)	
· Decomposition temperature:	Not applicable.	
· Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	5.5 Vol %	
Upper:	44.0 Vol %	
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
· Density	Not applicable.	
· Relative density	Not applicable.	
· Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	er): Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	99.8 %	
VOC content:	100.0 %	
Solids content:	0.2 %	

Product Name: GASOLINE RANGE ORGANICS (EPA)

(Contd. of page 5)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
67-56-1 m	67-56-1 methanol		
Oral	LD50	5628 mg/kg (rat)	
Dermal	LD50	15800 mg/kg (rabbit)	
71-43-2 be	71-43-2 benzene		
Oral		4894 mg/kg (rat)	
Dermal	LD50	48 mg/kg (mouse)	
Inhalative	LC50/4 h	9980 mg/l (mouse)	

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

Curtinogenic eurogenics		
· IARC (In	ternational Agency for Research on Cancer)	
108-38-3	m-xylene	3
95-47-6	o-xylene	3
108-88-3	toluene	3
71-43-2	benzene	1
100-41-4	ethylbenzene	2 <i>B</i>
· NTP (Nat	tional Toxicology Program)	
71-43-2 benzene K		
· OSHA-Co	a (Occupational Safety & Health Administration)	
71-43-2 benzene		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- $\cdot \textit{vPvB:} \textit{Not applicable}.$

(Contd. on page 7)

Product Name: GASOLINE RANGE ORGANICS (EPA)

· Other adverse effects No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number	
DOT, ADR, IMDG, IATA	UN1230
UN proper shipping name	
DOT	Methanol
ADR	1230 Methanol METHANOL
IMDG, IATA	METHANOL
Transport hazard class(es)	
DOT TAMMARE LIDOT TOXIC 5	
Class Label	3 Flammable liquids 3, 6.1
ADR See See See See See See See See See Se	
Class Label	3 Flammable liquids 3+6.1
IMDG	
Class Label	3 Flammable liquids 3/6.1
IATA September 1997	
Class Label	3 Flammable liquids 3 (6.1)
	5 (0.1)
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Environmentat nazaras:	
	Warning: Flammable liquids
Special precautions for user Danger code (Kemler):	Warning: Flammable liquids 336
Special precautions for user Danger code (Kemler): EMS Number:	336 F-E,S-D
Special precautions for user Danger code (Kemler):	336

Reviewed on 07/19/2017 Printing date 07/19/2017

Product Name: GASOLINE RANGE ORGANICS (EPA)

	(Contd. of page
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · $Excepted$ quantities (E $oldsymbol{Q}$)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

· UN "Mod	lel Regulation":	UN 1230 METHANOL, 3 (6.1), II
15 Regulate	ory information	
· Safety he	ealth and environmental regulations/le	gislation specific for the substance or mixture
· Sara	ani ana environmenta regulations, te	gistation specific for the substance of mixture
	55 (extremely hazardous substances):	
None of t	ne ingredients is listed.	
· Section 3	13 (Specific toxic chemical listings):	
	methanol	
	m-xylene	
	1,2,4-trimethylbenzene	
	o-xylene	
108-88-3		
	benzene	
	ethylbenzene	
	oxic Substances Control Act):	
-	lients are listed.	
· Propositi		
	s known to cause cancer:	
	benzene	
	ethylbenzene	
	s known to cause reproductive toxicity	for females:
•	he ingredients is listed.	
	s known to cause reproductive toxicity	for males:
71-43-2		
· Chemical	s known to cause developmental toxic	ity:
	methanol	
108-88-3		
71-43-2	benzene	
· Carcinog	enic categories	
· EPA (En	vironmental Protection Agency)	
108-38-3	m-xylene	I
95-63-6	1,2,4-trimethylbenzene	II
	2,2,4-trimethylpentane	II
95-47-6	o-xylene	I
108-88-3		II
	benzene	A, K/L
	ethylbenzene	D
142-82-5		D
	eshold Limit Value established by AC	
	m-xylene	A4
95-47-6	o-xylene	A4
		(Contd. on page 9

Product Name: GASOLINE RANGE ORGANICS (EPA)

(Contd. of page 8) 108-88-3 toluene A471-43-2 benzene A1100-41-4 ethylbenzene *A3*

· NIOSH-Ca (National Institute for Occupational Safety and Health)

71-43-2 benzene

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS06

- · Signal word Danger
- · Hazard-determining components of labeling:

· Hazard statements

H225 Highly flammable liquid and vapor.

H331 Toxic if inhaled.

H361 Suspected of damaging fertility or the unborn child.

H370 Causes damage to organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:

SPEX CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 07/19/2017 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulativ

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 3: Acute toxicity – Category 3
Repr. 2: Reproductive toxicity – Category 2

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1