Page 1/6

# **1** Identification

- · Product identifier
- · Product Name: 1000 ug/g Mercury in Base Oil 75
- · Part Number: ORG-HG8-2Z
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier:
  SPEX CertiPrep, LLC.
  203 Norcross Ave, Metuchen,
  NJ 08840 USA
- Information department: product safety department • Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

## 2 Hazard(s) identification

### · Classification of the substance or mixture



GHS08 Health hazard

Repr. 1B H360 May damage fertility or the unborn child.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:
- mercury
- Hazard statements
- May damage fertility or the unborn child.
- · Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0 Reactivity = 0

### · HMIS-ratings (scale 0 - 4)



· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

#### Product Name: 1000 ug/g Mercury in Base Oil 75

(Contd. of page 1)

Reviewed on 09/30/2015

· Chemical characterization: Mixtures		
<b>Description:</b> Mixture of the substances listed below with nonhazardous additions.		
Dangerous components:		
64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic	99.9%	
7439-97-6 mercury	0.1%	

#### 4 First-aid measures

- · Description of first aid measures
- General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. • After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 3)

US

Printing date 09/30/2015

# Product Name: 1000 ug/g Mercury in Base Oil 75

Reviewed on 09/30/2015

	(Contd. of page 2)
· Con	trol parameters
· Com	ponents with limit values that require monitoring at the workplace:
7439	-97-6 mercury
PEL	Long-term value: 0.1 mg/m <sup>3</sup>
	as Hg; see OSHA standard interpretation memo
REL	Long-term value: 0.05* mg/m <sup>3</sup>
	Ceiling limit value: 0.1 mg/m <sup>3</sup> as Hg; *Vapor; Skin
TIV	Long-term value: 0.025 mg/m <sup>3</sup>
ILV	as Hg; Skin; BEI
· Ingr	edients with biological limit values:
U	D-97-6 mercury
BEI	35 μg/g creatinine
	Medium: urine
	Time: prior to shift
	Parameter: Total inorganic mercury (background
	15 μg/L
	Medium: blood
	Time: end of shift at end of workweek
	Parameter: Total inorganic mercury (background)
• Addi	tional information: The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	a away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	thing equipment:
	use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is
	pendent of circulating air.
· Prot	ection of hands:
R.	Protective gloves
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.* • *Eye protection: Goggles recommended during refilling.* 

# 9 Physical and chemical properties

<b>T</b> C (* 1		
• Information on be	asic physical and	chemical properties

### · General Information

ocherai injormanon	
· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 315 °C (599 °F)
· Flash point:	Not applicable.
	(Contd. on page 4)

(Contd. on page 4)

Printing date 09/30/2015

Reviewed on 09/30/2015

### Product Name: 1000 ug/g Mercury in Base Oil 75

		(Contd. of page 3)
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not applicable.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not applicable.	
Upper:	Not applicable.	
· Vapor pressure:	Not determined.	
· Density	Not applicable.	
· Relative density	Not applicable.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water): Not applicable.		
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
• Other information	No further relevant information available.	

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Harmful
- Irritant
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- 7439-97-6 mercury
- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

## **12 Ecological information**

· Toxicity

· Aquatic toxicity: No further relevant information available.

(Contd. on page 5)

3

US

Safety Data Sheet acc. to OSHA HCS

Printing date 09/30/2015

## Product Name: 1000 ug/g Mercury in Base Oil 75

Reviewed on 09/30/2015

(Contd. of page 4)

- $\cdot \textit{Persistence and degradability No further relevant information available}.$
- $\cdot$  Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available.}$
- $\cdot$  Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB**: Not applicable.
- $\cdot$  Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

# 14 Transport information

· UN-Number · DOT, ADR, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the Code	e IBC Not applicable.
· UN "Model Regulation":	Void

# 15 Regulatory information

$\cdot$ Safety, health and environmental regulations/legislation specific for the substance or mixture $\cdot$ Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
7439-97-6 mercury	
· TSCA (Toxic Substances Control Act):	7
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	7
7439-97-6 mercury	
(Contd. on page	e 6)

1IS

Printing date 09/30/2015

Product Name: 1000 ug/g Mercury in Base Oil 75

Reviewed on 09/30/2015

	(Contd. of page 5)
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
7439-97-6 mercury	D
· TLV (Threshold Limit Value established by ACGIH)	
7439-97-6 mercury	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
- Hazard pictograms	
· Signal word Danger	
· Hazard-determining components of labeling:	
mercury • Hazard statements	
May damage fertility or the unborn child	

May damage fertility or the unborn child.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:
- SPEX CertiPrep, LLC.
- 1-732-549-7144

· Date of preparation / last revision 09/30/2015 / -

### · Abbreviations and acronyms:

ADR: Accord european Sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Martine Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Repr. 1B: Reproductive toxicity, Hazard Category 1B