

# **SAFETY DATA SHEET**

Issue Date 10-Jan-2019 Revision Date 10-Jan-2019 Version 1

# 1. IDENTIFICATION

Product identifier

Product Name NPW-Base/Neutrals

Other means of identification

Product Code PEO-121 UN/ID no. 1090/1230 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use For Laboratory Use Only.
Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressNSI Lab Solutions, Inc.NSI Lab Solutions, Inc.7212 ACC Blvd.7212 ACC Blvd.Raleigh, NC 27617Raleigh, NC 27617

Emergency telephone number

**Company Phone Number** 800-234-7837 **FAX** 919-789-3019

Website www.nsilabsolutions.com E-mail address nsi@nsilabsolutions.com

Emergency Telephone 919-349-7322

# 2. HAZARDS IDENTIFICATION

# Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Serious eye damage/eye irritation                | Category 2 |
|--|------------|
| Specific target organ toxicity (single exposure) | Category 3 |
| Flammable liquids                                | Category 2 |

#### Label elements

#### **Emergency Overview**

# Danger

#### Hazard statements

H319: Causes serious eye irritation

May cause respiratory irritation. May cause drowsiness or dizziness

H225: Highly flammable liquid and vapor



Appearance Clear, colorless liquid Physical state Liquid Odor No information available

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating / lighting/ equipment.

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/eye protection/face protection

Keep cool

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

In case of fire: Use CO2, dry chemical, or foam to extinguish

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking.

# Other Information

May be harmful if inhaled

Unknown acute toxicity 100 % of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

| Chemical Name  | CAS No. | Weight-% |
|----------------|---------|----------|
| Methyl alcohol | 67-56-1 | 48-49.9  |
| Acetone        | 67-64-1 | 48-49.9  |

Refer to Certificate of Analysis for exact percentage concentration.

#### 4. FIRST AID MEASURES

\_\_\_\_\_

#### Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean

mouth with water and drink afterwards plenty of water. Consult a physician, if necessary.

#### Most important symptoms and effects, both acute and delayed

Symptoms The most important known symptoms and effects are described in Section 2 and/or Section

11.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

#### Specific hazards arising from the chemical

Carbon oxides.

#### **Explosion data**

Sensitivity to Mechanical Impact None.

**Sensitivity to Static Discharge** May be ignited by heat, sparks or flames.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

# Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

#### 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. For precautions,

see Section 2.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials No information available. Bases, oxidizing agents, reducing agents, Acetone reacts violently

with phosphorous oxychloride.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

| Chemical Name  | ACGIH TLV     | OSHA PEL                                | NIOSH IDLH                 |
|----------------|---------------|---|----------------------------|
| Acetone        | STEL: 500 ppm | TWA: 1000 ppm                           | IDLH: 2500 ppm             |
| 67-64-1        | TWA: 250 ppm  | TWA: 2400 mg/m <sup>3</sup>             | TWA: 250 ppm               |
|                |               | (vacated) TWA: 750 ppm                  | TWA: 590 mg/m <sup>3</sup> |
|                |               | (vacated) TWA: 1800 mg/m <sup>3</sup>   | _                          |
|                |               | (vacated) STEL: 2400 mg/m <sup>3</sup>  |                            |
|                |               | The acetone STEL does not apply         |                            |
|                |               | to the cellulose acetate fiber          |                            |
|                |               | industry. It is in effect for all other |                            |
|                |               | sectors.                                |                            |
|                |               | (vacated) STEL: 1000 ppm                |                            |
| Methyl alcohol | STEL: 250 ppm | TWA:200 ppm                             | IDLH: 6000 ppm             |
| 67-56-1        | TWA: 200 ppm  | TWA: 260 mg/m <sup>3</sup>              | TWA: 200 ppm               |
|                |               | (vacated) TWA: 200 ppm                  | TWA: 250 mg/m <sup>3</sup> |
|                |               | (vacated) TWA: 260 mg/m <sup>3</sup>    | STEL:: 250ppm              |
|                |               | (vacated) STEL: 325 mg/m <sup>3</sup>   | STEL:325mg/m <sup>3</sup>  |
|                |               | (vacated) STEL: 250 ppm                 |                            |
|                |               |   |                            |
|                |               |   |                            |
|                |               |   |                            |

#### **Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes.

**Skin and body protection** Wear protective gloves and protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

AppearanceClear, colorless liquidOdorNo information availableColorColorlessOdor thresholdNo information available

Property Values Remarks • Method

pH No information available
Melting point / freezing point -94 °C -137 °F

No information available

**Boiling point / boiling range** 56 °C 133 °F (at 760 mm Hg)

Flash point -16.99 °C 1.42 °F Closed Cup

**Evaporation rate**No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit: 13% (V) Lower flammability limit: 2% (V)

Vapor pressureNo information availableNo information availableVapor densityNo information availableNo information availableRelative densityNo information availableNo information available

Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature

Miscible in water
No information available
465.0 °C 869.0 °F
No information available

Kinematic viscosityNo information availableNo information availableDynamic viscosityNo information availableNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

**Other Information** 

Softening point
Molecular weight
VOC Content (%)
Density
No information available

# 10. STABILITY AND REACTIVITY

# Reactivity

No information available

# **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

Heat, flames and sparks.

#### **Incompatible materials**

No information available. Bases, oxidizing agents, reducing agents, Acetone reacts violently with phosphorous oxychloride.

#### **Hazardous Decomposition Products**

No information available.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information No data available

**Inhalation** No data available.

**Eye contact** No data available.

**Skin contact** No data available.

**Ingestion** No data available.

| Chemical Name  | Oral LD50          | Dermal LD50            | Inhalation LC50                     |
|----------------|--------------------|------------------------|-------------------------------------|
| Acetone        | = 5800 mg/kg (Rat) | > 15700 mg/kg (Rabbit) | = 50100 mg/m <sup>3</sup> (Rat) 8 h |
| 67-64-1        |                    |                        |                                     |
| Methyl alcohol | = 620 mg/kg (Rat)  | > 15800 mg/kg (Rabbit) | = 22500 mg/m <sup>3</sup> (Rat) 8 h |
| 67-56-1        |                    |                        |                                     |
|                |                    |                        |                                     |

#### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 5,858.60 ATEmix (dermal) 15,874.40 ATEmix (inhalation-dust/mist) 101.20

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

1 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical Name  | Algae/aquatic plants | Fish                               | Crustacea                      |
|----------------|----------------------|------------------------------------|--------------------------------|
| Acetone        | -                    | 4.74 - 6.33: 96 h Oncorhynchus     | 10294 - 17704: 48 h Daphnia    |
| 67-64-1        |                      | mykiss mL/L LC50 8300: 96 h        | magna mg/L EC50 Static 12600 - |
|                |                      | Lepomis macrochirus mg/L LC50      | 12700: 48 h Daphnia magna mg/L |
|                |                      | 6210 - 8120: 96 h Pimephales       | EC50                           |
|                |                      | promelas mg/L LC50 static          |                                |
| Methyl alcohol | -                    | 28200: 96 h Pimephales promelas    | •                              |
| 67-56-1        |                      | mg/L LC50 flow-through 100: 96 h   |                                |
|                |                      | Pimephales promelas mg/L LC50      |                                |
|                |                      | static 13500 - 17600: 96 h Lepomis |                                |
|                |                      | macrochirus mg/L LC50              |                                |
|                |                      | flow-through 18 - 20: 96 h         |                                |
|                |                      | Oncorhynchus mykiss mL/L LC50      |                                |
|                |                      | static 19500 - 20700: 96 h         |                                |
|                |                      | Oncorhynchus mykiss mg/L LC50      |                                |
|                |                      | flow-through                       |                                |

# Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

| Chemical Na               | ame | RCRA                     | RCRA - I   | Basis for Listing | RCRA - I | Series Wastes | RCRA - U | J Series Wastes |
|---------------------------|-----|--------------------------|------------|-------------------|----------|---------------|----------|-----------------|
| Acetone<br>67-64-1        | -   | Included in wast<br>F039 | te stream: | -                 |          | U002          |          |                 |
| Methyl alcohol<br>67-56-1 | •   | Included in wast<br>F039 | te stream: | -                 |          | U154          |          |                 |

| Chemical Name                            | California Hazardous Waste Status |
|--|-----------------------------------|
| Acetone 67-64-1 / Methyl alcohol 67-56-1 | Toxic / Ignitable                 |

# 14. TRANSPORT INFORMATION

DOT Not regulated 1090/1230

Proper shipping name Acetone/Methanol soution

Hazard Class 3
Packing Group II

Reportable Quantity (RQ) 5000 lbs

<u>IATA</u>

**UN/ID no.** 1090/1230

Proper shipping name Acetone /Methanol Solution

Hazard Class 3
Packing Group ||

**IMDG** 

**UN/ID no.** 1090/1230

Proper shipping name Acetone/Methanol solution

Hazard Class 3
Packing Group ||

**EmS-No.** F-E, S-D

| International Inventories |          | <u> </u> |
|---------------------------|----------|----------|
| TSCA                      | Complies |          |
|                           | Complies |          |
| DSL/NDSL                  | Complies |          |
| EINECS/ELINCS             | Complies |          |
| ENCS                      | Complies |          |
| IECSC                     | Complies |          |
| KECL                      | Complies |          |
| PICCS                     | Complies |          |
| AICS                      | Complies |          |

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardYesFire hazardYesSudden release of pressure hazardNoReactive HazardNo

#### **CWA (Clean Water Act)**

This product, as supplied, does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

| Chemical Name                            | California Proposition 65 |
|--|---------------------------|
| Acetone 67-64-1 / Methyl alcohol 67-56-1 | -                         |

# U.S. State Right-to-Know Regulations

| Chemical Name                    | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------|------------|---------------|--------------|
| Acetone 67-64-1 / Methyl alcohol | X          | X             | X            |
| 67-56-1                          |            |               |              |

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 3 Instability 0 Physical and Chemical

Properties - HMIS Health hazards  $\,2\,$  Flammability  $\,3\,$  Physical hazards  $\,0\,$  Personal protection  $\,X\,$ 

Chronic Hazard Star Legend \*= Chronic Health Hazard

 Issue Date
 10-JAN-2019

 Revision Date
 10-JAN-2019

**Revision Note** 

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**