

Safety Data Sheet acc. to OSHA HCS

Page 1/8

Reviewed on 02/14/2024

# 1 Identification

### · Product identifier

- · Product Name: 1000 µg/mL Mercury
- · Part Name: PLHG4-2X
- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Spex CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA 732-549-7144

USMet-CRMSales@antylia.com

· Information department: product safety department · Emergency telephone number: Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300) Outside US: 703-527-3887

## 2 Hazard(s) identification

Classification of the substance or mixture

GHS08 Health hazard

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.

GHS05 Corrosion

Skin Corrosion 1B H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- nitric acid

mercury · Hazard statements

H314 Causes severe skin burns and eye damage.

H360 May damage fertility or the unborn child.

Precautionary statements

- P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

- P304 + P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a poison center/doctor. P310
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P363 Wash contaminated clothing before reuse.
- P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.



#### Product Name: 1000 µg/mL Mercury

- · Classification system:
- · NFPA ratings (scale 0 4)



Fire = 0Reactivity = 0

#### · HMIS-ratings (scale 0 - 4)

HEALTH 3 Health = 3FIRE 0 Fire = 0Reactivity = 0**REACTIVITY** 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
7697-37-2 nitric acid	10.0%
7439-97-6 mercury	0.1%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	89.9%

Safety Data Sheet acc. to OSHA HCS

#### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

# 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Reviewed on 02/14/2024

(Contd. of page 1)

Page 2/8

### Product Name: 1000 µg/mL Mercury

	nd. of page 2)
· Protective Action Criteria for Chemicals	
• PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7439-97-6 mercury	0.15 mg/m <sup>3</sup>
• PAC-2:	
7697-37-2 nitric acid	24 ppm
7439-97-6 mercury	1.7 mg/m <sup>3</sup>
• PAC-3:	
7697-37-2 nitric acid	92 ppm
7439-97-6 mercury	8.9 mg/m <sup>3</sup>

Safety Data Sheet acc. to OSHA HCS

# 7 Handling and storage

### · Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

## 7439-97-6 mercury

- PEL Long-term value: 0.1 mg/m<sup>3</sup> as Hg; see OSHA standard interpretation memo REL Long-term value: 0.05\* mg/m<sup>3</sup>
- Ceiling limit value: 0.05° mg/m<sup>2</sup> as Hg; \*Vapor; Skin
- TLV Long-term value: 0.025 mg/m<sup>3</sup> as Hg; A4; Skin; BEI

#### · Ingredients with biological limit values:

# 7439-97-6 mercury

BEI 20 μg/g creatinine Medium: urine Time: prior to shift Parameter: Mercury

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Reviewed on 02/14/2024

(Contd. of page 2)

# Product Name: 1000 µg/mL Mercury

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Safety Data Sheet

acc. to OSHA HCS

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

· Information on basic physical and c	chemical properties
· General Information	
· Appearance:	7 · · · I
Form:	Liquid
Color:	According to product specification Characteristic
· Odor:	
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
<b>Boiling point/Boiling range:</b>	83 °C (181.4 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not applicable.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
$\cdot$ Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F)	1.06284 g/cm <sup>3</sup> (8.8694 lbs/gal)
Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Water:	89.9 %
VOC content:	0.00 %
Solids content:	0.0 %
• Other information	No further relevant information available.
	(Contd. on page 5)

(Contd. of page 3)

(Contd. on page 5)

# Product Name: 1000 µg/mL Mercury

Safety Data Sheet acc. to OSHA HCS

Reviewed on 02/14/2024

(Contd. of page 4)

Page 5/8

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### 7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

#### Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

# $\cdot Additional \ toxicological \ information:$

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive Irritant

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

#### · Carcinogenic categories

 $\cdot$  IARC (International Agency for Research on Cancer)

#### 7439-97-6 mercury

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

3

· Recommended cleansing agent: Water, if necessary with cleansing agents.

Reviewed on 02/14/2024

(Contd. of page 5)

	n
· UN proper shipping name       Nitric acid solution         · DOT       Nitric acid solution         · ADR       2031 NITRIC ACID         · IMDG, IATA       NITRIC ACID solution         · Transport hazard class(es)       ·         · DOT       •         • Class       8 Corrosive substan         · Label       8         • ADR, IMDG, IATA       8         • Class       8 Corrosive substan         • Label       8         • ADR, IMDG, IATA       8         • Class       8 Corrosive substan         • Label       8         • Packing group       Not applicable.         • Special precautions for user       Warning: Corrosive         • Hazard identification number (Kemler code):       80         • Segregation groups       SG6 Segregation as         • Stowage Category       D         • Segregation Code       SG6 Stow "separat SG19 Stow "separat SG17 Stow" separat SG36 Stow" "separat SG36 Stow" "separat SG36 Stow" separat SG36 Stow" separat SG36 Stow	n 25
· DOT       Nitric acid solution         · IMDG, IATA       NITRIC ACID         · Transport hazard class(es)       NITRIC ACID solution         · DOT       Image: Construction of the second sec	n 25
• IMDG, IATA       NITRIC ACID solut         • Transport hazard class(es)       •         • DOT       •         • Class       8 Corrosive substan         • Label       8         • ADR, IMDG, IATA       8         • Class       8 Corrosive substan         • Label       8         • Packing group       11         • DOT, ADR, IMDG, IATA       11         • Environmental hazards:       Not applicable.         • Special precautions for user       80         • Agard identification number (Kemler code):       80         • Segregation groups       566 Segregation as SGI6 Stow "separat SGI7 Stow "separat SGI7 Stow "separat SGI7 Stow "separat SGI5 Stow "separat SG36 Stow "separat S	n 25
<ul> <li>Transport hazard class(es)</li> <li>DOT</li> <li>DOT</li> <li>Class</li> <li>Label</li> <li>ADR, IMDG, IATA</li> <li>Import and the second s</li></ul>	25
<ul> <li>DOT</li> <li>Class</li> <li>Class</li> <li>ADR, IMDG, IATA</li> <li>Implementation of the second s</li></ul>	
• Class       8 Corrosive substant         • Label       8         • ADR, IMDG, IATA       8         • Class       8 Corrosive substant         • Label       8         • Class       8 Corrosive substant         • Class       8 Corrosive substant         • Label       8         • Packing group       11         • DOT, ADR, IMDG, IATA       11         • Environmental hazards:       Not applicable.         • Special precautions for user       80         • Segregation groups       (SGG1) Acids         • Sowage Category       D         • Segregation Code       SG6 Segregation as         SG16 Stow "separata       SG17 Stow "separata         SG36 Stow "separata       SG36 Stow "separata	
· Label       8         · ADR, IMDG, IATA       Image: Construct of the second se	
· ADR, IMDG, IATA         • ADR, IMDG, IATA         • Class       8 Corrosive substantes         • Label       8         • Packing group       8         • DOT, ADR, IMDG, IATA       II         • Environmental hazards:       Not applicable.         • Special precautions for user       Warning: Corrosive         • Hazard identification number (Kemler code):       80         • Segregation groups       (SGG1) Acids         • Stowage Category       D         • Segregation Code       SG6 Segregation as         SG17 Stow "separate       SG19 Stow "separate         SG19 Stow "separate       SG36 Stow "separate	
· Class       8 Corrosive substant         · Label       8         · Packing group       11         · DOT, ADR, IMDG, IATA       11         · Environmental hazards:       Not applicable.         · Special precautions for user       Warning: Corrosive         · Hazard identification number (Kemler code):       80         · Segregation groups       (SGG1) Acids         · Stowage Category       D         · Segregation Code       SG6 Segregation as         SG17 Stow "separati       SG19 Stow "separati         SG36 Stow "separati       SG36 Stow "separati	
· Label       8         · Packing group       .         · DOT, ADR, IMDG, IATA       II         · Environmental hazards:       Not applicable.         · Special precautions for user       Warning: Corrosive         · Hazard identification number (Kemler code):       80         · Segregation groups       (SGG1) Acids         · Stowage Category       D         · Segregation Code       SG6 Segregation as         SG17 Stow "separati       SG19 Stow "separati         SG36 Stow "separati       SG36 Stow "separati	
· Packing group       II         · DOT, ADR, IMDG, IATA       II         · Environmental hazards:       Not applicable.         · Special precautions for user       Warning: Corrosive         · Hazard identification number (Kemler code):       80         · Segregation groups       (SGG1) Acids         · Stowage Category       D         · Segregation Code       SG6 Segregation as         SG17 Stow "separate         SG19 Stow "separate         SG36 Stow "separate	25
· DOT, ADR, IMDG, IATA       II         · Environmental hazards:       Not applicable.         · Special precautions for user       Warning: Corrosive         · Hazard identification number (Kemler code):       80         · Segregation groups       (SGG1) Acids         · Stowage Category       D         · Segregation Code       SG6 Segregation as         SG16 Stow "separat         SG19 Stow "separat         SG36 Stow "separat         SG36 Stow "separat	
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>Segregation groups</li> <li>Stowage Category</li> <li>Segregation Code</li> <li>SG16 Stow "separation SG19 Stow "separation SG36 Stow "separ</li></ul>	
• Hazard identification number (Kemler code):       80         • Segregation groups       (SGG1) Acids         • Stowage Category       D         • Segregation Code       SG6 Segregation as         SG16 Stow "separat       SG19 Stow "separat         SG36 Stow "separat       SG36 Stow "separat	
	or class 5.1 d from" class 4.1 d from" class 5.1
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
· Transport/Additional information:	
	y per inner packaging: 30 ml y per outer packaging: 500 ml
· UN "Model Regulation": UN 2031 NITRIC A	

Safety Data Sheet acc. to OSHA HCS

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

Sorta
 S

#### Product Name: 1000 µg/mL Mercury

Reviewed on 02/14/2024

(Colored Colored Col	ontd. of page 6)
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
7439-97-6 mercury	
· Carcinogenic categories	

Safety Data Sheet acc. to OSHA HCS

· EPA (Environmental Protection Agency)	
7439-97-6 mercury	D
· TLV (Threshold Limit Value)	
7439-97-6 mercury	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed	

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- nitric acid
- mercury
- · Hazard statements
- H314 Causes severe skin burns and eye damage. H360 May damage fertility or the unborn child.

· Precautionary statements

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- *P304+P340* IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- *P310 Immediately call a poison center/doctor.*
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P321Specific treatment (see on this label).P363Wash contaminated clothing before reuse.
- P405 Store locked up.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

- · Contact:
- Spex CertiPrep, LLC.
- 1-732-549-7144

• Date of preparation / last revision 02/14/2024

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)



# Product Name: 1000 µg/mL Mercury

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LCS0: Lethal concentration, 50 percent
LDS0: Lethal concentration, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Isfery & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
ES: Biological Exposure Limit
Skin Corrosion IB: Skin corrosion/iritation – Category IB
Eye Damage 1: Serious eye damage/eye irritation – Category IB
Toxic to Reproduction IB: Reproductive toxicity – Category IB

Safety Data Sheet

acc. to OSHA HCS

Reviewed on 02/14/2024

(Contd. of page 7)

us —