Page 1/8

1 Identification

- · Product identifier
- · Product Name: N-Ethyldiethanolamine
- · Part Number: S-4703
- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA
- · Information department: product safety department · Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT SE 1 H370 Causes damage to organs.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS06

· Signal word Danger

- · Hazard-determining components of labeling:
- methanol · Hazard statements
- H225 Highly flammable liquid and vapor.
- H331 Toxic if inhaled.
- H370 Causes damage to organs.
- · Precautionary statements
- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

99.9%

0.1%

Safety Data Sheet acc. to OSHA HCS

Printing date 01/30/2019

Reviewed on 01/30/2019

Product Name: N-Ethyldiethanolamine	
· Classification system: · NFPA ratings (scale 0 - 4)	(Contd. of page 1)
$\frac{3}{10}$ Health = 1 Fire = 3 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH1FIRE3Fire = 3REACTIVITY 0	
• Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions	

- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

67-56-1 methanol

- · Chemical identification of the substance/preparation
- 139-87-7 N-ethyldiethanolamine

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- · After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 3)

Printing date 01/30/2019

Reviewed on 01/30/2019

(Contd. of page 2)

Product Name: N-Ethyldiethanolamine	
· Reference to other sections	
See Section 7 for information on safe handling.	

See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
· PAC-1:	
67-56-1 methanol	530 ppm
· PAC-2:	
67-56-1 methanol	2,100 ppm
· PAC-3:	
67-56-1 methanol	7200* ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

. Control parameters

Connot parameters
\cdot Components with limit values that require monitoring at the workplace:
67-56-1 methanol
PEL Long-term value: 260 mg/m ³ , 200 ppm
REL Short-term value: 325 mg/m ³ , 250 ppm
Long-term value: 260 mg/m ³ , 200 ppm
Skin
TLV Short-term value: 328 mg/m ³ , 250 ppm
Long-term value: 262 mg/m ³ , 200 ppm
Skin; BEI
· Ingredients with biological limit values:
67-56-1 methanol
BEI 15 mg/L
Medium: urine
Time: end of shift
Parameter: Methanol (background, nonspecific)
• Additional information: The lists that were valid during the creation were used as basis.
· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Store protective clothing separately.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

Reviewed on 01/30/2019

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/30/2019

Product Name: N-Ethyldiethanolamine

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and c	chemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64.7 °C (148.5 °F)
· Flash point:	< 23 °C (<73.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F)	0.79022 g/cm ³ (6.59439 lbs/gal)
· Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	e r): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	99.9 %
VOC content:	99.90 %
Solids content:	0.0 %
	(Contd. on page

_____US

Safety Data Sheet acc. to OSHA HCS

Printing date 01/30/2019

Product Name: N-Ethyldiethanolamine

· Other information

No further relevant information available.

Reviewed on 01/30/2019

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

67-56-1 methanol

Oral LD50 5,628 mg/kg (rat)

Dermal LD50 15,800 mg/kg (rabbit)

- · Primary irritant effect:
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/30/2019

Product Name: N-Ethyldiethanolamine

(Contd. of page 5)

Reviewed on 01/30/2019

Transport information	
UN-Number DOT, ADR, IMDG, IATA	UN1230
UN proper shipping name	0.11200
DOT	Methanol
ADR	1230 Methanol
IMDG, IATA	METHANOL
Transport hazard class(es)	
DOT	
Class Label	3 Flammable liquids 3, 6.1
ADR	
Class Label	3 Flammable liquids 3+6.1
IMDG	
Class Label	3 Flammable liquids 3/6.1
IATA	3 Flammable liquids 3 (6.1)
Packing group	- (,
DOT, ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	336
EMS Number:	F-E,S-D
Stowage Category Stowage Code	B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARF	POL73/78 and the IBC
Code	Not applicable.
Transport/Additional information:	
ADR Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	1L 2. 1. 52
	Code: E2
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/30/2019

Product Name: N-Ethyldiethanolamine

· UN "Model Regulation":

UN 1230 METHANOL, 3 (6.1), II

(Contd. of page 6)

Reviewed on 01/30/2019

15 Regulatory information

15 Kegamory information	
· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara	
· Section 313 (Specific toxic chemical listings):	
67-56-1 methanol	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-56-1 methanol	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
 • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms • GHS02 • GHS06 • GHS08 	
· Signal word Danger	
 Hazard-determining components of labeling: methanol Hazard statements H225 Highly flammable liquid and vapor. H331 Toxic if inhaled. H370 Causes damage to organs. Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. 	

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

 $Use \ explosion-proof \ electrical/ventilating/lighting/equipment.$

Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

(Contd. on page 8)

Reviewed on 01/30/2019

Safety Data Sheet acc. to OSHA HCS

Printing date 01/30/2019

Product Name: N-Ethyldiethanolamine

SPEX CertiPrep, LLC. 1-732-549-7144 Date of preparation / last revision 01/30/2019 / -		(Contd. of page 7)
1-732-549-7144 Date of preparation / last revision 01/30/2019 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DT: US Department of Transport Association ACCHI: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Astracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMS: Hacardous Materials Identification System (USA) VOC: Volarile Orgentic Compounds (USA, EU) LCS0: Lethal concentration, So percent PBT: Persistent and very Bioaccumulative NIOSH: National Institue for Occupational Safety NIOSH: National Institue fo	· Contact:	
1-732-549-7144 Date of preparation / last revision 01/30/2019 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DT: US Department of Transport Association ACCHI: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Astracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMS: Hacardous Materials Identification System (USA) VOC: Volarile Orgentic Compounds (USA, EU) LCS0: Lethal concentration, So percent PBT: Persistent and very Bioaccumulative NIOSH: National Institue for Occupational Safety NIOSH: National Institue fo	SPFX CertiPren 11C	
Date of preparation / last revision 01/30/2019 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IDGC: International Adritinue Code for Dangerous Goods DOT: US Department of Transport dasciation IATA: International Aritinue Code for Dangerous Goods DOT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFA: National Fire Protection Association (USA) UGC: Volatile Organic Compounds (USA, EU) CSO: Lethal concentration, 50 percent DSO: Lethal dose, 50 percent DSO: Persistent and very Bioaccumulative NOSH: Actional Institute for Occupational Safety OSHA: Occupational Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value EE: Permissible Exposure Limit EE: Recommended Exposure Limit EE: Recommended Exposure Limit Flam, Liq. 2: Flammable liquids - Category 1		
Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IDDG: International Marinime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association CACHI: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lehal concentration, 50 percent DS0: Lehal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health PLI: Permissible Exposure Limit REL: Recommended Exposure Limit FEL: Recommende Exposure Limit FEL: Seconymode Exposure Limit FEL: Seconymode Exposure Limit FEL: Seconymende Exposure Limit FEL: Seconymode Exposure		
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport dassociation AACHI: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINECS: European Ist of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatie Organic Compounds (USA, EU) LCSO: Lethal concentration, 50 percent LDSO: Lethal concentration, 50 percent DSO: Lethal concentration and Safety DSO: Lethal concentration and Safety DSO: Lethal Concentration and Safety DSO: Lethal Lethat Concentration and Safety DSO: Lethal Lethat Concentration and Safety DSO: Safet Lethat Concentration and Safety DSO: Safet Lethat Concentrati	• Date of preparation / last revision 01/30/2019 / -	
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGHF: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Ist of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) WOC: Volatile Organic Compounds (USA, EU) LCSO: Lethal concentrations, 50 percent LDS0: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TU: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox, 3: Acute toxicity (single exposure) – Category I	· Abbreviations and acronyms:	
DOT: US Department of Transportation IATA: International Air Transport Association IACGH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINECS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent DBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox: 3: Acute Toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
IATA: International Ai [*] Transport Association ACGIH: American Conference of Governmental Industrial Hygienists ELINECS: European Inventory of Existing Commercial Chemical Substances ELINECS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCSO: Lethal concentration, 50 percent LDSO: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TUY: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox: 3: Acute Toxicity (single exposure) – Category 1	IMDG: International Maritime Code for Dangerous Goods	
ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) ELSO: Lethal concentration, 50 percent LDS0: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox: 3: Acute Tox: 3	DOT: US Department of Transportation	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINECS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OCHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox: 3: Acute Tox: 4: 4: 5: Flam. Acity (single exposure 1 int) Acute Tox: 3: Acute Tox: 3: Acute Tox: 4: 5: Flammable liquids – Category 4 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1	IATA: International Air Transport Association	
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCSO: Ethal concentration, 50 percent LDS0: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TUY: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox: 3: Acute Toxicity (single exposure) – Category 1	ACGIH: American Conference of Governmental Industrial Hygienists	
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hagardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox: 3: Acute Tox: 3: Ac	EINECS: European Inventory of Existing Commercial Chemical Substances	
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit ERL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox: 3: Acute Tox: 4: Acute Tox: 3: Acute Tox: 4: Acute Tox: 3: Acute Tox: 4: A	ELINCS: European List of Notified Chemical Substances	
HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal dose, 50 percent DSD: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity (single exposure) – Category I		
VOC: Volatile Organic Compounds (USA, ÉU) LCS0: Lethal concentration, 50 percent LDS0: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acuter Tox. 3: Acute Tox: 3: Comparison and the comparison of	NFPA: National Fire Protection Association (USA)	
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox: 3: Acute Tox: 4:	HMIS: Hazardous Materials Identification System (USA)	
LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit EEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1	VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxis - Category 3 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1	LC50: Lethal concentration, 50 percent	
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute Tox.3: Acut		
NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1		
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1		
TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute tox.3: A		
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam, Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1		
REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1		
BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute Tox.		
Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1		
Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1		
STOT SE 1: Specific target organ toxicity (single exposure) – Category I		
	STOT SE 1: Specific target organ toxicity (single exposure) – Category I	