Page 1/8

1 Identification

- · Product identifier
- · Product Name: <u>N-METHYLFORMAMIDE</u>
- · Part Number: S-5004
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:
 SPEX CertiPrep, LLC.
 203 Norcross Ave, Metuchen,
 NJ 08840 USA
- Information department: product safety department • Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Repr. 1 H360 May damage fertility or the unborn child.

STOT SE 1 H370 Causes damage to organs.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: methanol
N-methylformamide
Hazard statements
H225 Highly flammable liquid and vapor.
H331 Toxic if inhaled.
H360 May damage fertility or the unborn child.
H370 Causes damage to organs.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Use explosion-proof electrical/ventilating/lighting/equipment.
Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Reviewed on 11/21/2016

Safety Data Sheet acc. to OSHA HCS

Printing date 11/21/2016

Product Name: N-METHYLFORMAMIDE

· Classification system: · NFPA ratings (scale 0 - 4)	(Contd. of page 1)
3 0 Health = 3 Fire = 3 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH*3FIRE3 $Fire = 3$ REACTIVITY \bigcirc	
· Other hazards	
• Results of PBT and vPvB assessment • PBT: Not applicable.	
v PvB: Not applicable.	

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- Dangerous components:67-56-1methanol123-39-7N-methylformamide0.1%

4 First-aid measures

· Description of first aid measures

· General information:

- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.
- · After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents

(Contd. on page 3)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/21/2016

Product Name: N-METHYLFORMAMIDE

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.

67-56-1 methanol

- PEL
 Long-term value: 260 mg/m³, 200 ppm

 REL
 Short-term value: 325 mg/m³, 250 ppm

 Long-term value: 260 mg/m³, 200 ppm
 Skin

 TLV
 Short-term value: 328 mg/m³, 250 ppm
- Long-term value: 262 mg/m³, 200 ppm Skin; BEI

· Ingredients with biological limit values:

67-56-1 methanol BEI 15 mg/L Medium: urine

Time: end of shift Parameter: Methanol (background, nonspecific)

Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.
- · Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

(Contd. of page 2)

Reviewed on 11/21/2016

US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/21/2016

Product Name: N-METHYLFORMAMIDE

(Contd. of page 3)

Reviewed on 11/21/2016

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

7 Instear and chemical properties				
 Information on basic physical and of General Information Appearance: Form: Color: Odor: Odour Threshold: 	c hemical properties Liquid According to product specification Characteristic Not applicable.			
· pH-value:	Not applicable.			
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 64 °C (147 °F)			
· Flash point:	11 °C (52 °F)			
· Flammability (solid, gaseous):	Not applicable.			
· Ignition temperature:	455 °C (851 °F)			
· Decomposition temperature:	Not applicable.			
• Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.			
· Explosion limits: Lower: Upper:	5.5 Vol % 44.0 Vol %			
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)			
 Density at 20 °C (68 °F) Relative density Vapor density Evaporation rate 	0.79022 g/cm³ (6.594 lbs/gal) Not applicable. Not applicable. Not applicable.			
• Solubility in / Miscibility with Water:	Not miscible or difficult to mix.			
· Partition coefficient (n-octanol/wate	e r): Not applicable.			
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.			
 Solvent content: Organic solvents: VOC content: Other information 	100.0 % 100.0 % No further relevant information available.			

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Safety Data Sheet acc. to OSHA HCS

Printing date 11/21/2016

Product Name: N-METHYLFORMAMIDE

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- 67-56-1 methanol
- Oral LD50 5628 mg/kg (rat)
- Dermal LD50 15800 mg/kg (rabbit)
- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Toxic
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.
- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	UN1230	
· UN proper shipping name		
· UN proper shipping name · DOT	Methanol	
· ADR	1230 Methanol	

Reviewed on 11/21/2016

Safety Data Sheet acc. to OSHA HCS

Printing date 11/21/2016

Product Name: N-METHYLFORMAMIDE

Reviewed on 11/21/2016

	(Contd. of page
· IMDG, IATA	METHANOL
Transport hazard class(es)	
DOT	
3	
· Class	3 Flammable liquids
· Label	3, 6.1
· ADR	
· Class	3 Flammable liquids
· Label	3+6.1
· IMDG	
· Class · Label	3 Flammable liquids 3/6.1
· LADet · IATA	5/0.1
· Class	3 Flammable liquids
· Label	3 (6.1)
· Packing group · DOT, ADR, IMDG, IATA	II
· Environmental hazards:	Not applicable.
Special precautions for user Danger code (Kemler):	Warning: Flammable liquids 336
EMS Number:	F-E,S-D
Stowage Category	
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MAR. Code	POL73/78 and the IBC Not applicable.
	1101 upprecedet.
Transport/Additional information:	
ADR Excepted quantities (EQ)	Code: E2
Exception quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E2 Maximum not quantity nor inner nackaging, 30 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/21/2016

Product Name: N-METHYLFORMAMIDE

(Contd. of page 6)

Reviewed on 11/21/2016

Regulatory information	
Safety, health and environmental regulations/legislation specific for the substance or mixture Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
67-56-1 methanol	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
67-56-1 methanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Protective Action Criteria for Chemicals	
PAC-1:	
67-56-1 methanol	530 pp
123-39-7 N-methylformamide	5.1 ppi
PAC-2:	
67-56-1 methanol	2,100 pp
123-39-7 N-methylformamide	56 ppm
PAC-3:	
67-56-1 methanol	7200* pp
123-39-7 N-methylformamide	220 ppm

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: methanol

N-methylformamide

· Hazard statements

H225 Highly flammable liquid and vapor.

H331 Toxic if inhaled.

H360 May damage fertility or the unborn child.

H370 Causes damage to organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

US

Printing date 11/21/2016

Product Name: N-METHYLFORMAMIDE

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: product safety department · Contact: SPEX CertiPrep, LLC. 1-732-549-7144 · Date of preparation / last revision 11/21/2016 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Repr. 1: Reproductive toxicity – Category 1 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 US

(Contd. of page 7)

Reviewed on 11/21/2016