

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/03/2021

Reviewed on 03/03/2021

## 1 Identification

- **Product identifier**
- **Product Name:** USP 561 MIX B
- **Part Name:** USP-561-B
- **Application of the substance / the mixture** Certified Reference Material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SPEX CertiPrep, LLC.  
203 Norcross Ave, Metuchen,  
NJ 08840 USA
- **Information department:** product safety department
- **Emergency telephone number:**  
Emergency Phone Number (24 hours)  
CHEMTREC (800-424-9300)  
Outside US: 703-527-3887

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

acetonitrile

- **Hazard statements**

H225 Highly flammable liquid and vapor.

H312+H332 Harmful in contact with skin or if inhaled.

H319 Causes serious eye irritation.

- **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US

Product Name: USP 561 MIX B

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	3	Fire = 3
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

75-05-8	acetonitrile	99.79%
---------	--------------	--------

- **Chemical identification of the substance/preparation**

56-38-2	parathion (ISO)	0.01%
58-89-9	$\gamma$ -HCH or $\gamma$ -BHC	0.01%
72-20-8	endrin (ISO)	0.01%
72-43-5	methoxychlor	0.01%
76-44-8	heptachlor (ISO)	0.01%
118-74-1	hexachlorobenzene	0.01%
121-75-5	malathion (ISO)	0.01%
319-84-6	(1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,4 $\alpha$ ,5 $\beta$ ,6 $\beta$ )-1,2,3,4,5,6-hexachlorocyclohexane	0.01%
319-85-7	$\beta$ -HCH	0.01%
319-86-8	delta-BHC	0.01%
950-37-8	methidathion	0.01%
1024-57-3	heptachlor epoxide	0.01%
1031-07-8	Endosulfan sulfate	0.01%
1634-78-2	Malaoxon	0.01%
2385-85-5	dodecachloropentacyclo[5.2.1.0 <sup>2</sup> .6.0 <sup>3</sup> .9.0 <sup>5</sup> .8]decane	0.01%
6923-22-4	monocrotophos (ISO)	0.01%
10265-92-6	methamidophos (ISO)	0.01%
28044-83-9	Heptachlor epoxide (Isomer A)	0.01%
38260-54-7	O-6-ethoxy-2-ethylpyrimidin-4-yl O,O-dimethylphosphorothioate	0.01%
50471-44-8	vinclozolin (ISO)	0.01%
102851-06-9	tau-fluvalinate	0.01%

### 4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately rinse with water.

- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** Do not give anything to eat or drink - Do not induce vomiting

- **Information for Doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/03/2021

Reviewed on 03/03/2021

Product Name: USP 561 MIX B

(Contd. of page 2)

· **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

75-05-8	acetonitrile	13 ppm
56-38-2	parathion (ISO)	0.15 mg/m <sup>3</sup>
58-89-9	γ-HCH or γ-BHC	9.1 mg/m <sup>3</sup>
72-20-8	endrin (ISO)	1.8 mg/m <sup>3</sup>
72-43-5	methoxychlor	30 mg/m <sup>3</sup>
76-44-8	heptachlor (ISO)	0.15 mg/m <sup>3</sup>
118-74-1	hexachlorobenzene	0.006 mg/m <sup>3</sup>
121-75-5	malathion (ISO)	15 mg/m <sup>3</sup>
950-37-8	methidathion	1.8 mg/m <sup>3</sup>
1024-57-3	heptachlor epoxide	0.15 mg/m <sup>3</sup>
2385-85-5	dodecachloropentacyclo[5.2.1.0 <sup>2</sup> ,6.0 <sup>3</sup> ,9.0 <sup>3</sup> ,8]decane	6.3 mg/m <sup>3</sup>
6923-22-4	monocrotophos (ISO)	0.15 mg/m <sup>3</sup>
10265-92-6	methamidophos (ISO)	0.11 mg/m <sup>3</sup>

· **PAC-2:**

75-05-8	acetonitrile	50 ppm
56-38-2	parathion (ISO)	1.5 mg/m <sup>3</sup>
58-89-9	γ-HCH or γ-BHC	100 mg/m <sup>3</sup>
72-20-8	endrin (ISO)	20 mg/m <sup>3</sup>
72-43-5	methoxychlor	150 mg/m <sup>3</sup>
76-44-8	heptachlor (ISO)	14 mg/m <sup>3</sup>
118-74-1	hexachlorobenzene	14 mg/m <sup>3</sup>
121-75-5	malathion (ISO)	120 mg/m <sup>3</sup>
950-37-8	methidathion	20 mg/m <sup>3</sup>
1024-57-3	heptachlor epoxide	0.5 mg/m <sup>3</sup>
2385-85-5	dodecachloropentacyclo[5.2.1.0 <sup>2</sup> ,6.0 <sup>3</sup> ,9.0 <sup>3</sup> ,8]decane	69 mg/m <sup>3</sup>
6923-22-4	monocrotophos (ISO)	0.63 mg/m <sup>3</sup>
10265-92-6	methamidophos (ISO)	1.2 mg/m <sup>3</sup>

· **PAC-3:**

75-05-8	acetonitrile	150 ppm
56-38-2	parathion (ISO)	2.0 mg/m <sup>3</sup>
58-89-9	γ-HCH or γ-BHC	1,000 mg/m <sup>3</sup>
72-20-8	endrin (ISO)	2,000 mg/m <sup>3</sup>
72-43-5	methoxychlor	4,500 mg/m <sup>3</sup>

(Contd. on page 4)

Product Name: USP 561 MIX B

(Contd. of page 3)

76-44-8	heptachlor (ISO)	700 mg/m <sup>3</sup>
118-74-1	hexachlorobenzene	91 mg/m <sup>3</sup>
121-75-5	malathion (ISO)	390 mg/m <sup>3</sup>
950-37-8	methidathion	160 mg/m <sup>3</sup>
1024-57-3	heptachlor epoxide	3 mg/m <sup>3</sup>
2385-85-5	dodecachloropentacyclo[5.2.1.0 <sup>2</sup> ,6.0 <sup>3</sup> ,9.0 <sup>3</sup> ,8]decane	410 mg/m <sup>3</sup>
6923-22-4	monocrotophos (ISO)	3.5 mg/m <sup>3</sup>
10265-92-6	methamidophos (ISO)	7.1 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

### 75-05-8 acetonitrile

PEL	Long-term value: 70 mg/m <sup>3</sup> , 40 ppm
REL	Long-term value: 34 mg/m <sup>3</sup> , 20 ppm
TLV	Long-term value: 34 mg/m <sup>3</sup> , 20 ppm
	Skin

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/03/2021

Reviewed on 03/03/2021

**Product Name: USP 561 MIX B**

(Contd. of page 4)

- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	According to product specification
<b>Odor:</b>	Characteristic
<b>Odour Threshold:</b>	Not applicable.

- **pH-value:** Not applicable.

- **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	81 °C (177.8 °F)

- **Flash point:** < 23 °C (< 73.4 °F)

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** 525 °C (977 °F)

- **Decomposition temperature:** Not applicable.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

- **Explosion limits:**

<b>Lower:</b>	4.4 Vol %
<b>Upper:</b>	16 Vol %

- **Vapor pressure at 20 °C (68 °F):** 97 hPa (72.8 mm Hg)

- **Density** Not applicable.

- **Relative density** Not applicable.

- **Vapor density** Not applicable.

- **Evaporation rate** Not applicable.

- **Solubility in / Miscibility with**

**Water:** Fully miscible.

- **Partition coefficient (n-octanol/water):** Not applicable.

- **Viscosity:**

<b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.

- **Solvent content:**

<b>Organic solvents:</b>	0.0 %
<b>VOC content:</b>	0.03 %

**Solids content:** 0.1 %

- **Other information** No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/03/2021

Reviewed on 03/03/2021

**Product Name: USP 561 MIX B**

(Contd. of page 5)

· **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**75-05-8 acetonitrile**

Oral LD50 2,730 mg/kg (rat)

Dermal LD50 1,250 mg/kg (rabbit)

**56-38-2 parathion (ISO)**

Oral LD50 2 mg/kg (rat)

Dermal LD50 6.8 mg/kg (rat)

**121-75-5 malathion (ISO)**

Oral LD50 885 mg/kg (rat)

· **Primary irritant effect:**

· **on the eye:** Irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

56-38-2	parathion (ISO)	2B
58-89-9	γ-HCH or γ-BHC	I
72-20-8	endrin (ISO)	3
72-43-5	methoxychlor	3
76-44-8	heptachlor (ISO)	2B
118-74-1	hexachlorobenzene	2B
121-75-5	malathion (ISO)	2A
319-84-6	(1α,2α,3β,4α,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane	2B
319-85-7	β-HCH	2B
1024-57-3	heptachlor epoxide	2B
2385-85-5	dodecachloropentacyclo[5.2.1.0 <sup>2</sup> ,6.0 <sup>3</sup> ,9.0 <sup>5</sup> ,8]decane	2B

· **NTP (National Toxicology Program)**

58-89-9	γ-HCH or γ-BHC	R
118-74-1	hexachlorobenzene	R
319-84-6	(1α,2α,3β,4α,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane	R
319-85-7	β-HCH	R
319-86-8	delta-BHC	R
2385-85-5	dodecachloropentacyclo[5.2.1.0 <sup>2</sup> ,6.0 <sup>3</sup> ,9.0 <sup>5</sup> ,8]decane	R

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/03/2021

Reviewed on 03/03/2021

**Product Name: USP 561 MIX B**




(Contd. of page 6)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

<ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>	<p align="center">UN1648</p>
<ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG, IATA</b></li> </ul>	<p align="center">Acetonitrile 1648 ACETONITRILE, ENVIRONMENTALLY HAZARDOUS ACETONITRILE</p>
<ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul>	<p align="center">             3 Flammable liquids         </p>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	<p align="center">3</p>
<ul style="list-style-type: none"> <li>· <b>ADR</b></li> </ul>	<p align="center">  </p>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	<p align="center">3 Flammable liquids 3</p>
<ul style="list-style-type: none"> <li>· <b>IMDG, IATA</b></li> </ul>	<p align="center">  </p>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	<p align="center">3 Flammable liquids 3</p>
<ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>	<p align="center">II</p>
<ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Special marking (ADR):</b></li> </ul>	<p align="center">Symbol (fish and tree)</p>
<ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Hazard identification number (Kemler code):</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> <li>· <b>Stowage Code</b></li> </ul>	<p align="center">Warning: Flammable liquids 33 F-E,S-D B SW2 Clear of living quarters.</p>
<ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>	<p align="center">Not applicable.</p>

(Contd. on page 8)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/03/2021

Reviewed on 03/03/2021

Product Name: USP 561 MIX B

(Contd. of page 7)

· **Transport/Additional information:**

· **ADR**

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **IMDG**

· **Limited quantities (LQ)**

· **Excepted quantities (EQ)**

1L

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":**

UN 1648 ACETONITRILE, 3, II, ENVIRONMENTALLY HAZARDOUS

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture** No further relevant information available.

· **Sara**

· **Section 313 (Specific toxic chemical listings):**

75-05-8	acetonitrile
56-38-2	parathion (ISO)
58-89-9	γ-HCH or γ-BHC
72-43-5	methoxychlor
76-44-8	heptachlor (ISO)
118-74-1	hexachlorobenzene
121-75-5	malathion (ISO)
319-84-6	(1α,2α,3β,4α,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane
50471-44-8	vinclozolin (ISO)

· **TSCA (Toxic Substances Control Act):**

75-05-8	acetonitrile	ACTIVE
58-89-9	γ-HCH or γ-BHC	ACTIVE
118-74-1	hexachlorobenzene	ACTIVE
319-84-6	(1α,2α,3β,4α,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane	ACTIVE
319-85-7	β-HCH	ACTIVE
319-86-8	delta-BHC	ACTIVE

· **Hazardous Air Pollutants**

75-05-8	acetonitrile
56-38-2	parathion (ISO)
58-89-9	γ-HCH or γ-BHC
72-43-5	methoxychlor
76-44-8	heptachlor (ISO)
118-74-1	hexachlorobenzene

· **Proposition 65**

· **Chemicals known to cause cancer:**

56-38-2	parathion (ISO)
58-89-9	γ-HCH or γ-BHC
76-44-8	heptachlor (ISO)
118-74-1	hexachlorobenzene
121-75-5	malathion (ISO)
319-84-6	(1α,2α,3β,4α,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane
319-85-7	β-HCH
319-86-8	delta-BHC
1024-57-3	heptachlor epoxide
2385-85-5	dodecachloropentacyclo[5.2.1.0 <sup>2</sup> ,6.0 <sup>3</sup> ,9.0 <sup>4</sup> ,8]decane
50471-44-8	vinclozolin (ISO)

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

(Contd. on page 9)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/03/2021

Reviewed on 03/03/2021

Product Name: USP 561 MIX B

(Contd. of page 8)

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

72-20-8	endrin (ISO)
76-44-8	heptachlor (ISO)
118-74-1	hexachlorobenzene
50471-44-8	vinclozolin (ISO)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

75-05-8	acetonitrile	CBD, D
56-38-2	parathion (ISO)	C
72-20-8	endrin (ISO)	D
72-43-5	methoxychlor	D
76-44-8	heptachlor (ISO)	B2
118-74-1	hexachlorobenzene	B2
319-84-6	(1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,4 $\alpha$ ,5 $\beta$ ,6 $\beta$ )-1,2,3,4,5,6-hexachlorocyclohexane	B2
319-85-7	$\beta$ -HCH	C
319-86-8	delta-BHC	D
1024-57-3	heptachlor epoxide	B2

· **TLV (Threshold Limit Value established by ACGIH)**

75-05-8	acetonitrile	A4
56-38-2	parathion (ISO)	A4
58-89-9	$\gamma$ -HCH or $\gamma$ -BHC	A3
72-20-8	endrin (ISO)	A4
72-43-5	methoxychlor	A4
76-44-8	heptachlor (ISO)	A3
118-74-1	hexachlorobenzene	A3
121-75-5	malathion (ISO)	A4
1024-57-3	heptachlor epoxide	A3
6923-22-4	monocrotophos (ISO)	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

72-43-5	methoxychlor
76-44-8	heptachlor (ISO)

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02

GHS07

· **Signal word** Danger

· **Hazard-determining components of labeling:**

acetonitrile

· **Hazard statements**

H225 Highly flammable liquid and vapor.

H312+H332 Harmful in contact with skin or if inhaled.

H319 Causes serious eye irritation.

· **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

(Contd. on page 10)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/03/2021

Reviewed on 03/03/2021

**Product Name: USP 561 MIX B**

(Contd. of page 9)

- P321                    *Specific treatment (see on this label).*  
 P362+P364          *Take off contaminated clothing and wash it before reuse.*  
 P403+P235          *Store in a well-ventilated place. Keep cool.*  
 P501                   *Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** product safety department

- **Contact:**

SPEX CertiPrep, LLC.  
 1-732-549-7144

- **Date of preparation / last revision** 03/03/2021 / -

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 Flam. Liq. 2: Flammable liquids – Category 2  
 Acute Tox. 4: Acute toxicity – Category 4  
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

US